ETSI TS 123 548 V18.9.0 (2025-04)



5G;
5G System Enhancements for Edge Computing;
Stage 2
(3GPP TS 23.548 version 18.9.0 Release 18)

iTeh Standards
(https://standards.iteh.ai)
Document Preview

ETSI TS 123 548 V18.9.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/c5989e4a-91ee-467f-b75b-d5dceecbcbfa/etsi-ts-123-548-v18-9-0-2025-04



Reference
RTS/TSGS-0223548vi90

Keywords
5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under Committee Support Staff.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

https://standards.iteh.ai/catalog/standards/etsi/c5989e4a-91ee-467f-b75b-d5dceeebcbfa/etsi-ts-123-548-v18-9-0-2025-04

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.
No recommendation as to products and services or vendors is made or should be implied.
No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

iTeh Standards
(https://standards.iteh.ai)
Document Preview

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

ETSI TS 123 548 V18.9.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/c5989e4a-91ee-467f-b75b-d5dceecbcbfa/etsi-ts-123-548-v18-9-0-2025-04

The cross reference between 3GPP and ETSI identities can be found at 3GPP to ETSI numbering cross-referencing.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights 2
Legal Notice 2
Modal verbs terminology 2
Foreword 6
1 Scope 7
2 References 7
3 Definitions of terms, symbols and abbreviations 7
3.1 Terms 7
3.2 Abbreviations 8
4 Reference Architecture and Connectivity Models 8
4.1 General 8
4.2 Reference Architecture for Supporting Edge Computing 8
4.3 Connectivity Models 10
5 Functional Description for Supporting Edge Computing 11
5.1 EASDF 11
5.1.1 Functional Description 11
5.1.2 EASDF Discovery and Selection 12
5.2 Edge DNS Client (EDC) Functionality 12
5.2.1 Functional Description 12
6 Procedures for Supporting Edge Computing 13
6.1 General 13
6.2 EAS Discovery and Re-discovery 14
6.2.1 General 14
6.2.2 EAS (Re-)discovery over Distributed Anchor Connectivity Model 15
6.2.2.1 General 15
6.2.2.2 EAS Discovery Procedure 15
6.2.2.3 EAS Re-discovery Procedure at Edge Relocation 15
6.2.2.4 Procedure for EAS Discovery with Dynamic PSA Distribution 16
6.2.3 EAS (Re-)discovery over Session Breakout Connectivity Model 18
6.2.3.1 General 18
6.2.3.2 EAS Discovery Procedure 18
6.2.3.2.1 General 18
6.2.3.2.2 EAS Discovery Procedure with EASDF 19
6.2.3.2.3 EAS Discovery Procedure with Local DNS Server/Resolver 26
6.2.3.2.4 Select common DNAI with Local DNS Server/Resolver for a set of UEs 28
6.2.3.2.5 Common EAS discovery with EASDF for a set of UEs 28
6.2.3.2.6 EAS discovery corresponding to Common DNAI with EASDF for a set of UEs 30
6.2.3.2.7 Coordination among SMFs for Common EAS/DNAI determination 31
6.2.3.3 EAS Re-discovery Procedure at Edge Relocation 32
6.2.3.4 EAS Deployment Information Management 34
6.2.3.4.1 General 34
6.2.3.4.2 EAS Deployment Information Provision from AF via NEF 35
6.2.3.4.3 EAS Deployment Information Management in the SMF 35
6.2.3.4.4 BaselineDNSPattern Management in the EASDF 36
6.2.4 EDC Functionality based DNS Query to reach EASDF/DNS Resolver/DNS Server indicated by the SMF 37
6.3 Edge Relocation 37
6.3.1 General 37
6.3.2 Edge Relocation Involving AF Change 38
6.3.3 Edge Relocation Using EAS IP Replacement 38
6.3.3.1 EAS IP Replacement Procedures 39
6.3.3.1.1 Enabling EAS IP Replacement Procedure by AF 39

iTeh Standards (https://standards.iteh.ai) Document Preview
https://standards.iteh.ai/catalog/standards/sist/2f1c45d5-eeeb-4ed0-aeb1-etsi-ts-123-548-v18.9.0-2025-04

6.3.3.1.2 EAS IP Replacement Update upon DNAI and EAS IP Change 40
6.3.3.1.3 Disabling EAS IP Replacement Procedure 41
6.3.3.2 Enhancement to AF Influence 41
6.3.4 AF Request for Simultaneous Connectivity over Source and Target PSA at Edge Relocation 42
6.3.5 Packet Buffering for Low Packet Loss 42
6.3.6 Edge Relocation Considering User Plane Latency Requirement 44
6.3.7 Edge Relocation Triggered by AF 44
6.4 Network Exposure to Edge Application Server 45
6.4.1 General 45
6.4.2 Network Exposure to Edge Application Server 45
6.4.2.1 Usage of Nupf_EventExposure to Report QoS Monitoring results 45
6.4.2.2 Local NEF Discovery 47
6.5 Support of 3GPP Application Layer Architecture for Enabling Edge Computing 47
6.5.1 General 47
6.5.2 ECS Address Provisioning 48
6.5.2.1 ECS Address Configuration Information 48
6.5.2.2 ECS Address Configuration Information Provisioning to the UE 48
6.5.2.3 ECS Address Provisioning by a 3rd Party AF 49
6.5.2.4 ECS Address Provisioning by MNO 49
6.5.2.5 Interworking with EPC 49
6.5.2.6 ECS Address Provisioning in Roaming 49
6.5.2.6.1 General 49
6.5.2.6.2 ECS Address Configuration Information Provision from AF via NEF in VPLMN 49
6.5.2.6.3 ECS Address Configuration Information Provision to the SMF in VPLMN 50
6.6 Support of AF Guidance to PCF Determination of Proper URSP Rules 51
6.7 Support of the local traffic routing in VPLMN for Home Routed PDU Session for roaming (HR-SBO) 52
6.7.1 General 52
6.7.2 Procedure 52
6.7.2.1 General 52
6.7.2.2 PDU Session establishment for supporting HR-SBO in VPLMN 53
6.7.2.3 EAS Discovery Procedure with V-EASDF for HR-SBO 56
6.7.2.4 EAS Discovery Procedure with Local DNS for HR-SBO 58
6.7.2.5 EAS discovery procedure with V-EASDF/Local DNS Server using IP replacement mechanism for supporting HR-SBO 59
6.7.2.6 N2 Handover with V-SMF insertion/change/removal in HR-SBO case 60
6.7.2.7 Inter V-SMF mobility registration update procedure in HR-SBO case 64
6.7.2.8 N2 Handover without V-SMF change in HR-SBO case 67
6.7.2.9 Xn Handover with V-SMF change in HR-SBO case 68
6.7.2.10 Xn Handover without V-SMF change in HR-SBO case 69
6.7.3 EAS Re-discovery and Edge Relocation Procedure 69
6.7.3.1 General 69
6.7.3.2 Network triggered EAS change in HR-SBO context 70
6.7.4 AF request on PDU Sessions supporting HR-SBO 71
6.8 Support for mapping between EAS address Information and DNAI 72
6.8.1 General 72
6.8.2 AF request for DNAI Procedures 73

7 Network Function Services and Descriptions 73
7.1 EASDF Services 73
7.1.1 General 73
7.1.2 Neasdf_DNSContext Service 74
7.1.2.1 General 74
7.1.2.2 Neasdf_DNSContext_Create Service Operation 74
7.1.2.3 Neasdf_DNSContext_Update Service Operation 74
7.1.2.4 Neasdf_DNSContext_Delete Service Operation 74
7.1.2.5 Neasdf_DNSContext_Notify Service Operation 75
7.1.3 Neasdf_BaselineDNSPattern Service 75
7.1.3.1 General 75
7.1.3.2 Neasdf_BaselineDNSPattern_Create Service Operation 75
7.1.3.3 Neasdf_BaselineDNSPattern_Update Service Operation 75
7.1.3.4 Neasdf_BaselineDNSPattern_Delete Service Operation 75

iTeh Standards
(https://standards.iteh.ai)
Document Preview
ETSI TS 123 548 V18.9.0 (2025-04)
https://standards.iteh.ai/catalog/standards/sist/5b-d5dceecbcbfa/etsi-ts-123-548-v18.9.0-2025-04

Annex A (Informative): EAS Discovery Using 3rd Party Mechanisms 76

Annex B (Informative): Application Layer based EAS (Re-)Direction 77

Annex C (Informative): Considerations for EAS (re)Discovery....78

C.1 General 78

C.2 Impact of IP Addresses for DNS Resolver on UE 78

C.3 UE Considerations for EAS Re-discovery 78

C.4 UE Procedures for Session Breakout 79

C.5 Split-UE Considerations for EAS (Re-)discovery....79

C.6 Detection of UE not using 5GC provided DNS server....79

Annex D (Informative): Examples of AF Guidance to PCF for Determination of URSP Rules 81

Annex E (informative): EPS Interworking Considerations 82

E.1 General 82

E.2 Distributed Anchor 82

E.3 Multiple Sessions 82

E.4 Session Breakout 82

Annex F (Informative): EAS Relocation on Simultaneous Connectivity over Source and Target PSA 83

Annex G (Informative): Change history....86

History 90

iTeh Standards
(https://standards.iteh.ai)
Document Preview

ETSI TS 123 548 V18.9.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/c5989e4a-91ee-467f-b75b-d5dceecbcbfa/etsi-ts-123-548-v18-9-0-2025-04

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

x the first digit:

1 presented to TSG for information;

2 presented to TSG for approval;

3 or greater indicates TSG approved document under change control.

y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.

z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh Standards
(https://standards.iteh.ai)
Document Preview

ETSI TS 123 548 V18.9.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/c5989e4a-91ee-467f-b75b-d5dceecbcbfa/etsi-ts-123-548-v18-9-0-2025-04