

# ETSI TS 123 256 V17.9.0 (2025-04)



**5G;  
Support of Uncrewed Aerial Systems (UAS)  
connectivity, identification and tracking;  
Stage 2  
(3GPP TS 23.256 version 17.9.0 Release 17)**

[ETSI TS 123 256 V17.9.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/24e781bf-dc62-4d65-9f70-ba5371de2dac/etsi-ts-123-256-v17-9-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/24e781bf-dc62-4d65-9f70-ba5371de2dac/etsi-ts-123-256-v17-9-0-2025-04>



---

**Reference**

RTS/TSGS-0223256vh90

---

**Keywords**

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. [2025-04](#)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	5
1 Scope .....	7
2 References .....	7
3 Definitions and abbreviations.....	7
3.1 Definitions .....	7
3.2 Abbreviations .....	9
4 Architecture model and concepts .....	9
4.1 General concept.....	9
4.2 Architectural reference model .....	10
4.2.1 General.....	10
4.2.2 Logical UAV Reference Architecture.....	11
4.2.3 5GS Non-roaming Reference Architecture.....	13
4.2.4 5GS Roaming Reference Architecture.....	13
4.2.5 Service-based interfaces .....	13
4.2.6 Reference points .....	13
4.3 Functional entities .....	14
4.3.1 General.....	14
4.3.2 UAS NF .....	14
4.3.3 UAV.....	14
4.3.4 AMF.....	14
4.3.5 SMF.....	14
4.3.6 SMF+PGW-C .....	15
4.4 High level function.....	15
4.4.1 Service Operations .....	15
4.4.1.1 NEF Services.....	15
4.4.1.1.1 General .....	15
4.4.1.1.2 Nnef_Authentication service .....	15
4.4.1.2 AF Services .....	16
4.4.1.2.1 General .....	16
4.4.1.2.2 Naf_Authentication service .....	16
4.4.1.3 AMF Services .....	17
4.4.1.4 SMF Services .....	17
4.4.1.5 UDM Services.....	17
4.4.1.6 LMF Services.....	17
4.4.1.7 GMLC Services.....	17
4.4.1.8 UDR Services.....	17
4.4.1.9 PCF Services.....	18
4.4.2 USS Discovery.....	18
4.4.3 CAA-Level UAV ID Assignment.....	18
4.5 Identifiers .....	19
4.5.1 General.....	19
4.5.2 CAA-Level UAV Identity .....	19
4.5.3 3GPP UAV ID .....	19
5 Functional description and information flows.....	19
5.1 Void.....	19
5.2 UAV Authentication and Authorization.....	20
5.2.1 UUA Model .....	20
5.2.2 UUA at Registration in 5GS (UUA-MM).....	20
5.2.2.1 General .....	20
5.2.2.2 UUA-MM Procedure.....	23

5.2.3	UUAA At PDN Connection/PDU Session Establishment (UUAA-SM).....	25
5.2.3.1	General .....	25
5.2.3.2	USS UAV Authorization/Authentication (UUAA) during the PDU Session Establishment .....	26
5.2.3.3	USS UAV Authorization/Authentication (UUAA) during default PDN connection at Attach.....	28
5.2.3.4	USS UAV Authorization/Authentication (UUAA) using UE requested PDN connectivity procedure.....	30
5.2.4	UUAA Re-authentication and Re-authorization by USS/UTM.....	31
5.2.4.1	UAV Re-authentication procedure in 5GS.....	31
5.2.4.2	UAV Re-authentication procedure in EPS .....	32
5.2.4.3	USS initiated UAV Re-authorization procedure in 5GS.....	33
5.2.4.4	USS initiated UAV Re-authorization procedure in EPS .....	34
5.2.5	Authorization for C2.....	35
5.2.5.1	General .....	35
5.2.5.2	Procedure for C2 authorization in 5GS .....	35
5.2.5.2.1	C2 Authorization request during UUAA-SM procedure in 5GS .....	35
5.2.5.2.2	UE initiated PDU Session Modification for C2 Communication.....	36
5.2.5.2.3	UE initiated PDU Session Establishment for C2 Communication .....	37
5.2.5.3	Procedure for C2 authorization in EPS .....	39
5.2.5.3.0	C2 Authorization request during UUAA-SM procedure in EPS .....	39
5.2.5.3.1	UE requested PDN connectivity for C2 authorization.....	40
5.2.5.3.2	UE requested bearer resource modification of an existing PDN connection for C2 authorization.....	41
5.2.5.4	USS initiated C2 pairing policy configuration .....	43
5.2.5.4.1	USS initiated C2 pairing policy configuration in 5GS .....	43
5.2.5.4.2	USS initiated C2 pairing policy configuration in EPS.....	44
5.2.6	Void .....	45
5.2.7	UUAA Revocation by USS/UTM .....	45
5.2.8	UAV Controller Replacement.....	46
5.2.8.1	UAV controller replacement in 5GS .....	46
5.2.8.2	UAV controller replacement in EPS .....	47
5.2.9	Revocation of C2 Connectivity.....	48
5.2.9.1	Revocation of C2 connectivity in 5GS.....	48
5.2.9.2	Revocation of C2 connectivity in EPS .....	49
5.3	UAV Tracking.....	50
5.3.1	UAV Tracking Model.....	50
5.3.1.1	UAV Location Reporting Mode.....	51
5.3.1.2	UAV Presence Monitoring Mode .....	51
5.3.1.3	List of Aerial UEs in a geographic area .....	51
5.3.2	Procedure for UAV location reporting.....	51
5.3.3	Procedure for UAV presence monitoring .....	52
5.3.4	Procedure for obtaining list of Aerial UEs in a geographic area.....	54
<b>Annex A (informative): Change history .....</b>		<b>56</b>
History .....		58

---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

**might not** indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

**is** (or any other verb in the indicative mood) indicates a statement of fact

**is not** (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

## iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ETSI TS 123 256 V17.9.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/24e781bf-dc62-4d65-9f70-ba5371de2dac/etsi-ts-123-256-v17-9-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/24e781bf-dc62-4d65-9f70-ba5371de2dac/etsi-ts-123-256-v17-9-0-2025-04>