
Električna varilna oprema - Ocenjevanje omejitev z vidika izpostavljenosti ljudi elektromagnetnim poljem (od 0 Hz do 300 Hz) - 3. del: Oprema za uporovno varjenje (IEC 62822-3:2023)

Electric welding equipment - Assessment of restrictions related to human exposure to electromagnetic fields (0 Hz to 300 Hz) - Part 3: Resistance welding equipment (IEC 62822-3:2023)

Einrichtungen zum Widerstandsschweißen - Bewertung elektrischer Schweißeinrichtungen in Bezug auf Begrenzungen der Exposition von Personen gegenüber elektromagnetischen Feldern (0 Hz - 300 GHz) - Teil 3: Grundnorm für Widerstandsschweißeinrichtungen (IEC 62822-3:2023)

Matériels de soudage électrique - Évaluation des restrictions relatives à l'exposition humaine aux champs électromagnétiques (0 Hz à 300 GHz) - Partie 3: Matériels de soudage par résistance (IEC 62822-3:2023)

Ta slovenski standard je istoveten z: EN IEC 62822-3:2023

ICS:

13.280	Varstvo pred sevanjem	Radiation protection
25.160.30	Varilna oprema	Welding equipment

SIST EN IEC 62822-3:2023**en**

EUROPEAN STANDARD

EN IEC 62822-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2023

ICS 25.160.30

Supersedes EN IEC 62822-3:2018

English Version

Electric welding equipment - Assessment of restrictions related
to human exposure to electromagnetic fields (0 Hz to 300 Hz) -
Part 3: Resistance welding equipment
(IEC 62822-3:2023)

Matériels de soudage électrique - Évaluation des
restrictions relatives à l'exposition humaine aux champs
électromagnétiques (0 Hz à 300 GHz) - Partie 3: Matériels
de soudage par résistance
(IEC 62822-3:2023)

Einrichtungen zum Widerstandsschweißen - Bewertung
elektrischer Schweißeinrichtungen in Bezug auf
Begrenzungen der Exposition von Personen gegenüber
elektromagnetischen Feldern (0 Hz - 300 GHz) - Teil 3:
Grundnorm für Widerstandsschweißeinrichtungen
(IEC 62822-3:2023)

This European Standard was approved by CENELEC on 2023-07-05. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62822-3:2023 (E)**European foreword**

The text of document 26/744/FDIS, future edition 2 of IEC 62822-3, prepared by IEC/TC 26 "Electric welding" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62822-3:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-04-05
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2026-07-05

This document supersedes EN IEC 62822-3:2018 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of the International Standard IEC 62822-3:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62233 NOTE Approved as EN 62233

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-851	2008	International Electrotechnical Vocabulary - Part 851: Electric welding	-	-
IEC 60974-1	-	Arc welding equipment - Part 1: Welding power sources	EN IEC 60974-1	-
IEC 60974-6	-	Arc welding equipment - Part 6: Limited duty equipment	EN 60974-6	-
IEC 61786-1	-	Measurement of DC magnetic, AC magnetic and AC electric fields from 1 Hz to 100 kHz with regard to exposure of human beings - Part 1: Requirements for measuring instruments	EN 61786-1	-
IEC 61786-2	2014	Measurement of DC magnetic, AC magnetic and AC electric fields from 1 Hz to 100 kHz with regard to exposure of human beings - Part 2: Basic standard for measurements	-	-
IEC 62226-2-1	-	Exposure to electric or magnetic fields in the low and intermediate frequency range - Methods for calculating the current density and internal electric field induced in the human body - Part 2-1: Exposure to magnetic fields - 2D models	EN 62226-2-1	-
IEC 62311	-	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz to 300 GHz)	EN IEC 62311	-
IEC 62822-1	2016	Electric welding equipment - Assessment of restrictions related to human exposure to electromagnetic fields (0 Hz to 300 GHz) - Part 1: Product family standard	EN IEC 62822-1	2018



IEC 62822-3

Edition 2.0 2023-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Electric welding equipment – Assessment of restrictions related to human exposure to electromagnetic fields (0 Hz to 300 Hz) – Part 3: Resistance welding equipment

Matériels de soudage électrique – Évaluation des restrictions relatives à l'exposition humaine aux champs électromagnétiques (0 Hz à 300 GHz) – Partie 3: Matériels de soudage par résistance

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.160.30

ISBN 978-2-8322-7056-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references	8
3 Terms, definitions, quantities, units, constants and symbols	9
3.1 Terms and definitions.....	9
3.2 Quantities and units	11
3.3 Constants	11
3.4 Symbols.....	12
4 Requirements	12
5 Assessment methods.....	13
5.1 General.....	13
5.2 Methods based on reference levels.....	13
5.2.1 General	13
5.2.2 Assessment based on measured magnetic field.....	14
5.2.3 Assessment based on measured welding current.....	16
5.3 Methods based on assessment of corporal quantities (basic restrictions).....	18
5.3.1 General	18
5.3.2 Method based on coupling coefficients	19
5.3.3 Method based on the correction factor.....	21
5.3.4 Method based on the human model simulation.....	22
5.3.5 Result comparison	24
6 Measurement considerations	24
6.1 Measurement instruments for magnetic fields or exposure levels	24
6.1.1 General	24
6.1.2 Probe(s)	25
6.1.3 Handheld field meter	25
6.1.4 Measurement system with separate elements	25
6.2 Instruments for recording	26
6.2.1 Welding current recording.....	26
6.2.2 Magnetic field recording.....	26
6.3 Signal processing (applicable to any welding current waveform)	27
6.3.1 General	27
6.3.2 Application of the weighted peak method in the time domain	27
6.3.3 Spatial averaging.....	27
6.3.4 Time averaging.....	27
6.4 Uncertainty of assessment.....	27
7 Computational assessment methods.....	28
7.1 General.....	28
7.2 Quasi-static approximation.....	28
7.3 Human body models for simulation	28
7.4 Computational assessment against the basic restrictions.....	29
8 Source model	30
8.1 General.....	30
8.2 Source model example.....	30
9 EMF data sheet and assessment report.....	32
Annex A (informative) Example of assessment based on the individual components	34

A.1	General.....	34
A.2	Welding current generator.....	34
A.3	Coupling coefficient of welding circuit	37
A.4	Welding-system	38
Annex B	(informative) Example datasheets	40
B.1	Example current generator datasheet.....	40
B.2	Example datasheet of the welding circuit	41
B.3	Example datasheets of equipment assembly.....	42
Annex C	(informative) Coupling coefficient method	45
C.1	Principle	45
C.2	Validation of this method.....	45
C.2.1	Context.....	45
C.2.2	Basic restriction against health effects.....	46
C.2.3	Basic restriction against sensory effects	46
C.3	Conclusion.....	47
Annex D	(informative) Correction factor method.....	49
D.1	General.....	49
D.2	Principle	49
D.3	Example of correction factor finding	50
D.3.1	Context.....	50
D.3.2	Correction factor for the trunk and limbs	50
D.3.3	Correction factor for the head	50
D.4	Conclusion.....	51
Annex E	(informative) Example of exposure assessments on a welding machine	52
E.1	General.....	52
E.2	Description of the spot welding workstation.....	52
E.3	Exposure conditions.....	52
E.4	Main simulation parameters and results	54
E.4.1	Main simulation parameters	54
E.4.2	Simulation results	55
E.5	Exposure assessments	55
E.5.1	General	55
E.5.2	Method based on magnetic field calculation.....	55
E.5.3	Method based on coupling coefficients	55
E.5.4	Method based on the correction factor.....	56
E.5.5	Method based on the human model	56
E.6	Conclusion.....	57
Annex F	(informative) Computational methods	58
F.1	General.....	58
F.2	SPFD method	58
F.3	Quasi-static – Finite element method	58
F.4	Impedance method	59
F.5	Hybrid technique of FEM and SPFD method	60
F.6	Computation of the magnetic vector potential.....	60
Annex G	(informative) Averaging algorithms	62
G.1	Current density averaging over an area	62
G.1.1	General	62
G.1.2	Calculation of the current density in a Cartesian voxel.....	62

G.1.3	Calculation of the current density in a tetrahedron	63
G.1.4	Calculation of J_{avg}	63
G.2	E-field averaging in a cubical volume	64
G.3	E-field averaging along an averaging distance	64
G.3.1	General	64
G.3.2	Algorithm to construct the integration path	65
Annex H (informative)	Correspondence table between time domain and frequency domain	66
Bibliography	68
Figure 1	– Exposure measurement at the head position	15
Figure 2	– Exposure measurement at trunk position	15
Figure 3	– Exposure measurement at limb positions (hands and thigh)	16
Figure 4	– Compliance perimeters according to reference levels (action levels)	18
Figure 5	– Compliance perimeters according to basic restrictions (exposure limit values)	21
Figure 6	– Magnetic field around the human body obtained by source modelling	23
Figure 7	– Example of induced electric field in a human body exposed to a welding gun ($I = 1\text{ kA}$ to 50 Hz)	24
Figure 8	– Welding current flowing in a ($a \times b$) rectangular loop configuration	31
Figure A.1	– Assessment of a complete welding system	34
Figure A.2	– Typical component based assessment	34
Figure A.3	– LF-AC (left) and MF-DC (right) current waveforms	35
Figure A.4	– Combined ELV for the sensory and health effects applicable to the head	35
Figure A.5	– Current exposure indices over the time for two welding technologies	36
Figure A.6	– Geometry of the stationary spot welding gun	37
Figure A.7	– Welding electric circuit model (in m) and one point of interest along the X axis	37
Figure A.8	– Coupling coefficient CC_{B1} along the X axis	38
Figure A.9	– Exposure index (AL) along the X axis	38
Figure A.10	– Exposure index (ELV) along the X axis	39
Figure B.1	– Example datasheet of the power source	40
Figure B.2	– Example datasheet of the electrode assembly	41
Figure B.3	– Datasheet example of the welding system	42
Figure B.4	– Example datasheet of the welding system (continuation)	43
Figure B.5	– Example datasheet of the welding system (continuation)	44
Figure C.1	– Distribution of human to disk model exposure index ratios (health effects of ELV on trunk and hands)	46
Figure C.2	– Distribution of human to disk model exposure index ratios (sensory and health effects of ELV on the head)	47
Figure D.1	– Distribution of correction factor k_E for health effects on trunk and hands	50
Figure D.2	– Distribution of correction factor k_E for effects on the head (sensory and health)	51
Figure E.1	– Welding gun and its electric circuit model (yellow dash segments)	53
Figure E.2	– Magnetic field distribution around the exposed body	53

Figure E.3 – Configuration and electric field distribution on the exposed body (for 1 kA at $f = 50$ Hz)	54
Figure E.4 – Electric field distribution on hands (for 1 kA at $f = 50$ Hz).....	54
Figure G.1 – Field components on voxel edges.....	63
Table 1 – Examples of human models to determine induced electric fields in the low frequency range.....	29
Table A.1 – Current exposure index for LF-AC technology ($I_{\text{rms}} = 11,4$ kA).....	36
Table A.2 – GP current exposure index for LF-AC technology ($I_{\text{rms}} = 11,4$ kA).....	36
Table C.1 – Representative disk radius (geometric model).....	45
Table C.2 – Coupling coefficients.....	47
Table E.1 – Coupling coefficients for the magnetic field and on human model.....	55
Table E.2 – Results based on magnetic field calculation	55
Table E.3 – Results based on coupling coefficients.....	56
Table E.4 – Results based on the correction factor	56
Table E.5 – Results based on human model	56
Table H.1 – Transcription of formulae	66

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[SIST EN IEC 62822-3:2023](https://standards.iteh.ai/catalog/standards/sist/2e18bdb3-ece8-4c09-9009-8fb90f7434e7/sist-en-iec-62822-3-2023)

<https://standards.iteh.ai/catalog/standards/sist/2e18bdb3-ece8-4c09-9009-8fb90f7434e7/sist-en-iec-62822-3-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRIC WELDING EQUIPMENT – ASSESSMENT OF
RESTRICTIONS RELATED TO HUMAN EXPOSURE TO
ELECTROMAGNETIC FIELDS (0 HZ TO 300 GHZ) –****Part 3: Resistance welding equipment**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62822-3 has been prepared by IEC technical committee 26: Electric welding. It is an International Standard.

This second edition cancels and replaces the first edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) inclusion of the uncertainties in the results of the assessment;
- b) simplification of the methods of exposure assessment.

The text of this International Standard is based on the following documents:

Draft	Report on voting
26/744/FDIS	26/745/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62822 series, published under the general title *Electric welding equipment – Assessment of restrictions related to human exposure to electromagnetic fields (0 Hz to 300 GHz)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

[SIST EN IEC 62822-3:2023](https://standards.iteh.ai/catalog/standards/sist/2e18bdb3-ec8-4c09-9009-8fb90f7434e7/sist-en-iec-62822-3-2023)

<https://standards.iteh.ai/catalog/standards/sist/2e18bdb3-ec8-4c09-9009-8fb90f7434e7/sist-en-iec-62822-3-2023>

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ELECTRIC WELDING EQUIPMENT – ASSESSMENT OF RESTRICTIONS RELATED TO HUMAN EXPOSURE TO ELECTROMAGNETIC FIELDS (0 HZ TO 300 GHZ) –

Part 3: Resistance welding equipment

1 Scope

This part of IEC 62822 applies to equipment for resistance welding and allied processes designed for occupational use by professionals and for use by laymen.

More generally, this document covers equipment for which the welding current flows in an electrical circuit whose geometry cannot be changed and regardless of the technology of the current generator (for example LF-AC, MF-DC for spot or seam welding or capacitive discharge used for stud welding).

NOTE 1 Allied processes such as resistance hard and soft soldering or resistance heating achieved by means comparable to resistance welding equipment are included as well.

This document specifies procedures for the assessment of human exposure to magnetic fields produced by resistance welding equipment. It covers non-thermal biological effects in the frequency range from 0 Hz to 10 MHz and defines standardized test scenarios.

NOTE 2 The general term “field” is used throughout this document for “magnetic field”.

NOTE 3 For the assessment of exposure to electric fields and thermal effects, the methods specified in IEC 62311 or relevant basic standards will apply.

This document aims to propose methods for providing EMF exposure data that can be used to assist in the assessment of the workplace, especially when the conditions of use of the equipment are not known. When these are technically constrained (for example, a double hand control imposes the position and posture of the user), the data can be directly exploitable if they fall within the scope specified by the manufacturer or the integrator.

Other standards can apply to products covered by this document. In particular this document cannot be used to demonstrate electromagnetic compatibility with other equipment. It does not specify any product safety requirements other than those specifically related to human exposure to electromagnetic fields.

This document proposes several methods to assess the exposure to EMF, from simple to sophisticated, with the latter providing more precise assessment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-851:2008, *International Electrotechnical Vocabulary (IEV) – Part 851: Electric welding* (available at www.electropedia.org)

IEC 60974-1, *Arc welding equipment – Part 1: Welding power sources*

IEC 60974-6, *Arc welding equipment – Part 6: Limited duty equipment*

IEC 61786-1, *Measurement of DC magnetic, AC magnetic and AC electric fields from 1 Hz to 100 kHz with regard to exposure of human beings – Part 1: Requirements for measuring instruments*

IEC 61786-2:2014, *Measurement of DC magnetic, AC magnetic and AC electric fields from 1 Hz to 100 kHz with regard to exposure of human beings – Part 2: Basic standard for measurements*

IEC 62226-2-1, *Exposure to electric or magnetic fields in the low and intermediate frequency range – Methods for calculating the current density and internal electric field induced in the human body – Part 2-1: Exposure to magnetic fields – 2D models*

IEC 62311, *Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz to 300 GHz)*

IEC 62822-1:2016, *Electric welding equipment – Assessment of restrictions related to human exposure to electromagnetic fields (0 Hz to 300 GHz) – Part 1: Product family standard*

3 Terms, definitions, quantities, units, constants and symbols

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-851, IEC 60974-1, IEC 60974-6, and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/023>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1.1

basic restriction

restriction on exposure to electric, magnetic and electromagnetic fields that is based directly on established health effects and biological considerations

Note 1 to entry: Basic restrictions are also named dosimetric reference limits (DRLs) and exposure limit values (ELVs).

3.1.2

coupling-coefficient

CC_{YX}

relation allowing to estimate Y from X

EXAMPLE CC_{EI} gives the maximum induced electric field inside a region of the human body according a unit welding current.

Note 1 to entry: Keeping in mind that the electric conductivity can be frequency dependent, a conversion between CC_{JI} and CC_{EI} or CC_{JB} and CC_{EB} is possible with the relation given in Formula (1)

$$J(j\omega) = \sigma(j\omega) \cdot E(j\omega) \quad (1)$$