

ETSI TS 128 552 V16.20.0 (2025-04)



**5G;
Management and orchestration;
5G performance measurements
(3GPP TS 28.552 version 16.20.0 Release 16)**

<https://standards.iteh.ai>

Document Preview

<https://standards.iteh.ai/catalog/standards/etsi/f277f4d8-b03a-4511-bdc9-9f59e9bcfc98/etsi-ts-128-552-v16-20-0-2025-04>



Reference

RTS/TSGS-0528552vGK0

Keywords

5G

ETSI

650 Route des Lucioles
 F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
 Association à but non lucratif enregistrée à la
 Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application.](#)

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
 this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
 the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
 All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™, LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice (<https://standards.iteh.ai>)

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/f277f4d8-b03a-4511-bdc9-9f59e9bcfc98/etsi-ts-128-552-v16-20-0-2025-04>
The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	14
1 Scope	15
2 References	15
3 Definitions, abbreviations and measurement family	17
3.1 Definitions	17
3.2 Abbreviations	17
3.3 Measurement family	17
4 Concepts and overview	18
4.1 Performance indicators.....	18
5 Performance measurements for 5G network functions	19
5.1 Performance measurements for gNB.....	19
5.1.0 Relation to RAN L2 measurement specification	19
5.1.1 Performance measurements valid for all gNB deployment scenarios.....	19
5.1.1.1 Packet Delay	19
5.1.1.1.1 Average delay DL air-interface	19
5.1.1.1.2 Distribution of delay DL air-interface	20
5.1.1.1.3 Average delay UL on over-the-air interface	20
5.1.1.1.4 Average RLC packet delay in the UL	21
5.1.1.1.5 Average PDCP re-ordering delay in the UL	21
5.1.1.1.6 Distribution of DL delay between NG-RAN and UE	21
5.1.1.1.7 Distribution of UL delay between NG-RAN and UE	22
5.1.1.1.8 DL packet delay between NG-RAN and PSA UPF	23
5.1.1.2 Radio resource utilization	24
5.1.1.2.1 DL Total PRB Usage	24
5.1.1.2.2 UL Total PRB Usage	24
5.1.1.2.3 Distribution of DL Total PRB Usage	25
5.1.1.2.4 Distribution of UL total PRB usage	25
5.1.1.2.5 DL PRB used for data traffic	26
5.1.1.2.6 DL total available PRB	26
5.1.1.2.7 UL PRB used for data traffic	27
5.1.1.2.8 UL total available PRB	27
5.1.1.3 UE throughput	27
5.1.1.3.1 Average DL UE throughput in gNB	27
5.1.1.3.2 Distribution of DL UE throughput in gNB	28
5.1.1.3.3 Average UL UE throughput in gNB	30
5.1.1.3.4 Distribution of UL UE throughput in gNB	31
5.1.1.3.5 Percentage of unrestricted DL UE data volume in gNB	32
5.1.1.3.6 Percentage of unrestricted UL UE data volume in gNB	33
5.1.1.4 RRC connection number	34
5.1.1.4.1 Mean number of RRC Connections	34
5.1.1.4.2 Max number of RRC Connections	34
5.1.1.4.3 Mean number of stored inactive RRC Connections	35
5.1.1.4.4 Max number of stored inactive RRC Connections	35
5.1.1.5 PDU Session Management	35
5.1.1.5.1 Number of PDU Sessions requested to setup	35
5.1.1.5.2 Number of PDU Sessions successfully setup	36
5.1.1.5.3 Number of PDU Sessions failed to setup	36
5.1.1.6 Mobility Management	37
5.1.1.6.1 Inter-gNB handovers	37
5.1.1.6.1.1 Number of requested legacy handover preparations	37

5.1.1.6.1.2	Number of successful legacy handover preparations	37
5.1.1.6.1.3	Number of failed legacy handover preparations	37
5.1.1.6.1.4	Number of requested legacy handover resource allocations	38
5.1.1.6.1.5	Number of successful legacy handover resource allocations	38
5.1.1.6.1.6	Number of failed legacy handover resource allocations	39
5.1.1.6.1.7	Number of requested legacy handover executions	39
5.1.1.6.1.8	Number of successful legacy handover executions	39
5.1.1.6.1.9	Number of failed legacy handover executions	40
5.1.1.6.1.10	Mean Time of requested legacy handover executions	40
5.1.1.6.1.11	Max Time of requested legacy handover executions	41
5.1.1.6.2	Intra-gNB handovers	41
5.1.1.6.2.1	Number of requested legacy handover executions	41
5.1.1.6.2.2	Number of successful legacy handover executions	42
5.1.1.6.3	Handovers between 5GS and EPS	42
5.1.1.6.3.1	Number of requested preparations for handovers from 5GS to EPS	42
5.1.1.6.3.2	Number of successful preparations for handovers from 5GS to EPS	42
5.1.1.6.3.3	Number of failed preparations for handovers from 5GS to EPS	43
5.1.1.6.3.4	Number of requested resource allocations for handovers from EPS to 5GS	43
5.1.1.6.3.5	Number of successful resource allocations for handovers from EPS to 5GS	43
5.1.1.6.3.6	Number of failed resource allocations for handovers from EPS to 5GS	44
5.1.1.6.3.7	Number of requested executions for handovers from 5GS to EPS	44
5.1.1.6.3.8	Number of successful executions for handovers from 5GS to EPS	44
5.1.1.6.3.9	Number of failed executions for handovers from 5GS to EPS	45
5.1.1.7	TB related Measurements	45
5.1.1.7.1	Total number of DL initial TBs	45
5.1.1.7.2	Initial error number of DL TBs	45
5.1.1.7.3	Total number of DL TBs	46
5.1.1.7.4	Total error number of DL TBs	46
5.1.1.7.5	Residual error number of DL TBs	47
5.1.1.7.6	Total number of UL initial TBs	47
5.1.1.7.7	Error number of UL initial TBs	47
5.1.1.7.8	Total number of UL TBs	48
5.1.1.7.9	Total error number of UL TBs	48
5.1.1.7.10	Residual error number of UL TBs	48
5.1.1.8	Void	49
5.1.1.9	Void	49
5.1.1.10	DRB related measurements	49
5.1.1.10.1	Number of DRBs attempted to setup	49
5.1.1.10.2	Number of DRBs successfully setup	49
5.1.1.10.3	Number of released active DRBs	50
5.1.1.10.4	In-session activity time for DRB	51
5.1.1.10.5	Number of Initial DRBs attempted to setup	51
5.1.1.10.6	Number of Initial DRBs successfully setup	52
5.1.1.11	CQI related measurements	52
5.1.1.11.1	Wideband CQI distribution	52
5.1.1.12	MCS related Measurements	53
5.1.1.12.1	MCS Distribution in PDSCH	53
5.1.1.12.2	MCS Distribution in PUSCH	53
5.1.1.13	QoS flow related measurements	53
5.1.1.13.1	QoS flow release	53
5.1.1.13.1.2	Number of QoS flows attempted to release	54
5.1.1.13.2	QoS flow activity	55
5.1.1.13.3	QoS flow setup	56
5.1.1.13.3.1	Number of QoS flow attempted to setup	56
5.1.1.13.3.2	Number of QoS flow successfully established	56
5.1.1.13.3.3	Number of QoS flow failed to setup	57
5.1.1.13.4	QoS flow modification	58
5.1.1.13.4.1	Number of QoS flows attempted to modify	58
5.1.1.13.4.2	Number of QoS flows successfully modified	59
5.1.1.13.4.3	Number of QoS flows failed to modify	59
5.1.1.14	Void	59
5.1.1.15	RRC connection establishment related measurements	59

5.1.1.15.1	Attempted RRC connection establishments	59
5.1.1.15.2	Successful RRC connection establishments	60
5.1.1.16	UE-associated logical NG-connection related measurements	60
5.1.1.16.1	Attempted UE-associated logical NG-connection establishment from gNB to AMF	60
5.1.1.16.2	Successful UE-associated logical NG-connection establishment from gNB to AMF	61
5.1.1.17	RRC Connection Re-establishment.....	61
5.1.1.17.1	Number of RRC connection re-establishment attempts.....	61
5.1.1.17.2	Successful RRC connection re-establishment with UE context	61
5.1.1.17.3	Successful RRC connection re-establishment without UE context	62
5.1.1.18	RRC Connection Resuming	62
5.1.1.18.1	Number of RRC connection resuming attempts	62
5.1.1.18.2	Successful RRC connection resuming	62
5.1.1.18.3	Successful RRC connection resuming with fallback	63
5.1.1.18.4	RRC connection resuming followed by network release.....	63
5.1.1.18.5	RRC connection resuming followed by network suspension	63
5.1.1.19	Power, Energy and Environmental (PEE) measurements	64
5.1.1.19.1	Applicability of measurements	64
5.1.1.19.2	PNF Power Consumption	64
5.1.1.19.2.1	Average Power.....	64
5.1.1.19.2.2	Minimum Power	64
5.1.1.19.2.3	Maximum Power.....	64
5.1.1.19.3	PNF Energy consumption.....	65
5.1.1.19.4	PNF Temperature	65
5.1.1.19.4.1	Average Temperature.....	65
5.1.1.19.4.2	Minimum Temperature	65
5.1.1.19.4.3	Maximum Temperature	65
5.1.1.19.5	PNF Voltage	66
5.1.1.19.6	PNF Current	66
5.1.1.19.7	PNF Humidity	66
5.1.1.20	Received Random Access Preambles.....	67
5.1.1.20.1	Received Random Access Preambles per cell	67
5.1.1.20.2	Received Random Access Preambles per SSB.....	67
5.1.1.20.3	Distribution of number of RACH preambles per cell	68
5.1.1.20.4	Distribution of RACH access delay.....	68
5.1.1.21	Intra-NRCell SSB Beam switch Measurement	69
5.1.1.21.1	Number of requested Intra-NRCell SSB Beam switch executions.....	69
5.1.1.21.2	Number of successful Intra-NRCell SSB Beam switch executions.....	69
5.1.1.22	RSRP Measurement	70
5.1.1.22.1	SS-RSRP distribution per SSB	70
5.1.1.23	Number of Active Ues	70
5.1.1.23.1	Number of Active UEs in the DL per cell	70
5.1.1.23.2	Max number of Active UEs in the DL per cell.....	71
5.1.1.23.3	Number of Active UEs in the UL per cell	71
5.1.1.23.4	Max number of Active UEs in the UL per cell.....	71
5.1.1.24	5QI 1 QoS Flow Duration	72
5.1.1.24.1	Average Normally Released Call (5QI 1 QoS Flow) Duration	72
5.1.1.24.2	Average Abnormally Released Call (5QI 1 QoS Flow) Duration	72
5.1.1.25	Measurements related to MRO	73
5.1.1.25.1	Handover failures related to MRO for intra-system mobility.....	73
5.1.1.25.2	Handover failures related to MRO for inter-system mobility.....	74
5.1.1.25.3	Unnecessary handovers for inter-system mobility.....	74
5.1.1.25.4	Handover ping-pong for inter-system mobility	74
5.1.1.26	PHR Measurement	75
5.1.1.26.1	Type 1 power headroom distribution.....	75
5.1.1.27	Paging Measurement	75
5.1.1.27.1	Number of CN Initiated paging records received by the gNB-CU.....	75
5.1.1.27.2	Number of NG-RAN Initiated paging records received by the gNB-CU	76
5.1.1.27.3	Number of paging records received by the NRCellDU	76
5.1.1.27.4	Number of CN Initiated paging records discarded at the gNB-CU	76
5.1.1.27.5	Number of NG-RAN Initiated paging records discarded at the gNB-CU	76
5.1.1.27.6	Number of paging records discarded at the NRCellDU	77
5.1.1.28	SSB beam related Measurement	77

5.1.1.28.1	Number of UE related the SSB beam Index (mean).....	77
5.1.1.29	Transmit power utilization measurements	77
5.1.1.29.1	Maximum transmit power of NR cell.....	77
5.1.1.29.2	Mean transmit power of NR cell	78
5.1.2	Performance measurements valid only for non-split gNB deployment scenario	78
5.1.2.1	PDCP Data Volume	78
5.1.2.1.1	DL PDCP SDU Data Volume Measurements	78
5.1.2.1.2	UL PDCP SDU Data Volume Measurements	80
5.1.3	Performance measurements valid for split gNB deployment scenario	81
5.1.3.1	Packet Loss Rate	81
5.1.3.1.1	UL PDCP SDU Loss Rate.....	81
5.1.3.1.2	UL F1-U Packet Loss Rate.....	82
5.1.3.1.3	DL F1-U Packet Loss Rate.....	82
5.1.3.2	Packet Drop Rate	83
5.1.3.2.1	DL PDCP SDU Drop rate in gNB-CU-UP	83
5.1.3.2.2	DL RLC SDU Packet Drop Rate in gNB-DU	84
5.1.3.3	Packet delay	84
5.1.3.3.1	Average delay DL in CU-UP.....	84
5.1.3.3.2	Average delay DL on F1-U	85
5.1.3.3.3	Average delay DL in gNB-DU	85
5.1.3.3.4	Distribution of delay DL in CU-UP.....	86
5.1.3.3.5	Distribution of delay DL on F1-U	86
5.1.3.3.6	Distribution of delay DL in gNB-DU	87
5.1.3.4	IP Latency measurements	87
5.1.3.4.1	General information.....	87
5.1.3.4.2	Average IP Latency DL in gNB-DU	87
5.1.3.4.3	Distribution of IP Latency DL in gNB-DU	88
5.1.3.5	UE Context Release	88
5.1.3.5.1	UE Context Release Request (gNB-DU initiated).....	88
5.1.3.5.2	Number of UE Context Release Requests (gNB-CU initiated).....	89
5.1.3.6	PDCP data volume measurements	89
5.1.3.6.1	PDCP PDU data volume Measurement.....	89
5.1.3.6.2	PDCP SDU data volume Measurement	90
5.1.3.7	Handovers measurements.....	93
5.1.3.7.1	Intra-gNB handovers	93
5.1.3.7.1.1	Number of requested handover preparations	93
5.1.3.7.1.2	Number of successful handover preparations	93
5.1.3.8	Distribution of Normally Released Call (5QI 1 QoS Flow) Duration.....	93
5.1.3.9	Distribution of Abnormally Released Call (5QI 1 QoS Flow) Duration.....	94
5.2	Performance measurements for AMF.....	94
5.2.1	Registered subscribers measurement	94
5.2.1.1	Mean number of registered subscribers.....	94
5.2.1.2	Maximum number of registered subscribers	95
5.2.2	Registration procedure related measurements	95
5.2.2.1	Number of initial registration requests	95
5.2.2.2	Number of successful initial registrations	95
5.2.2.3	Number of mobility registration update requests	96
5.2.2.4	Number of successful mobility registration updates	96
5.2.2.5	Number of periodic registration update requests.....	96
5.2.2.6	Number of successful periodic registration updates.....	97
5.2.2.7	Number of emergency registration requests.....	97
5.2.2.8	Number of successful emergency registrations	97
5.2.2.9	Mean time of Registration procedure	98
5.2.2.10	Max time of Registration procedure.....	98
5.2.3	Service Request procedure related measurements	99
5.2.3.1	Number of attempted network initiated service requests	99
5.2.3.2	Number of successful network initiated service requests.....	99
5.2.3.3	Total number of attempted service requests (including both network initiated and UE initiated)	100
5.2.3.4	Total number of successful service requests (including both network initiated and UE initiated)	100
5.2.4	Measurements related to registration via untrusted non-3GPP access.....	100
5.2.4.1	Number of initial registration requests via untrusted non-3GPP access.....	100
5.2.4.2	Number of successful initial registrations via untrusted non-3GPP access.....	101