ETSI TS 123 558 V18.10.0 (2025-04)



5G;
Architecture for enabling Edge Applications
(3GPP TS 23.558 version 18.10.0 Release 18)

iTeh Standards
(https://standards.iteh.ai)
Document Preview

ETSI TS 123 558 V18.10.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/9e2ad913-9843-4629-9108-5e6815b55f95/etsi-ts-123-558-v18-10-0-2025-04



Reference
RTS/TSGS-0623558via0

Keywords
5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under Committee Support Staff.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

https://standards.iteh.ai/catalog/standards/etsi/9c2ad913-9843-4629-9108-5e6815b55f95/etsi-ts-123-558-v18-10-0-2025-04

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.
No recommendation as to products and services or vendors is made or should be implied.
No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

iTeh Standards
(https://standards.iteh.ai)
Document Preview

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

ETSI TS 123 558 V18.10.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/9e2ad913-9843-4629-9108-5e6815b55f95/etsi-ts-123-558-v18-10-0-2025-04

The cross reference between 3GPP and ETSI identities can be found at 3GPP to ETSI numbering cross-referencing.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights 2
Legal Notice 2
Modal verbs terminology 2
Foreword 17
Introduction 17
1 Scope 18
2 References 18
3 Definitions of terms, symbols and abbreviations 19
3.1 Terms 19
3.2 Symbols 20
3.3 Abbreviations 20
4 Overview 21
4.1 General 21
4.2 Service provisioning 22
4.3 Registration 22
4.4 EAS discovery 22
4.5 Capability exposure to EAS and EEC 22
4.7 Security 22
4.8 Dynamic EAS instantiation triggering 22
4.6 Support for service continuity 22
4.9 Charging 22
5 Architectural requirements 23
5.1 General 23
5.2 Architectural requirements 23
5.2.1 General requirements 23
5.2.1.1 General 23
5.2.1.2 Requirements 23
5.2.2 Edge configuration data 23
5.2.2.1 General 23
5.2.2.2 Requirements 23
5.2.3 Registration 23
5.2.3.1 General 23
5.2.3.2 EEC registration 23
5.2.3.3 EAS registration 23
5.2.3.4 EES registration 24
5.2.4 EAS discovery 24
5.2.4.1 General 24
5.2.4.2 Requirements 24
5.2.5 Capability exposure to EASs 24
5.2.5.1 General 24
5.2.5.2 Requirements 24
5.2.6 Security 24
5.2.6.1 General 24
5.2.6.2 Requirements 25
5.2.7 Subscription service 25
5.2.7.1 General 25
5.2.7.2 Requirements 25
5.2.8 Traffic management 25
5.2.8.1 General 25
5.2.8.2 Requirements 26
5.2.9 Lifecycle management 26
5.2.9.1 General 26

iTeh Standards
(https://standards.iteh.ai)
Document Preview

5.2.9.2 Requirements 26
5.2.10 Edge application KPIs 26
5.2.10.1 General 26
5.2.10.2 Requirements 26
5.2.11 Service continuity 26
5.2.11.1 General 26
5.2.11.2 Requirements 26

6 Application layer architecture 26
6.1 General 26
6.2 Architecture 27
6.2a Architecture for Roaming support 29
6.2a.1 General 29
6.2a.2 Local breakout roaming architecture: Local breakout to access H-ECS 29
6.2a.3 Home-routed EDGE-4 access to H-ECS 30
6.2b Architecture for Federation support 31
6.2b.1 General 31
6.2b.2 Architecture 31
6.2c Architecture for enabling cloud applications with edge applications 32
6.2d Architecture for enabling cloud applications with edge applications, with CES support 33
6.3 Functional entities 34
6.3.1 General 34
6.3.2 Edge Enabler Server (EES) 34
6.3.3 Edge Enabler Client (EEC) 35
6.3.4 Edge Configuration Server (ECS) 35
6.3.5 Application Client (AC) 36
6.3.6 Edge Application Server (EAS) 36
6.3.7 Notification management client 36
6.3.8 Notification management server 36
6.3.9 Cloud Enabler Server (CES) 36
6.3.10 Cloud application server (CAS) 37
6.4 Service-based interfaces 37
6.5 Reference Points 37
6.5.1 General 37
6.5.2 EDGE-1 37
6.5.3 EDGE-2 37
6.5.4 EDGE-3 37
6.5.5 EDGE-4 38
6.5.6 EDGE-5 38
6.5.7 EDGE-6 38
6.5.8 EDGE-7 38
6.5.9 EDGE-8 38
6.5.10 EDGE-9 39
6.5.11 NM-UU 39
6.5.12 NM-S 39
6.5.13 NM-C 40
6.5.14 ECI-1 40
6.5.15 ECI-2 40
6.5.16 ECI-3 40
6.5.17 ECI-4 40
6.5.18 CLOUD-1 40
6.5.19 CLOUD-2 40
6.5.20 CLOUD-3 41
6.5.21 CLOUD-4 41
6.5.22 EDGE-10 41
6.6 Cardinality rules 41
6.6.1 General 41
6.6.2 Functional Entity Cardinality 41
6.6.2.1 General 41
6.6.2.2 AC 41
6.6.2.3 EEC 41
6.6.2.4 ECS 41

iTeh Standards
(https://standards.iteh.ai)
Document Preview
ETSI TS 123 558 V18.10.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/9e2ad913-9843-4629-9108-5e6815b55f95/etsi-ts-123-558-v18.10.0-2025-04

6.6.2.5 EES 42
6.6.2.6 EAS 42
6.6.2.7 CES 42
6.6.2.8 CAS 42
6.6.3 Reference Point Cardinality 42
6.6.3.1 General 42
6.6.3.2 EDGE-1 (Between EEC and EES) 42
6.6.3.3 EDGE-3 (Between EAS and EES) 42
6.6.3.4 EDGE-4 (Between EEC and ECS) 42
6.6.3.5 EDGE-5 (Between AC and EEC) 43
6.6.3.6 EDGE-6 (Between EES and ECS) 43
6.6.3.7 EDGE-9 (Between EES and EES) 43
6.6.3.8 EDGE-10 (Between ECS and ECS) 43
6.6.3.9 ECI-1 (Between CAS and EES) 43
6.6.3.10 ECI-2 (Between CAS and ECS) 43
6.6.3.11 ECI-3 (Between CES and ECS) 43
6.6.3.12 ECI-4 (Between CES and EES) 43
6.6.3.13 CLOUD-1 (Between CAS and CES) 44
6.6.3.14 CLOUD-2 (Between CES and CES) 44
6.7 Capability exposure for enabling edge applications 44
6.7.1 General 44
6.7.2 APIs provided by the Edge Enabler Layer 44

7 Identities and commonly used values 46
7.1 General 46
7.2 Identities 47
7.2.1 General 47
7.2.2 Edge Enabler Client ID (EECID) 47
7.2.3 Edge Enabler Server ID (EESID) 47
7.2.4 Edge Application Server ID (EASID) 47
7.2.5 Application Client ID (ACID) 47
7.2.6 UE ID 47
7.2.7 UE Group ID 47
7.2.8 EEC Context ID 47
7.2.9 Edge UE ID 48
7.2.10 EAS bundle information 48
7.2.11 Application Group ID 48
7.3 Commonly used values 49
7.3.1 General 49
7.3.2 UE location 49
7.3.3 Service areas 49
7.3.3.1 General 49
7.3.3.2 Topological Service Area 49
7.3.3.3 Geographical Service Area 49
7.3.3.4 EDN service area 49
7.3.3.5 EES Service Area 50
7.3.3.6 EAS service area 50

8 Procedures and information flows 50
8.1 General 50
8.2 Common Information Elements 50
8.2.1 General 50
8.2.2 AC Profile 50
8.2.3 AC Service KPIs 51
8.2.4 EAS Profile 52
8.2.5 EAS Service KPIs 53
8.2.6 EES Profile 54
8.2.7 Topological Service Area 55
8.2.8 EEC Context 56
8.2.9 Geographical Service Area 56
8.2.10 EAS bundle requirements 56
8.2.11 Application Group profile 57

iTeh Standards
(https://standards.iteh.ai)
Document Preview
ETSI TS 123 558 V18.10.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/9e2ad913-9843-4629-9108-5e6815b55f95/etsi-ts-123-558-v18.10.0-2025-04

8.2.12 ECS Profile 57
8.3 ECS Discovery and Service provisioning 58
8.3.1 General 58
8.3.2 ECS Discovery 60
8.3.2.1 General 60
8.3.2.2 Procedures 61
8.3.2.2.1 General 61
8.3.2.3 Information flows 61
8.3.2.3.1 General 61
8.3.2.4 APIs 61
8.3.2.4.1 General 61
8.3.3 Service provisioning 61
8.3.3.1 General 61
8.3.3.2 Procedures 61
8.3.3.2.1 General 61
8.3.3.2.2 Request-response model 62
8.3.3.2.3 Subscribe-notify model 64
8.3.3.2.3.1 General 64
8.3.3.2.3.2 Subscribe 64
8.3.3.2.3.3 Notify 66
8.3.3.2.3.4 Subscription update 67
8.3.3.2.3.5 Unsubscribe 68
8.3.3.3 Information flows 68
8.3.3.3.1 General 68
8.3.3.3.2 Service provisioning request 69
8.3.3.3.3 Service provisioning response 69
8.3.3.3.4 Service provisioning subscription request 72
8.3.3.3.5 Service provisioning subscription response 72
8.3.3.3.6 Service provisioning notification 72
8.3.3.3.7 Service provisioning subscription update request 73
8.3.3.3.8 Service provisioning subscription update response 73
8.3.3.3.9 Service provisioning unsubscribe request 74
8.3.3.3.10 Service provisioning unsubscribe response 74
8.3.3.4 APIs 74
8.3.3.4.1 General 74
8.3.3.4.2 Eecs_ServiceProvisioning_Request operation 74
8.3.3.4.3 Eecs_ServiceProvisioning_Subscribe operation 74
8.3.3.4.4 Eecs_ServiceProvisioning_Notify operation 75
8.3.3.4.5 Eecs_ServiceProvisioning_UpdateSubscription operation 75
8.3.3.4.6 Eecs_ServiceProvisioning_Unsubscribe operation 75
8.4 Registration 75
8.4.1 General 75
8.4.2 EEC Registration 76
8.4.2.1 General 76
8.4.2.2 Procedures 76
8.4.2.2.1 General 76
8.4.2.2.2 EEC registration 76
8.4.2.2.3 EEC registration update 78
8.4.2.2.4 EEC de-registration 79
8.4.2.3 Information flows 79
8.4.2.3.1 General 79
8.4.2.3.2 EEC registration request 79
8.4.2.3.3 EEC registration response 80
8.4.2.3.4 EEC registration update request 81
8.4.2.3.5 EEC registration update response 81
8.4.2.3.6 EEC de-registration request 82
8.4.2.3.7 EEC de-registration response 82
8.4.2.4 APIs 82
8.4.2.4.1 General 82
8.4.2.4.2 Eees_EECRegistration_Request operation 83
8.4.2.4.3 Eees_EECRegistration_Update operation 83
8.4.2.4.4 Eees_EECRegistration_Deregister operation 83

iTeh Standards
(https://standards.iteh.ai)
Document Preview
ETSI TS 123 558 V18.10.0 (2025-04)
https://standards.iteh.ai/catalog/standards/etsi/9e2f5f1c-9b45-4679-9108-5e6815b55195/etsi-ts-123-558-v18.10.0-2025-04