

ETSI TS 123 379 V18.12.0 (2025-04)



**LTE;
Functional architecture and information flows to support
Mission Critical Push To Talk (MCPTT);
Stage 2
(3GPP TS 23.379 version 18.12.0 Release 18)**

[ETSI TS 123 379 V18.12.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/8d5fd7d-a6a1-401f-b708-7e7b680ba30f/etsi-ts-123-379-v18-12-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/8d5fd7d-a6a1-401f-b708-7e7b680ba30f/etsi-ts-123-379-v18-12-0-2025-04>



Reference

RTS/TSGS-0623379vic0

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-04)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	12
1 Scope	13
2 References	13
3 Definitions, symbols and abbreviations	14
3.1 Definitions	14
3.2 Symbols.....	15
3.3 Abbreviations	16
4 Introduction	17
5 Architectural requirements	17
5.1 Media routing requirements	17
5.2 Requirements for user identity management	17
5.3 MCPTT group affiliation and MCPTT group de-affiliation.....	18
5.4 MCPTT call requirements	18
5.4.1 General.....	18
5.4.2 Group call requirements.....	18
5.5 GCS AS requirements for the MCPTT service	18
5.6 Group selection	18
5.7 Bearer management	18
5.7.1 General.....	18
5.7.2 EPS bearer considerations	18
5.7.2.1 Void.....	18
5.7.2.2 Void.....	18
5.7.3 EPS unicast bearer considerations for MCPTT	18
5.7.4 MBMS bearer management	19
5.8 MCPTT system interconnect requirements	19
6 Involved business relationships.....	19
7 Functional model.....	19
7.1 General	19
7.2 Description of the planes.....	20
7.3 Functional model description	20
7.3.1 On-network functional model	20
7.3.2 Off-network functional model	21
7.4 Functional entities description.....	22
7.4.1 General.....	22
7.4.2 Application plane of MCPTT service	22
7.4.2.1 General	22
7.4.2.2 Common services core	22
7.4.2.3 MCPTT application service	22
7.4.2.3.1 MCPTT client.....	22
7.4.2.3.2 MCPTT server.....	22
7.4.2.3.3 Floor participant	24
7.4.2.3.4 Floor control server	24
7.4.2.3.5 Media distribution function	24
7.4.2.3.6 Media mixer	24
7.4.2.3.7 MCPTT user database	25
7.4.2.3.8 MC gateway server	25
7.4.3 Signalling control plane	25
7.5 Reference points	25
7.5.1 General reference point principle.....	25

7.5.2	Application plane of MCPTT service	25
7.5.2.1	General	25
7.5.2.2	Reference point MCPTT-1 (between the MCPTT client and the MCPTT server).....	25
7.5.2.3	Reference point MCPTT-2 (between the MCPTT server and the MCPTT user database).....	26
7.5.2.4	Reference point MCPTT-3 (between the MCPTT server and the MCPTT server and between the MCPTT server and the MC gateway server).....	26
7.5.2.5	Reference point MCPTT-4 (unicast between the floor control server and the floor participant)	26
7.5.2.6	Reference point MCPTT-5 (between the MCPTT server and the EPS).....	26
7.5.2.7	Reference point MCPTT-6 (between the MCPTT server and the EPS).....	26
7.5.2.8	Reference point MCPTT-7 (unicast between the media distribution function and the media mixer)	26
7.5.2.9	Reference point MCPTT-8 (multicast between the media distribution function and the media mixer)	27
7.5.2.10	Reference point MCPTT-9 (multicast between the floor control server and the floor participant).....	27
7.5.2.11	Reference point IWF-1 (between the MCPTT server and the interworking function to legacy systems).....	27
7.5.2.12	Reference points of common services core used in the MCPTT service	27
7.5.2.13	Reference point MCPTT-10 (between the MC gateway server and the MC gateway server in a different MCPTT system)	27
8	Identities	27
9	Application of functional model to deployments	27
10	Procedures and information flows.....	27
10.1	MCPTT service configuration	27
10.2	User authentication and authorization for MCPTT service	28
10.3	Affiliation and de-affiliation to/from MCPTT group(s)	28
10.3a	Activation and de-activation of/from functional alias(es)	29
10.4	MCPTT group selection	29
10.4.1	General.....	29
10.4.2	Information flows for group selection	29
10.4.2.1	Group selection change request.....	29
10.4.2.2	Group selection change response	29
10.4.2.3	Group selection change notification.....	29
10.4.3	Authorized user remotely changes another MCPTT user's selected MCPTT group – mandatory mode....	30
10.5	Pre-established session (on-network)	31
10.5.1	General.....	31
10.5.2	Information flows for pre-established session	31
10.5.2.1	Pre-established session establishment	31
10.5.2.2	Pre-established session modification	32
10.5.2.3	Pre-established session release - client initiated.....	32
10.5.2.4	Pre-established session release - server initiated.....	33
10.5.2.5	Pre-established session call connect request	33
10.5.2.6	Pre-established session call disconnect request.....	33
10.5.3	Procedures.....	34
10.5.3.1	General	34
10.5.3.2	Call connect and disconnect procedures using pre-established session	34
10.5.3.2.1	Call connect over unicast.....	34
10.5.3.2.2	Call disconnect over unicast	34
10.6	Group call	35
10.6.1	General.....	35
10.6.2	On-network group call	35
10.6.2.1	General	35
10.6.2.2	Information flows for group call in on-network.....	35
10.6.2.2.1	MCPTT emergency group call request.....	35
10.6.2.2.1a	MCPTT emergency group call response	36
10.6.2.2.2	MCPTT in-progress emergency group state cancel request	36
10.6.2.2.2a	MCPTT in-progress emergency group state cancel response.....	37
10.6.2.2.3	Void	37
10.6.2.2.3a	Void	37
10.6.2.2.3b	Void	37
10.6.2.2.4	Void	37

10.6.2.2.4a	Void.....	37
10.6.2.2.5	MCPTT imminent peril group call request.....	37
10.6.2.2.5a	MCPTT imminent peril group call response	38
10.6.2.2.6	MCPTT in-progress imminent peril group state cancel request	38
10.6.2.2.6a	MCPTT in-progress imminent peril group state cancel response.....	38
10.6.2.2.7	Group call request (MCPTT client – MCPTT server).....	39
10.6.2.2.8	Group call request (MCPTT server – group host MCPTT server)	39
10.6.2.2.9	Group call request (MCPTT server – MCPTT client).....	40
10.6.2.2.10	Group call response (MCPTT server – MCPTT client).....	40
10.6.2.2.11	Group call response (MCPTT server – MCPTT server).....	41
10.6.2.2.12	Group call response (MCPTT client – MCPTT server).....	41
10.6.2.2.13	Group call notify (MCPTT server – MCPTT client).....	41
10.6.2.2.14	Group call release request (MCPTT server – MCPTT client).....	42
10.6.2.2.14a	Group call release request (MCPTT client – MCPTT server).....	42
10.6.2.2.15	Group call release request (MCPTT server – MCPTT server)	42
10.6.2.2.16	Group call release response (MCPTT client – MCPTT server).....	43
10.6.2.2.17	Group call release response (MCPTT server – MCPTT server).....	43
10.6.2.2.18	Group call rejoin request (MCPTT client – MCPTT server).....	43
10.6.2.2.19	Group call rejoin response (MCPTT server – MCPTT client)	44
10.6.2.2.20	Group join request	44
10.6.2.2.21	Group join response.....	44
10.6.2.2.22	Group call leave request (MCPTT server – MCPTT client).....	45
10.6.2.2.22a	Group call leave request (MCPTT client – MCPTT server).....	45
10.6.2.2.23	Group call leave response (MCPTT client – MCPTT server)	45
10.6.2.2.23a	Group call leave response (MCPTT server – MCPTT client)	46
10.6.2.2.24	Group interrogate request (MCPTT server – MCPTT server).....	46
10.6.2.2.25	Group interrogate response (MCPTT server – MCPTT server)	46
10.6.2.2.26	Group-broadcast group call request (MCPTT client – MCPTT server)	46
10.6.2.2.27	Group-broadcast group call request (MCPTT server – MCPTT client)	47
10.6.2.2.28	Group-broadcast group call response (MCPTT client – MCPTT server).....	47
10.6.2.2.29	Group-broadcast group call response (MCPTT server – MCPTT client).....	48
10.6.2.2.30	Group-broadcast group call release request (MCPTT client – MCPTT server)	48
10.6.2.2.31	Group-broadcast group call release request (MCPTT server – MCPTT client)	48
10.6.2.2.32	Group-broadcast group call release response (MCPTT server – MCPTT client).....	49
10.6.2.2.33	Group-broadcast group call release response (MCPTT client – MCPTT server).....	49
10.6.2.2.34	Preconfigured regroup request (MCPTT client – MCPTT server)	49
10.6.2.2.35	Preconfigured regroup request (MCPTT server – MCPTT client)	50
10.6.2.2.36	Preconfigured regroup request (MCPTT server – MCPTT server)	50
10.6.2.2.37	Preconfigured regroup response (MCPTT client – MCPTT server).....	51
10.6.2.2.38	Preconfigured regroup response (MCPTT server – MCPTT client).....	51
10.6.2.2.39	Preconfigured regroup response (MCPTT server – MCPTT server).....	51
10.6.2.2.40	Preconfigured regroup cancel request (MCPTT client – MCPTT server).....	52
10.6.2.2.41	Preconfigured regroup cancel request (MCPTT server – MCPTT client).....	52
10.6.2.2.42	Preconfigured regroup cancel request (MCPTT server – MCPTT server).....	52
10.6.2.2.43	Preconfigured regroup cancel response (MCPTT client – MCPTT server)	52
10.6.2.2.44	Preconfigured regroup cancel response (MCPTT server – MCPTT client)	53
10.6.2.2.45	Preconfigured regroup cancel response (MCPTT server – MCPTT server).....	53
10.6.2.2.46	Preconfigured regroup reject (MCPTT server – MCPTT client).....	53
10.6.2.2.47	Preconfigured regroup reject (MCPTT server – MCPTT server).....	54
10.6.2.2.48	Preconfigured regroup request return (MCPTT server – MCPTT client).....	54
10.6.2.2.49	Preconfigured user regroup remove request (MCPTT server – MCPTT client).....	54
10.6.2.2.50	Preconfigured user regroup remove response (MCPTT client – MCPTT server)	54
10.6.2.3	Group call within one MCPTT system.....	55
10.6.2.3.1	Group call models.....	55
10.6.2.3.1.1	Pre-arranged group call.....	55
10.6.2.3.1.2	Chat group call.....	60
10.6.2.3.2	Exiting group call due to de-affiliation.....	67
10.6.2.3.3	MCPTT user leaving a group call.....	67
10.6.2.4	Group call involving groups from multiple MCPTT systems	68
10.6.2.4.1	Group call for non-broadcast temporary groups across multiple MCPTT systems	68
10.6.2.4.1.1	Group call setup	68
10.6.2.4.1.2	Group call release	71

10.6.2.4.2	Group call for non-broadcast temporary group formed by group regroup procedure involving multiple MCPTT systems via trusted mode	72
10.6.2.4.3	Group call for an MCPTT group defined in the partner MCPTT system.....	74
10.6.2.4.3.1	Pre-arranged group call setup procedure – initiating side	74
10.6.2.4.3.2	Pre-arranged group call setup – terminating side.....	75
10.6.2.4.3.3	Chat group call setup	75
10.6.2.4.4	Merging of groups involving multiple MCPTT systems	77
10.6.2.5	Broadcast group call.....	78
10.6.2.5.1	General	78
10.6.2.5.2	Common broadcast group call procedure	78
10.6.2.5.2.1	Group-broadcast group call procedure.....	79
10.6.2.5.2.2	Group-broadcast group call procedure when a subordinate group has an on-going MCPTT emergency group call.....	81
10.6.2.5.2.3	Group-broadcast group call release procedure.....	82
10.6.2.5.2.4	Server-initiated broadcast group call release procedure.....	83
10.6.2.5.3	Void.....	84
10.6.2.5.4	Group call for broadcast temporary groups across multiple MCPTT systems	84
10.6.2.6	Emergency and imminent peril procedures.....	86
10.6.2.6.1	MCPTT emergency group call	86
10.6.2.6.1.1	MCPTT emergency group call commencement.....	86
10.6.2.6.1.2	MCPTT group call upgraded to an MCPTT emergency group call.....	88
10.6.2.6.1.3	MCPTT in-progress emergency group state cancel	90
10.6.2.6.2	MCPTT imminent peril group call	92
10.6.2.6.2.1	MCPTT imminent peril group call commencement	92
10.6.2.6.2.2	Imminent peril group call upgrade.....	94
10.6.2.6.2.3	MCPTT in-progress imminent peril group state cancel	96
10.6.2.6.3	MCPTT emergency alert (on-network)	97
10.6.2.7	Location of current talker.....	97
10.6.2.8	Void.....	98
10.6.2.8.1	Void.....	98
10.6.2.8.2	Void.....	98
10.6.2.8.3	Void.....	98
10.6.2.9	Group regroup with preconfigured group	98
10.6.2.9.1	General	98
10.6.2.9.2	Regroup procedures in single MCPTT system.....	99
10.6.2.9.2.1	Regroup formation using preconfigured group in single MCPTT system.....	99
10.6.2.9.2.2	Regroup cancellation in single MCPTT system.....	101
10.6.2.9.3	Regroup procedures in multiple MCPTT systems.....	102
10.6.2.9.3.1	Regroup formation using preconfigured group in multiple MCPTT systems.....	102
10.6.2.9.3.2	Regroup cancellation using preconfigured group in multiple MCPTT systems	105
10.6.2.9.3.3	Void	106
10.6.2.9.4	Adding newly affiliated user to preconfigured group regroup	106
10.6.2.9.5	Preconfigured regroup update procedures	107
10.6.2.9.5.1	MCPTT client PTs on MCPTT group during an in-progress preconfigured group regroup.....	107
10.6.2.9.5.2	MCPTT client PTs on preconfigured regroup group after group regroup has been cancelled	109
10.6.2.10	User regroup using group creation procedure	110
10.6.2.10.1	General	110
10.6.2.10.2	Temporary group creation and broadcast group call by authorized user	110
10.6.2.10.3	Temporary group deletion by authorized user	111
10.6.2.11	Broadcast group regroup call using preconfigured group	111
10.6.2.11.1	General	111
10.6.2.11.2	Broadcast group regroup call procedure using preconfigured group in a single MCPTT system.....	111
10.6.2.12	User regroup with preconfigured group	112
10.6.2.12.1	General	112
10.6.2.12.2	User regroup procedures in a single MCPTT system	112
10.6.2.12.2.1	User regroup formation in a single MCPTT system	112
10.6.2.12.2.2	User regroup cancellation in single MCPTT system	114
10.6.2.12.3	User regroup MCPTT ID list update	115
10.6.3	Off-network group call	117