

ETSI TS 123 283 V15.4.0 (2025-04)



LTE; Mission Critical Communication Interworking with Land Mobile Radio Systems (3GPP TS 23.283 version 15.4.0 Release 15)

[ETSI TS 123 283 V15.4.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/b80f1d9b-88bd-4c1d-bd62-dfa21db728b7/etsi-ts-123-283-v15-4-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/b80f1d9b-88bd-4c1d-bd62-dfa21db728b7/etsi-ts-123-283-v15-4-0-2025-04>



ReferenceRTS/TSGS-0623283v40

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-04)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](https://standards.iteh.ai/catalog/standards/etsi/b80f1d9b-88bd-4c1d-bd62-dfa21db728b7/etsi-ts-123-283-v15-4-0-2025-04).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope	9
2 References	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions	9
3.2 Abbreviations	10
4 Introduction	10
5 Assumptions and architectural requirements.....	10
5.1 Key management.....	10
5.2 Packet format.....	11
6 Involved business relationships.....	11
7 Functional model.....	11
7.1 General	11
7.2 Functional model description	11
7.3 Functional entities description.....	12
7.3.1 IWF	12
7.4 Reference points	12
7.4.1 Reference point IWF-1 (between the IWF and the MCPTT server).....	12
7.4.2 Reference point IWF-2 (between the IWF and the MCData server)	12
7.4.3 Reference point IWF-3 (between the IWF and the group management server).....	13
8 Identities	13
8.1 Identity mapping	13
9 Application of functional model to deployments	13
10 Procedures and information flows.....	13
10.1 Affiliation	13
10.1.1 Information flows for affiliation	13
10.1.1.1 General	13
10.1.1.2 IWF group affiliation request.....	13
10.1.1.3 IWF group affiliation response	14
10.1.1.4 IWF group de-affiliation request.....	14
10.1.1.5 IWF group de-affiliation response	14
10.1.2 Affiliation procedures	15
10.1.2.1 General	15
10.1.2.2 Group affiliation to a group defined in the MC system.....	16
10.1.2.3 Group de-affiliation from a group defined in the MC system	17
10.1.2.4 Group affiliation to group defined in the LMR system.....	17
10.1.2.5 Group de-affiliation from a group defined in the LMR system	19
10.2 Group management	20
10.2.1 Information flows for group management	20
10.2.1.1 General	20
10.2.1.2 IWF group regroup teardown notification.....	20
10.2.1.3 IWF group regroup teardown notification response.....	20
10.2.1.4 IWF group regroup request	20
10.2.1.5 IWF group regroup response	20
10.2.1.6 IWF group regroup notification	21
10.2.1.7 IWF group regroup notification response	21
10.2.1.8 IWF group information request.....	21

10.2.1.9	IWF group information response	21
10.2.1.10	IWF group information provision request.....	21
10.2.1.11	IWF group information provision response	22
10.2.1.12	IWF group information subscribe request.....	22
10.2.1.13	IWF group information subscribe response	22
10.2.1.14	IWF group information notify request	22
10.2.1.15	IWF group information notify response	23
10.2.2	Group regrouping.....	23
10.2.2.1	General	23
10.2.2.2	MC system initiates the group regroup	23
10.2.2.3	IWF initiates the group regroup	25
10.2.2.4	Ownership of the group regroup	26
10.2.2.5	Simultaneous group regroup requests from each side of the IWF-1 interface	26
10.2.2.6	Resolution of vocoder and encryption mode for the group regroup.....	26
10.2.3	Group configuration for interworking.....	26
10.2.3.1	Overview	26
10.2.3.2	MC system provides group configuration to the IWF	27
10.2.3.3	IWF requests group configuration from the MC system.....	27
10.2.3.4	IWF provides group configuration to the MC system.....	28
10.2.3.5	MC system requests group configuration from the IWF.....	29
10.2.3.6	IWF subscribes to group configuration.....	29
10.2.3.7	MC system notifies group configuration.....	30
10.2.3.8	MC system subscribes to group configuration	30
10.2.3.9	IWF notifies group configuration.....	31
10.3	Group call.....	32
10.3.1	General.....	32
10.3.2	Information flows for group call over interworking group	32
10.3.2.1	General	32
10.3.2.2	IWF group call request.....	32
10.3.2.3	IWF group call response (IWF – MCPTT server).....	32
10.3.2.4	IWF Group-broadcast group call setup request.....	33
10.3.2.5	IWF Group-broadcast group call setup response	33
10.3.2.6	IWF Group-broadcast group call release request	33
10.3.2.7	IWF group-broadcast group call release response.....	34
10.3.2.8	IWF group join request	34
10.3.2.9	IWF group join response.....	34
10.3.2.10	IWF group call leave request	35
10.3.2.11	IWF group call leave response	35
10.3.2.12	IWF group call release request.....	35
10.3.2.13	IWF group call release response	36
10.3.3	Pre-arranged group call.....	36
10.3.3.1	General	36
10.3.3.2	Group call setup initiated by MCPTT user on an interworking group defined in MCPTT system.....	36
10.3.3.3	Group call setup initiated by LMR user on an interworking group defined in MCPTT system.	38
10.3.3.4	Group call setup initiated by MCPTT user on an interworking group defined in the LMR system.....	39
10.3.3.5	Group call setup initiated by LMR user on an interworking group defined in the LMR system.	41
10.3.3.6	Encrypted group call with transcoding.....	42
10.3.3.7	Late Entry.....	43
10.3.3.7.1	General	43
10.3.3.7.2	Group call late entry on an interworking group defined in the MCPTT system.....	43
10.3.3.7.3	Group call late entry on an interworking group defined in the LMR system	44
10.3.3.8	Interworking group call release.....	46
10.3.3.8.1	General	46
10.3.3.8.2	Group call release on an interworking group defined in the MCPTT system.....	46
10.3.3.8.3	Group call release on an interworking group defined in the LMR system	47
10.3.4	Group broadcast.....	48
10.3.4.1	General	48
10.3.4.2	Group-broadcast group call procedure with an interworking group where the group-broadcast group is defined in the MCPTT system.....	48
10.3.4.3	Group-broadcast group call procedure with an interworking group where the group-broadcast group is defined in the LMR system	51

10.3.4.4	Group-broadcast group call release with an interworking group procedure where the group-broadcast group is defined in the MCPTT system	53
10.3.4.5	Group-broadcast group call release with an interworking group procedure where the group-broadcast group is defined in the LMR system	55
10.3.5	Chat group call	56
10.3.5.1	General	56
10.3.5.2	MCPTT user initiated chat group call in an interworking group defined in LMR system	56
10.3.5.3	LMR user initiated chat group call in an interworking group defined in MCPTT system	57
10.3.5.4	Release chat group call on an interworking group defined in the LMR system	58
10.3.5.5	Release chat group call on an interworking group defined in the MCPTT system	59
10.3.5.6	Void	60
10.3.5.7	Void	60
10.3.6	Exiting group call due to de-affiliation	60
10.3.6.1	General	60
10.3.6.2	Exiting group call defined in the LMR system due to de-affiliation	60
10.3.6.3	Exiting group call defined in the MCPTT system due to de-affiliation	61
10.4	Private call	62
10.4.1	Information flows for private calls	62
10.4.1.1	General	62
10.4.1.2	IWF private call request	62
10.4.1.3	IWF private call response	62
10.4.1.4	IWF ringing	63
10.4.1.5	IWF call end request	63
10.4.1.6	IWF call end response	63
10.4.2	Private call setup in automatic commencement mode	64
10.4.2.1	MCPTT user initiating an MCPTT private call	64
10.4.2.2	LMR user initiating a private call with MCPTT user	65
10.4.3	Private call setup in manual commencement mode	66
10.4.3.1	MCPTT user is initiating an MCPTT private call	66
10.4.3.2	LMR user initiating a private call with MCPTT user	68
10.4.4	Private call release	69
10.4.4.1	MCPTT client initiated	69
10.4.4.2	MCPTT server initiated	70
10.4.4.3	LMR user initiated	71
10.4.5	Encryption of private calls	72
10.5	Floor control	72
10.5.1	General	72
10.5.2	Information flows for floor control	73
10.5.2.1	General	73
10.5.2.2	IWF floor request	73
10.5.2.3	IWF floor granted	73
10.5.2.4	IWF floor rejected	73
10.5.2.5	IWF floor request cancel	74
10.5.2.6	IWF floor request cancel response	74
10.5.2.7	IWF floor request cancel notify	74
10.5.2.8	IWF floor idle	74
10.5.2.9	IWF floor release	75
10.5.2.10	IWF floor taken	75
10.5.2.11	IWF floor revoked	75
10.5.2.12	IWF floor acknowledgement	75
10.5.2.13	IWF queue position request	76
10.5.2.14	IWF queue position info	76
10.5.2.15	IWF unicast media stop request	76
10.5.2.16	IWF unicast media resume request	76
10.5.3	Interworking floor control	77
10.5.4	Floor override without using floor revoked on an interworking group	77
10.5.5	Floor control on an interworking group homed in the LMR system	79
10.5.6	Floor control on an interworking group homed in the MCPTT system	80
10.5.7	Floor control without local filtering on an interworking group defined in the LMR system	81
10.5.8	Floor control without local filtering on an interworking group defined in the MCPTT system	83
10.6	Emergency and imminent peril	84
10.6.1	Information flows for emergency and imminent peril	84

10.6.1.1	IWF emergency group call request	84
10.6.1.2	IWF emergency group call response	84
10.6.1.3	IWF imminent peril group call request	85
10.6.1.4	IWF imminent peril group call response	85
10.6.1.5	IWF in-progress imminent peril group state cancel request	85
10.6.1.6	IWF in-progress imminent peril group state cancel response	85
10.6.1.7	IWF emergency alert request	86
10.6.1.8	IWF emergency alert response	86
10.6.1.9	IWF emergency alert cancel request	86
10.6.1.10	IWF emergency alert cancel response	87
10.6.1.11	IWF in-progress emergency group state cancel request	87
10.6.1.12	IWF in-progress emergency group state cancel response	87
10.6.2	Emergency calls	88
10.6.2.1	General	88
10.6.2.2	Emergency group call	88
10.6.2.2.1	Emergency group call setup initiated by a user in the LMR system on an interworking group defined in the MCPTT system	88
10.6.2.2.2	Emergency group call setup initiated by a user in the MCPTT system on an interworking group defined in MCPTT system	90
10.6.2.2.3	Emergency group call setup initiated by a user in the LMR system on an interworking group defined in the LMR system	92
10.6.2.2.4	Emergency group call setup initiated by a user in the MCPTT system to an interworking group defined in the LMR system	93
10.6.2.3	In-progress emergency group state cancel of an interworking group	95
10.6.2.3.1	LMR user initiated in-progress emergency group state cancel of an interworking group defined in the MCPTT system	95
10.6.2.3.2	MCPTT user initiated in-progress emergency group state cancel of an interworking group defined in the MCPTT system	96
10.6.2.3.3	LMR user initiated in-progress emergency group state cancel of an interworking group defined in an LMR system	97
10.6.2.3.4	MCPTT user initiated in-progress emergency group state cancel of an interworking group defined in an LMR system	98
10.6.2.4	Losing audio	100
10.6.2.5	Default emergency group	100
10.6.2.6	Emergency private call	100
10.6.2.7	LMR systems that do not track group emergencies	100
10.6.3	Imminent peril calls	100
10.6.3.1	General	100
10.6.3.2	Imminent peril group call initiated by an MCPTT user on an interworking group	100
10.6.3.3	Group call initiated by a user in the LMR system on an interworking group in imminent peril state	102
10.6.3.4	In-progress imminent peril state cancel on an interworking group	104
10.6.4	Emergency alerts	106
10.6.4.1	Emergency alert initiated by LMR user	106
10.6.4.2	Emergency alert initiated by MC service user	107
10.6.5	Emergency alert cancellation	109
10.6.5.1	Emergency alert cancellation of an LMR user	109
10.6.5.2	Emergency alert cancellation of an MC service user	110
10.7	Codec	112
10.7.1	Information flows for codec	112
10.7.1.1	IWF codec reconciliation request	112
10.7.1.2	IWF codec reconciliation response	112
10.7.2	IWF transcoding	112
10.7.3	Codec negotiation by the LMR system	112
10.7.3.1	Description	112
10.8	MCDATA short data service	113
10.8.1	General	113
10.8.2	Information flows for the short data service	114
10.8.2.1	General	114
10.8.2.2	IWF MCDATA standalone data request	114
10.8.2.3	IWF MCDATA data disposition notification	114
10.8.2.4	IWF MCDATA group standalone data request (IWF – MCDATA server)	115