

ETSI TS 123 434 V18.11.0 (2025-04)



5G; Service Enabler Architecture Layer for Verticals (SEAL); Functional architecture and information flows (3GPP TS 23.434 version 18.11.0 Release 18)

[ETSI TS 123 434 V18.11.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/4d7cc817-018d-43d5-8802-02c2e0e697bf/etsi-ts-123-434-v18-11-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/4d7cc817-018d-43d5-8802-02c2e0e697bf/etsi-ts-123-434-v18-11-0-2025-04>



Reference

RTS/TSGS-0623434v18.11.0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-04)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	18
Introduction	18
1 Scope	19
2 References	19
3 Definitions, symbols and abbreviations	21
3.1 Definitions	21
3.2 Abbreviations	22
4 Architectural requirements	23
4.1 General	23
4.1.1 Description.....	23
4.1.2 Requirements	23
4.2 Deployment models.....	23
4.2.1 Description.....	23
4.2.2 Requirements	23
4.3 Location management	23
4.3.1 Description.....	23
4.3.2 On-network functional model requirements	23
4.3.3 Off-network functional model requirements.....	24
4.4 Group management	24
4.4.1 Description.....	24
4.4.2 Requirements	24
4.5 Configuration management	24
4.5.1 Description.....	24
4.5.2 Requirements	24
4.6 Key management	24
4.6.1 Description.....	24
4.6.2 Requirements	24
4.7 Identity management	25
4.7.1 Description.....	25
4.7.2 Requirements	25
4.8 Network resource management	25
4.8.1 Description.....	25
4.8.2 Requirements	25
5 Involved business relationships.....	25
6 Generic functional model for SEAL services.....	27
6.1 General	27
6.2 On-network functional model description.....	27
6.3 Off-network functional model description	30
6.4 Functional entities description.....	30
6.4.1 General.....	30
6.4.2 Application plane	30
6.4.2.1 General	30
6.4.2.2 VAL client.....	30
6.4.2.3 VAL server.....	31
6.4.2.4 SEAL client.....	31
6.4.2.5 SEAL server	31
6.4.2.6 VAL user database	31
6.4.3 Signalling control plane	31
6.4.3.1 SIP entities	31

6.4.3.1.1	Signalling user agent	31
6.4.3.1.2	SIP AS	31
6.4.3.1.3	SIP core	31
6.4.3.1.3.1	General.....	31
6.4.3.1.3.2	Local inbound / outbound proxy	32
6.4.3.1.3.3	Registrar finder	32
6.4.3.1.3.4	Registrar / application service selection.....	32
6.4.3.1.4	Diameter proxy.....	33
6.4.3.2	SIP database	33
6.4.3.2.1	General	33
6.4.3.2.2	SIP database logical functions	34
6.4.3.3	HTTP entities	34
6.4.3.3.1	HTTP client	34
6.4.3.3.2	HTTP proxy.....	34
6.4.3.3.3	HTTP server	35
6.4.3.4	LWP entities.....	35
6.4.3.4.1	LWP client.....	35
6.4.3.4.2	LWP proxy	35
6.4.3.4.3	LWP server.....	35
6.4.3.5	LWP usage	35
6.5	Reference points description	36
6.5.1	General reference point principle.....	36
6.5.2	Application plane	36
6.5.2.1	General	36
6.5.2.2	VAL-UU	36
6.5.2.3	VAL-PC5	36
6.5.2.4	SEAL-UU.....	36
6.5.2.5	SEAL-PC5	36
6.5.2.6	SEAL-C.....	36
6.5.2.7	SEAL-S	36
6.5.2.8	SEAL-E.....	37
6.5.2.9	SEAL-X	37
6.5.2.9.1	General	37
6.5.2.9.2	Reference point SEAL-X1 (between the key management server and the group management server).....	37
6.5.2.9.3	Reference point SEAL-X2 (between the group management server and the location management server).....	37
6.5.2.9.4	Reference point SEAL-X3 (between the group management server and the configuration management server).....	37
6.5.2.10	Reference point VAL-UDB (between the VAL user database and the SEAL server)	37
6.5.3	Signalling control plane	38
6.5.3.1	General	38
6.5.3.2	Reference point SIP-1(between the signalling user agent and the SIP core).....	38
6.5.3.3	Reference point SIP-2 (between the SIP core and the SIP AS).....	38
6.5.3.4	Reference point SIP-3 (between the SIP core and SIP core).....	38
6.5.3.5	Reference point HTTP-1 (between the HTTP client and the HTTP proxy)	38
6.5.3.6	Reference point HTTP-2 (between the HTTP proxy and the HTTP server)	39
6.5.3.7	Reference point HTTP-3 (between the HTTP proxy and HTTP proxy)	39
6.5.3.8	Reference point AAA-1 (between the SIP database and the SIP core)	39
6.5.3.9	Reference point AAA-2 (between the SIP core and Diameter proxy)	39
6.5.3.10	Reference point LWP-1 (between the LWP client and the LWP proxy)	39
6.5.3.11	Reference point LWP-2 (between the LWP proxy and the LWP server).....	39
6.5.3.12	Reference point LWP-3 (between the LWP proxy and LWP proxy).....	39
6.5.3.13	Reference point LWP-HTTP-2 (between the LWP proxy and the HTTP server).....	39
6.5.3.14	Reference point LWP-HTTP-3 (between the LWP proxy and the HTTP proxy)	39
7	Identities	40
7.1	User identity (User ID).....	40
7.2	VAL user identity (VAL user ID)	40
7.3	VAL UE identity (VAL UE ID).....	40
7.4	VAL service identity (VAL service ID)	40
7.5	VAL group identity (VAL group ID).....	40

7.6	VAL system identity (VAL system ID)	40
7.7	VAL Stream ID	40
8	Application of functional model to deployments	41
8.1	General	41
8.2	Deployment of SEAL server(s)	41
8.2.1	SEAL server(s) deployment in PLMN operator domain	41
8.2.2	SEAL server(s) deployment in VAL service provider domain	43
8.2.3	SEAL server(s) deployment outside of VAL service provider domain and PLMN operator domain	44
9	Location management	45
9.1	General	45
9.2	Functional model for location management	45
9.2.1	General	45
9.2.2	On-network functional model description	45
9.2.3	Off-network functional model description	47
9.2.4	Functional entities description	48
9.2.4.1	General	48
9.2.4.2	Location management client	48
9.2.4.3	Location management server	48
9.2.5	Reference points description	48
9.2.5.1	General	48
9.2.5.2	LM-UU	48
9.2.5.3	LM-PC5	48
9.2.5.4	LM-C	48
9.2.5.5	LM-S	49
9.2.5.6	LM-E	49
9.2.5.7	T8	49
9.2.5.8	Le	49
9.2.5.9	LM-3P	49
9.2.5.10	N33	49
9.3	Procedures and information flows for Location management (on-network)	49
9.3.1	General	49
9.3.2	Information flows for location information	49
9.3.2.0	Location reporting configuration request	49
9.3.2.1	Location reporting configuration response	50
9.3.2.2	Location information report	50
9.3.2.3	Location information request	51
9.3.2.4	Location reporting trigger	51
9.3.2.5	Location information subscription request	52
9.3.2.6	Location information subscription response	52
9.3.2.7	Location information notification	53
9.3.2.7a	Location information subscription update procedure	53
9.3.2.8	Location reporting configuration cancel request	54
9.3.2.9	Get UE(s) information request	54
9.3.2.10	Get UE(s) information response	54
9.3.2.11	Monitor Location Subscription Request	54
9.3.2.12	Monitor Location Subscription Response	55
9.3.2.12a	Monitor location subscription update procedure	55
9.3.2.13	Notify Location Monitoring Event	56
9.3.2.14	Location area monitoring subscription request	56
9.3.2.15	Location area monitoring subscription response	56
9.3.2.16	Location area monitoring notification	57
9.3.2.17	Location area monitoring subscription modify request	57
9.3.2.18	Location area monitoring subscription modify response	57
9.3.2.19	Location area monitoring unsubscribe request	58
9.3.2.20	Location area monitoring unsubscribe response	58
9.3.2.21	VAL service area configuration request	58
9.3.2.22	VAL service area configuration response	58
9.3.2.23	Location service registration request	59
9.3.2.24	Location service registration response	59
9.3.2.25	Location reporting configuration cancel response	59

9.3.2.26	VAL service area obtain request	59
9.3.2.27	VAL service area obtain response	60
9.3.2.28	VAL service area update request	60
9.3.2.29	VAL service area update response	60
9.3.2.30	VAL service area delete request	60
9.3.2.31	VAL service area delete response	61
9.3.2.32	Location information unsubscribe request	61
9.3.2.33	Location information unsubscribe response	61
9.3.2.34	Monitor location unsubscribe request	61
9.3.2.35	Monitor location unsubscribe response	61
9.3.2.36	Location service registration update request	62
9.3.2.37	Location service registration update response	62
9.3.2.38	Location service deregistration request	62
9.3.2.39	Location service deregistration response	62
9.3.2.40	Location reporting configuration update request	62
9.3.2.41	Location reporting configuration update response	63
9.3.2.42	VAL service area subscription request	63
9.3.2.43	VAL service area subscription response	64
9.3.2.44	VAL service area notification	64
9.3.2.45	VAL service area unsubscribe request	64
9.3.2.46	VAL service area unsubscribe response	64
9.3.3	Event-triggered location reporting procedure	64
9.3.3.1	General	64
9.3.3.2	Fetching location reporting configuration	65
9.3.3.3	Location reporting	65
9.3.3.4	Update Location reporting configuration	66
9.3.4	On-demand location reporting procedure	67
9.3.5	Client-triggered or VAL server-triggered location reporting procedure	67
9.3.6	Location reporting triggers configuration cancel	68
9.3.7	Location information subscription procedure	69
9.3.8	Event-trigger location information notification procedure	70
9.3.9	On-demand usage of location information procedure	71
9.3.10	Obtaining UE(s) information at a location	72
9.3.11	Monitoring Location Deviation	72
9.3.11.1	General	72
9.3.11.2	Monitoring Location Deviation procedure	72
9.3.12	Location area monitoring information procedure	74
9.3.12.1	Location area monitoring subscribe procedure	74
9.3.12.2	Location area monitoring subscribe modify procedure	75
9.3.12.3	Location area monitoring unsubscribe procedure	75
9.3.12.4	Location area monitoring notification procedure	76
9.3.13	VAL Service Area configuration	76
9.3.13.1	General	76
9.3.13.2	Configure VAL service area identifier procedure	76
9.3.13.3	Obtain VAL service area identifier procedure	77
9.3.13.4	Update VAL service area identifier procedure	77
9.3.13.5	Delete VAL service area identifier procedure	78
9.3.13.6	VAL service area identifier subscribe procedure	78
9.3.13.7	VAL service area identifier notify procedure	79
9.3.13.8	VAL service area identifier unsubscribe procedure	79
9.3.13.9	VAL service area identifier subscription update procedure	80
9.3.14	Location profiling for supporting location service enablement	81
9.3.14.1	Location profiling	81
9.3.14.2	Procedure of Location profiling for location service	81
9.3.15	Location service registration procedure	82
9.3.16	Location information unsubscribe procedure	82
9.3.17	Monitor location unsubscribe procedure	83
9.3.18	Location service registration update procedure	83
9.3.19	Location service deregistration procedure	84
9.4	SEAL APIs for location management	85
9.4.1	General	85
9.4.2	SS_LocationReporting API	85