

ETSI TS 138 473 V18.5.0 (2025-03)



**5G;
NG-RAN;
F1 Application Protocol (F1AP)
(3GPP TS 38.473 version 18.5.0 Release 18)**

[ETSI TS 138 473 V18.5.0 \(2025-03\)](https://standards.iteh.ai/catalog/standards/etsi/f7e38c63-d6dc-49a3-9e33-58d8151ad503/etsi-ts-138-473-v18-5-0-2025-03)

<https://standards.iteh.ai/catalog/standards/etsi/f7e38c63-d6dc-49a3-9e33-58d8151ad503/etsi-ts-138-473-v18-5-0-2025-03>



ReferenceRTS/TSGR-0338473vi50

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-03)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	20
1 Scope	21
2 References	21
3 Definitions and abbreviations.....	23
3.1 Definitions	23
3.2 Abbreviations	25
4 General	26
4.1 Procedure specification principles.....	26
4.2 Forwards and backwards compatibility	27
4.3 Specification notations	27
5 F1AP services.....	27
6 Services expected from signalling transport.....	27
7 Functions of F1AP	28
8 F1AP procedures	28
8.1 List of F1AP Elementary procedures	28
8.2 Interface Management procedures	31
8.2.1 Reset	31
8.2.1.1 General	31
8.2.1.2 Successful Operation.....	31
8.2.1.2.1 Reset Procedure Initiated from the gNB-CU.....	31
8.2.1.2.2 Reset Procedure Initiated from the gNB-DU.....	32
8.2.1.3 Abnormal Conditions	33
8.2.2 Error Indication.....	33
8.2.2.1 General	33
8.2.2.2 Successful Operation.....	33
8.2.2.3 Abnormal Conditions	34
8.2.3 F1 Setup	34
8.2.3.1 General	34
8.2.3.2 Successful Operation.....	34
8.2.3.3 Unsuccessful Operation	36
8.2.3.4 Abnormal Conditions	37
8.2.4 gNB-DU Configuration Update.....	37
8.2.4.1 General	37
8.2.4.2 Successful Operation.....	37
8.2.4.3 Unsuccessful Operation	40
8.2.4.4 Abnormal Conditions	40
8.2.5 gNB-CU Configuration Update	40
8.2.5.1 General	40
8.2.5.2 Successful Operation.....	41
8.2.5.3 Unsuccessful Operation	43
8.2.5.4 Abnormal Conditions	44
8.2.6 gNB-DU Resource Coordination.....	44
8.2.6.1 General	44
8.2.6.2 Successful Operation.....	44
8.2.7 gNB-DU Status Indication.....	44
8.2.7.1 General	44
8.2.7.2 Successful Operation.....	45
8.2.7.3 Abnormal Conditions	45

8.2.8	F1 Removal.....	45
8.2.8.1	General	45
8.2.8.2	Successful Operation.....	46
8.2.8.3	Unsuccessful Operation	46
8.2.8.4	Abnormal Conditions	47
8.2.9	Network Access Rate Reduction	47
8.2.9.1	General	47
8.2.9.2	Successful operation.....	47
8.2.9.3	Abnormal Conditions	48
8.2.10	Resource Status Reporting Initiation	48
8.2.10.1	General	48
8.2.10.2	Successful Operation.....	48
8.2.10.3	Unsuccessful Operation	49
8.2.10.4	Abnormal Conditions	49
8.2.11	Resource Status Reporting.....	50
8.2.11.1	General	50
8.2.11.2	Successful Operation.....	50
8.2.11.3	Unsuccessful Operation	50
8.2.11.4	Abnormal Conditions	50
8.2.12	DU-CU TA Information Transfer.....	50
8.2.12.1	General	50
8.2.12.2	Successful Operation.....	50
8.2.12.3	Unsuccessful Operation	51
8.2.12.4	Abnormal Conditions	51
8.2.13	CU-DU TA Information Transfer.....	51
8.2.13.1	General	51
8.2.13.2	Successful Operation.....	51
8.2.13.3	Unsuccessful Operation	52
8.2.13.4	Abnormal Conditions	52
8.2.14	RACH Indication	52
8.2.14.1	General	52
8.2.14.2	Successful Operation.....	52
8.2.14.3	Abnormal Conditions	52
8.3	UE Context Management procedures.....	52
8.3.1	UE Context Setup	52
8.3.1.1	General	52
8.3.1.2	Successful Operation.....	53
8.3.1.3	Unsuccessful Operation	62
8.3.1.4	Abnormal Conditions	62
8.3.2	UE Context Release Request (gNB-DU initiated)	63
8.3.2.1	General	63
8.3.2.2	Successful Operation.....	63
8.3.2.3	Abnormal Conditions	63
8.3.3	UE Context Release (gNB-CU initiated)	64
8.3.3.1	General	64
8.3.3.2	Successful Operation.....	64
8.3.3.3	Void.....	65
8.3.3.4	Abnormal Conditions	65
8.3.4	UE Context Modification (gNB-CU initiated).....	65
8.3.4.1	General	65
8.3.4.2	Successful Operation.....	65
8.3.4.3	Unsuccessful Operation	79
8.3.4.4	Abnormal Conditions	79
8.3.5	UE Context Modification Required (gNB-DU initiated).....	80
8.3.5.1	General	80
8.3.5.2	Successful Operation.....	80
8.3.5.2A	Unsuccessful Operation	82
8.3.5.3	Abnormal Conditions	82
8.3.6	UE Inactivity Notification	82
8.3.6.1	General	82
8.3.6.2	Successful Operation.....	83
8.3.6.3	Abnormal Conditions	83

8.3.7	Notify	83
8.3.7.1	General	83
8.3.7.2	Successful Operation	83
8.3.7.3	Abnormal Conditions	84
8.3.8	Access Success	84
8.3.8.1	General	84
8.3.8.2	Successful Operation	84
8.3.8.3	Abnormal Conditions	84
8.3.9	DU-CU Cell Switch Notification	84
8.3.9.1	General	84
8.3.9.2	Successful Operation	85
8.3.9.3	Unsuccessful Operation	85
8.3.9.4	Abnormal Conditions	85
8.3.10	CU-DU Cell Switch Notification	85
8.3.10.1	General	85
8.3.10.2	Successful Operation	85
8.3.10.3	Unsuccessful Operation	86
8.3.10.4	Abnormal Conditions	86
8.4	RRC Message Transfer procedures	86
8.4.1	Initial UL RRC Message Transfer	86
8.4.1.1	General	86
8.4.1.2	Successful operation	86
8.4.1.3	Abnormal Conditions	87
8.4.2	DL RRC Message Transfer	87
8.4.2.1	General	87
8.4.2.2	Successful operation	87
8.4.2.3	Abnormal Conditions	88
8.4.3	UL RRC Message Transfer	88
8.4.3.1	General	88
8.4.3.2	Successful operation	88
8.4.3.3	Abnormal Conditions	89
8.4.4	RRC Delivery Report	89
8.4.4.1	General	89
8.4.4.2	Successful operation	89
8.4.4.3	Abnormal Conditions	89
8.5	Warning Message Transmission Procedures	89
8.5.1	Write-Replace Warning	89
8.5.1.1	General	89
8.5.1.2	Successful Operation	90
8.5.1.3	Unsuccessful Operation	90
8.5.1.4	Abnormal Conditions	90
8.5.2	PWS Cancel	91
8.5.2.1	General	91
8.5.2.2	Successful Operation	91
8.5.2.3	Unsuccessful Operation	91
8.5.2.4	Abnormal Conditions	91
8.5.3	PWS Restart Indication	92
8.5.3.1	General	92
8.5.3.2	Successful Operation	92
8.5.3.3	Abnormal Conditions	92
8.5.4	PWS Failure Indication	92
8.5.4.1	General	92
8.5.4.2	Successful Operation	92
8.5.4.3	Abnormal Conditions	92
8.6	System Information Procedures	93
8.6.1	System Information Delivery	93
8.6.1.1	General	93
8.6.1.2	Successful Operation	93
8.6.1.3	Abnormal Conditions	93
8.7	Paging procedures	93
8.7.1	Paging	93
8.7.1.1	General	93

8.7.1.2	Successful Operation.....	94
8.7.1.3	Abnormal Conditions	95
8.8	Trace Procedures	95
8.8.1	Trace Start.....	95
8.8.1.1	General	95
8.8.1.2	Successful Operation.....	95
8.8.1.3	Abnormal Conditions	95
8.8.2	Deactivate Trace	96
8.8.2.1	General	96
8.8.2.2	Successful Operation.....	96
8.8.2.3	Abnormal Conditions	96
8.8.3	Cell Traffic Trace.....	96
8.8.3.1	General	96
8.8.3.2	Successful Operation.....	96
8.8.3.3	Abnormal Conditions	96
8.9	Radio Information Transfer procedures	97
8.9.1	DU-CU Radio Information Transfer.....	97
8.9.1.1	General	97
8.9.1.2	Successful operation.....	97
8.9.1.3	Abnormal Conditions	97
8.9.2	CU-DU Radio Information Transfer.....	97
8.9.2.1	General	97
8.9.2.2	Successful operation.....	97
8.9.2.3	Abnormal Conditions	98
8.10	IAB Procedures	98
8.10.0	General.....	98
8.10.1	BAP Mapping Configuration.....	98
8.10.1.1	General	98
8.10.1.2	Successful Operation.....	98
8.10.1.A	Unsuccessful Operation	99
8.10.1.3	Abnormal Conditions	99
8.10.2	gNB-DU Resource Configuration.....	100
8.10.2.1	General	100
8.10.2.2	Successful Operation.....	100
8.10.2.B	Unsuccessful Operation	100
8.10.2.3	Abnormal Conditions	101
8.10.3	IAB TNL Address Allocation.....	101
8.10.3.1	General	101
8.10.3.2	Successful Operation.....	101
8.10.3.C	Unsuccessful Operation	102
8.10.3.3	Abnormal Conditions	102
8.10.4	IAB UP Configuration Update.....	102
8.10.4.1	General	102
8.10.4.2	Successful Operation.....	102
8.10.4.3	Unsuccessful Operation	103
8.10.4.4	Abnormal Conditions	103
8.10.5	Mobile IAB F1 Setup Triggering.....	103
8.10.5.1	General	103
8.10.5.2	Successful Operation.....	104
8.10.5.3	Abnormal Conditions	104
8.10.6	Mobile IAB F1 Setup Outcome Notification.....	104
8.10.6.1	General	104
8.10.6.2	Successful Operation.....	105
8.10.6.3	Abnormal Conditions	105
8.11	Self Optimisation Support procedures.....	105
8.11.1	Access and Mobility Indication	105
8.11.1.1	General	105
8.11.1.2	Successful Operation.....	105
8.11.1.3	Abnormal Conditions	106
8.11.2	DU-CU Access and Mobility Indication.....	106
8.11.2.1	General	106
8.11.2.2	Successful Operation.....	106