
**Nanotechnologies — Vocabulary —
Part 8:
Nanomanufacturing processes**

*Nanotechnologies — Vocabulaire —
Partie 8: Processus de nanofabrication*

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TS 80004-8:2020](https://standards.iteh.ai/catalog/standards/iso/e57d8186-3ef0-4e5f-aa70-22227e3201bb/iso-ts-80004-8-2020)

<https://standards.iteh.ai/catalog/standards/iso/e57d8186-3ef0-4e5f-aa70-22227e3201bb/iso-ts-80004-8-2020>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TS 80004-8:2020](https://standards.iteh.ai/catalog/standards/iso/e57d8186-3ef0-4e5f-aa70-22227e3201bb/iso-ts-80004-8-2020)

<https://standards.iteh.ai/catalog/standards/iso/e57d8186-3ef0-4e5f-aa70-22227e3201bb/iso-ts-80004-8-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Terms related to general aspects	3
5 Terms related to directed assembly	4
6 Terms related to self-assembly processes	5
7 Terms related to synthesis	6
7.1 Gas process phase — Physical methods.....	6
7.2 Gas process phase — Chemical methods.....	7
7.2.1 Flame synthesis processes.....	7
7.2.2 Other terms.....	8
7.3 Liquid process phase — Physical methods.....	8
7.4 Liquid process phase — Chemical methods.....	9
7.5 Solid process phase — Physical methods.....	10
7.6 Solid process phase — Chemical methods.....	12
8 Terms related to fabrication	12
8.1 Nanopatterning lithography.....	12
8.2 Deposition processes.....	16
8.3 Etching processes.....	18
8.4 Printing and coating.....	21
Annex A (informative) Identification of output resulting from defined synthesis processes	22
Bibliography	25
Index	26

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared jointly by Technical Committee ISO/TC 229, *Nanotechnologies*, and Technical Committee IEC/TC 113, *Nanotechnology for electrotechnical products and systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 352, *Nanotechnologies*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement). The draft was circulated for voting to the national bodies of both ISO and IEC.

This second edition cancels and replaces the first edition (ISO/TS 80004-8:2013), which has been technically revised throughout.

A list of all parts in the ISO/TS 80004 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Nanomanufacturing is the essential bridge between the discoveries of the nanosciences and real-world nanotechnology products.

Advancing nanotechnology from the laboratory into volume production ultimately requires careful study of manufacturing process issues including product design, reliability and quality, process design and control, shop floor operations, supply chain management, workplace safety and health practices during the production, use and handling of nanomaterials. Nanomanufacturing encompasses directed self-assembly and assembly techniques, synthetic methodologies, and fabrication processes such as lithography and biological processes. Nanomanufacturing also includes bottom-up directed assembly, top-down high-resolution processing, molecular systems engineering and hierarchical integration with larger scale systems. As dimensional scales of materials and molecular systems approach the nanoscale, the conventional rules governing their behaviour may change significantly. As such, the behaviour of a final product is enabled by the collective performance of its nanoscale building blocks.

Biological process terms are not included in this second edition of the nanomanufacturing vocabulary, but considering the rapid development of the field, it is expected that terms in this important area will be added in a future update to this document or in companion documents in the ISO/TS 80004 series. This could include both the processing of biological nanomaterials and the use of biological processes to manufacture materials at the nanoscale.

Similarly, additional terms from other developing areas of nanomanufacturing, including composite manufacturing, roll-to-roll manufacturing and others, will be included in future documents.

There is a distinction between the terms “nanomanufacturing” and “nanofabrication”. Nanomanufacturing encompasses a broader range of processes than does nanofabrication. Nanomanufacturing encompasses all nanofabrication techniques and also techniques associated with materials processing and chemical synthesis.

This document provides an introduction to processes used in the early stages of the nanomanufacturing value chain, namely the intentional synthesis, generation or control of nanomaterials, including fabrication steps in the nanoscale. The nanomaterials that result from these manufacturing processes are distributed in commerce where, for example, they may be further purified, be compatibilized to be dispersed in mixtures or composite matrices, or serve as integrated components of systems and devices. The nanomanufacturing value chain is, in actuality, a large and diverse group of commercial value chains that stretch across these sectors:

- the semiconductor industry (where the push to create smaller, faster, and more efficient microprocessors heralded the creation of circuitry less than 100 nm in size);
- electronics and telecommunications;
- aerospace, defence and national security;
- energy and automotive;
- plastics and ceramics;
- forest and paper products;
- food and food packaging;
- pharmaceuticals, biomedicine and biotechnology;
- environmental remediation;
- clothing and personal care.

There are thousands of tonnes of nanomaterials on the market with end-use applications in several of these sectors, such as carbon black and fumed silica. Nanomaterials that are rationally designed with

ISO/TS 80004-8:2020(E)

specific purpose are expected to radically change the landscape in areas such as biotechnology, water purification and energy development.

The majority of clauses in this document are organized by process type. In [Clause 6](#), the logic of placement is as follows: in the step before the particle is made, the material itself is in a gas/liquid/solid phase. The phase of the substrate or carrier in the process does not drive the categorization of the process. As an example, consider iron particles that are catalysts in a process by which you seed oil with iron particles, the oil vaporizes and condenses forming carbon particles on the iron particles. What vaporizes is the oil, and therefore it is a gas phase process. Nanotubes grow from the gas phase, starting with catalyst particles that react with the gas phase to grow the nanotubes, thus this is characterized as a gas process. Indication of whether synthesis processes are used to manufacture nano-objects, nanoparticles or both is provided in [Annex A](#).

In addition, [Annex A](#) identifies the processes that are also applicable to macroscopic materials and are therefore not exclusively relevant to nanomanufacturing. A common understanding of the terminology used in practical applications will enable communities of practice in nanomanufacturing and will advance nanomanufacturing strength worldwide. Extending the understanding of terms across the existing manufacturing infrastructure will serve to bridge the transition between the innovations of the research laboratory and the economic viability of nanotechnologies.

For informative terms supportive of nanomanufacturing terminology, see BSI PAS 135^[1].

This document belongs to a multi-part vocabulary covering the different aspects of nanotechnologies.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ISO/TS 80004-8:2020](#)

<https://standards.iteh.ai/catalog/standards/iso/e57d8186-3ef0-4e5f-aa70-22227e3201bb/iso-ts-80004-8-2020>

Nanotechnologies — Vocabulary —

Part 8: Nanomanufacturing processes

1 Scope

This document defines terms related to nanomanufacturing processes in the field of nanotechnologies.

All the process terms in this document are relevant to nanomanufacturing, however, many of the listed processes are not exclusively relevant to the nanoscale. Terms that are not exclusive are noted within the definitions. Depending on controllable conditions, such processes can result in material features at the nanoscale or, alternatively, at larger scales.

There are many other terms that name tools, components, materials, systems control methods or metrology methods associated with nanomanufacturing that are beyond the scope of this document.

Terms and definitions from other parts of the ISO/TS 80004 series are reproduced in [Clause 3](#) for context and better understanding.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

carbon nanotube

CNT

nanotube ([3.9](#)) composed of carbon

Note 1 to entry: Carbon nanotubes usually consist of curved graphene layers, including single-walled carbon nanotubes and multi-walled carbon nanotubes.

[SOURCE: ISO/TS 80004-3:2010, 4.3]

3.2

nanocomposite

solid comprising a mixture of two or more phase-separated materials, one or more being nanophase

Note 1 to entry: Gaseous nanophases are excluded (they are covered by nanoporous material).

Note 2 to entry: Materials with *nanoscale* ([3.7](#)) phases formed by precipitation alone are not considered to be nanocomposite materials.

[SOURCE: ISO/TS 80004-4:2011, 3.2]

3.3

nanofibre

nano-object (3.5) with two external dimensions in the *nanoscale* (3.7) and the third dimension significantly larger

Note 1 to entry: The largest external dimension is not necessarily in the nanoscale.

Note 2 to entry: The terms “nanofibril” and “nanofilament” can also be used.

Note 3 to entry: The largest external dimension is not necessarily in the nanoscale.

[SOURCE: ISO/TS 80004-2:2015, 4.5, modified — Note 3 to entry has been replaced.]

3.4

nanomaterial

material with any external dimension in the *nanoscale* (3.7) or having internal structure or surface structure in the nanoscale

Note 1 to entry: This generic term is inclusive of *nano-object* (3.5) and *nanostuctured material* (3.8).

Note 2 to entry: See also engineered nanomaterial, manufactured nanomaterial and incidental nanomaterial.

[SOURCE: ISO/TS 80004-1:2015, 2.4]

3.5

nano-object

discrete piece of material with one, two or three external dimensions in the *nanoscale* (3.7)

Note 1 to entry: Generic term for all discrete nano-objects.

[SOURCE: ISO/TS 80004-1:2015, 2.5, modified — Note 1 to entry has been replaced.]

3.6

nanoparticle

nano-object (3.5) with all external dimensions in the *nanoscale* (3.7) where the lengths of the longest and the shortest axes of the nano-object do not differ significantly

Note 1 to entry: If the dimensions differ significantly (typically by more than three times), terms such as “nanofibre” or “nanoplate” may be preferred to the term “nanoparticle”.

[SOURCE: ISO/TS 80004-2:2015, 4.4]

3.7

nanoscale

length range from approximately from 1 nm to 100 nm

Note 1 to entry: Properties that are not extrapolations from a larger size are predominately exhibited in this length range.

[SOURCE: ISO/TS 80004-1:2015, 2.1]

3.8

nanostuctured material

material having internal or surface structure in the *nanoscale* (3.7)

Note 1 to entry: If external dimensions are in the nanoscale, the term *nano-object* (3.5) is recommended.

Note 2 to entry: Adapted from ISO/TS 80004-1:2015, 2.7.

[SOURCE: ISO/TS 80004-4:2011, 2.11]

3.9**nanotube**

hollow *nanofibre* (3.3)

[SOURCE: ISO/TS 80004-2:2015, 4.8]

4 Terms related to general aspects**4.1****bottom-up nanomanufacturing**

processes that use small fundamental units in the *nanoscale* (3.7) to create larger, functionally rich structures or assemblies

4.2**co-deposition**

simultaneous deposition of two or more source materials

Note 1 to entry: Common methods include vacuum, *thermal spray* (8.2.16), *electrodeposition* (8.2.7) and liquid suspension deposition techniques.

4.3**comminution**

crushing or *grinding* (7.5.6) for particle size reduction

Note 1 to entry: The term is not exclusive to nanomanufacturing.

4.4**directed assembly**

guided formation of a structure guided by external intervention using components at the *nanoscale* (3.7) that can, in principle, have any defined pattern

4.5**directed self-assembly**

self-assembly (4.11) influenced by external intervention to produce a preferred structure, orientation or pattern

Note 1 to entry: Examples of external intervention include an applied field, a chemical or structural template, chemical gradient and fluidic flow.

4.6**lithography**

reproducible creation of a pattern

Note 1 to entry: The pattern can be formed in a radiation sensitive material or by transfer of material onto a substrate by one of the following: transfer, printing or direct writing.

4.7**multilayer deposition**

alternating deposition of two or more source materials to produce a composite layer structure

4.8**nanofabrication**

ensemble of activities to intentionally create *nano-objects* (3.5) or *nanostructured materials* (3.8)

4.9**nanomanufacturing**

intentional synthesis, generation or control of *nanomaterials* (3.4), or fabrication steps in the *nanoscale* (3.7), for commercial purposes

[SOURCE: ISO/TS 80004-1:2015, 2.11]

4.10

nanomanufacturing process

ensemble of activities to intentionally synthesize, generate or control *nanomaterials* (3.4), or fabrication steps in the *nanoscale* (3.7), for commercial purposes

[SOURCE: ISO/TS 80004-1:2015, 2.12]

4.11

self-assembly

autonomous action by which components organize themselves into patterns or structures

4.12

surface functionalization

chemical process that acts upon a surface to impart a selected chemical or physical functionality

4.13

top-down nanomanufacturing

processes that create structures at the *nanoscale* (3.7) from macroscopic objects

5 Terms related to directed assembly

5.1

electrostatic driven assembly

use of electrostatic force to orient or place *nanoscale* (3.7) elements in a device or material

5.2

fluidic alignment

use of fluid flow to orient *nanoscale* (3.7) elements in a device or material

5.3

hierarchical assembly

use of more than one type of *nanomanufacturing* (4.9) process to control a structure at multiple length scales

5.4

magnetic driven assembly

use of magnetic force to assemble elements/particles at the *nanoscale* (3.7) in a desired pattern or configuration

5.5

shape-based assembly

use of geometric shapes of *nanoparticles* (3.6) to achieve a desired pattern or configuration

5.6

supramolecular assembly

use of non-covalent chemical bonding to assemble molecules or *nanoparticles* (3.6) with surface ligands

5.7

surface-to-surface transfer

transfer of *nanoparticles* (3.6) or structures from the surface of one substrate, on which they have been deposited, grown or assembled, onto another substrate

6 Terms related to self-assembly processes

6.1

colloidal crystallization

sedimentation of *nanoparticles* (3.6) from a solution containing *nano-objects* (3.5) and their aggregates and agglomerates (NOAAs) to form a solid, which consists of an organization of particles to form an array of repeating units

Note 1 to entry: The term is not exclusive to nanomanufacturing but has been adapted to apply to nanomanufacturing processes.

6.2

graphioepitaxy

directed self-assembly (4.5) using *nanoscale* (3.7) topographical features

Note 1 to entry: Includes the growth of a thin layer on the surface and growth of an additional layer on top of a substrate, which has the same or different structure as the underlying crystal.

Note 2 to entry: The term is not exclusive to nanomanufacturing but has been adapted to apply to nanomanufacturing processes.

6.3

ion beam surface reconstruction

use of an accelerated ion beam to cause surface modification, which can be at the *nanoscale* (3.7)

Note 1 to entry: The term is not exclusive to nanomanufacturing but has been adapted to apply to nanomanufacturing processes.

6.4

Langmuir-Blodgett film formation

creation of a film at an air-liquid interface

6.5

Langmuir-Blodgett film transfer

transfer of a Langmuir-Blodgett film formed at an air-liquid interface onto a solid surface by dipping a solid substrate into the supporting liquid

6.6

layer-by-layer deposition

LbL deposition

electrostatic process of depositing polyelectrolytes with opposite charges laid over or under another

6.7

modulated elemental reactant method

use of vapour deposited precursors with regions of controlled composition as a template for the formation of interleaved layers of two or more structures

Note 1 to entry: The term is not exclusive to nanomanufacturing.

6.8

self-assembled monolayer formation

SAM formation

spontaneous formation of an organized molecular layer on a solid surface from solution or the vapour phase, driven by molecule-to-surface bonding and weak intermolecular interaction

6.9

Stranski-Krastanow growth

mode of thin film growth which starts as a two-dimensional *Frank-van der Merve growth* (6.10), and then continues as a three-dimensional *Volmer-Weber growth* (6.11)