

ETSI TS 138 214 V18.6.0 (2025-04)



**5G;
NR;
Physical layer procedures for data
(3GPP TS 38.214 version 18.6.0 Release 18)**

[ETSI TS 138 214 V18.6.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/76becde9-df32-477a-9e8b-6bb38c7a4029/etsi-ts-138-214-v18-6-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/76becde9-df32-477a-9e8b-6bb38c7a4029/etsi-ts-138-214-v18-6-0-2025-04>



ReferenceRTS/TSGR-0138214v160

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-04)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	7
1 Scope	8
2 References	8
3 Definitions of terms, symbols and abbreviations	9
3.1 Terms.....	9
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Power control	10
4.1 Power allocation for downlink	10
5 Physical downlink shared channel related procedures	11
5.1 UE procedure for receiving the physical downlink shared channel	11
5.1.1 Transmission schemes	17
5.1.1.1 Transmission scheme 1	17
5.1.2 Resource allocation.....	17
5.1.2.1 Resource allocation in time domain	17
5.1.2.1.1 Determination of the resource allocation table to be used for PDSCH.....	22
5.1.2.2 Resource allocation in frequency domain	27
5.1.2.2.1 Downlink resource allocation type 0	27
5.1.2.2.2 Downlink resource allocation type 1	28
5.1.2.2.3 Downlink resource allocation type 1 for multicast/broadcast.....	29
5.1.2.3 Physical resource block (PRB) bundling.....	30
5.1.3 Modulation order, target code rate, redundancy version and transport block size determination.....	31
5.1.3.1 Modulation order and target code rate determination	33
5.1.3.2 Transport block size determination	39
5.1.4 PDSCH resource mapping	43
5.1.4.1 PDSCH resource mapping with RB symbol level granularity	43
5.1.4.2 PDSCH resource mapping with RE level granularity	45
5.1.5 Antenna ports quasi co-location.....	47
5.1.6 UE procedure for receiving reference signals.....	56
5.1.6.1 CSI-RS reception procedure.....	56
5.1.6.1.1 CSI-RS for tracking.....	57
5.1.6.1.2 CSI-RS for L1-RSRP and L1-SINR computation	60
5.1.6.1.3 CSI-RS for mobility	60
5.1.6.2 DM-RS reception procedure	61
5.1.6.3 PT-RS reception procedure	65
5.1.6.4 SRS reception procedure for CLI.....	67
5.1.6.5 PRS reception procedure.....	67
5.1.6.5.1 PRS receiver frequency hopping	74
5.1.6.5.2 PRS for carrier phase positioning.....	75
5.1.6.5.3 PRS bandwidth aggregation for positioning measurements	75
5.1.7 Code block group based PDSCH transmission.....	76
5.1.7.1 UE procedure for grouping of code blocks to code block groups	76
5.1.7.2 UE procedure for receiving code block group based transmissions.....	76
5.2 UE procedure for reporting channel state information (CSI)	77
5.2.1 Channel state information framework.....	77
5.2.1.1 Reporting settings	77
5.2.1.2 Resource settings.....	78
5.2.1.3 (void).....	79
5.2.1.4 Reporting configurations.....	79
5.2.1.4.1 Resource Setting configuration	82

5.2.1.4.2	Report quantity configurations	84
5.2.1.4.3	L1-RSRP Reporting.....	91
5.2.1.4.4	L1-SINR Reporting	91
5.2.1.4.5	TDCP Reporting.....	92
5.2.1.5	Triggering/activation of CSI Reports and CSI-RS	93
5.2.1.5.1	Aperiodic CSI Reporting/Aperiodic CSI-RS when the triggering PDCCH and the CSI-RS have the same numerology	93
5.2.1.5.1a	Aperiodic CSI Reporting/Aperiodic CSI-RS when the triggering PDCCH and the CSI-RS have different numerologies	99
5.2.1.5.2	Semi-persistent CSI/Semi-persistent CSI-RS	101
5.2.1.5.3	Aperiodic CSI-RS for tracking for fast SCell activation	103
5.2.1.6	CSI processing criteria	103
5.2.2	Channel state information.....	105
5.2.2.1	Channel quality indicator (CQI).....	105
5.2.2.1.1	(void)	108
5.2.2.2	Precoding matrix indicator (PMI)	108
5.2.2.2.1	Type I Single-Panel Codebook.....	108
5.2.2.2.2	Type I Multi-Panel Codebook	115
5.2.2.2.3	Type II Codebook.....	119
5.2.2.2.4	Type II Port Selection Codebook	126
5.2.2.2.5	Enhanced Type II Codebook	128
5.2.2.2.6	Enhanced Type II Port Selection Codebook.....	135
5.2.2.2.7	Further enhanced Type II port selection codebook.....	137
5.2.2.2.8	Enhanced Type II codebook for CJT	141
5.2.2.2.9	Further enhanced Type II port selection codebook for CJT	147
5.2.2.2.10	Enhanced Type II codebook for predicted PMI.....	153
5.2.2.2.11	Further enhanced Type II port selection codebook for predicted PMI	157
5.2.2.3	Reference signal (CSI-RS).....	158
5.2.2.3.1	NZP CSI-RS	158
5.2.2.4	Channel State Information – Interference Measurement (CSI-IM).....	159
5.2.2.5	CSI reference resource definition.....	160
5.2.2.5.1	UE assumptions for CQI/PMI/RI calculation	162
5.2.2.5.1a	UE assumptions for CQI/PMI/RI calculation for NCJT	163
5.2.2.5.1b	UE assumptions for CQI/PMI/RI calculation for CJT.....	164
5.2.2.5.1c	UE assumptions for CQI/PMI/RI calculation for predicted CSI	164
5.2.3	CSI reporting using PUSCH	164
5.2.4	CSI reporting using PUCCH.....	171
5.2.5	Priority rules for CSI reports.....	172
5.3	UE PDSCH processing procedure time	173
5.3.1	Application delay of the minimum scheduling offset restriction	176
5.4	UE CSI computation time	176
5.5	UE PDSCH reception preparation time with different subcarrier spacings for PDCCH and PDSCH in different cells	178
6	Physical uplink shared channel related procedure.....	179
6.1	UE procedure for transmitting the physical uplink shared channel	179
6.1.1	Transmission schemes	183
6.1.1.1	Codebook based UL transmission.....	183
6.1.1.2	Non-Codebook based UL transmission.....	186
6.1.2	Resource allocation.....	188
6.1.2.1	Resource allocation in time domain	188
6.1.2.1.1	Determination of the resource allocation table to be used for PUSCH.....	200
6.1.2.2	Resource allocation in frequency domain	203
6.1.2.2.1	Uplink resource allocation type 0	203
6.1.2.2.2	Uplink resource allocation type 1	204
6.1.2.2.3	Uplink resource allocation type 2	205
6.1.2.3	Resource allocation for uplink transmission with configured grant	207
6.1.2.3.1	Transport Block repetition for uplink transmissions of PUSCH repetition Type A with a configured grant.....	209
6.1.2.3.2	Transport Block repetition for uplink transmissions of PUSCH repetition Type B with a configured grant.....	211

6.1.2.3.3	Transport Block repetition for uplink transmissions of TB processing over multiple slots with a configured grant.....	211
6.1.3	UE procedure for applying transform precoding on PUSCH	212
6.1.4	Modulation order, redundancy version and transport block size determination	213
6.1.4.1	Modulation order and target code rate determination	215
6.1.4.2	Transport block size determination	220
6.1.5	Code block group based PUSCH transmission	221
6.1.5.1	UE procedure for grouping of code blocks to code block groups	222
6.1.5.2	UE procedure for transmitting code block group based transmissions	222
6.1.6	Uplink switching.....	222
6.1.6.1	Uplink switching for EN-DC	223
6.1.6.2	Uplink switching for carrier aggregation	224
6.1.6.2.0	Uplink switching with two uplink bands	224
6.1.6.2.1	void.....	225
6.1.6.2.2	Uplink switching with 3 or 4 uplink bands.....	225
6.1.6.3	Uplink switching with two uplink bands for supplementary uplink.....	226
6.1.7	UE procedure for determining time domain windows for bundling DM-RS.....	226
6.2	UE reference signal (RS) procedure	229
6.2.1	UE sounding procedure	229
6.2.1.1	UE SRS frequency hopping procedure	238
6.2.1.2	UE sounding procedure for DL CSI acquisition	238
6.2.1.3	UE sounding procedure between component carriers	243
6.2.1.4	UE sounding procedure for positioning purposes	245
6.2.1.4.1	SRS frequency hopping for positioning	247
6.2.1.4.2	SRS bandwidth aggregation for positioning measurements	248
6.2.2	UE DM-RS transmission procedure	249
6.2.3	UE PT-RS transmission procedure	251
6.2.3.1	UE PT-RS transmission procedure when transform precoding is not enabled.....	251
6.2.3.2	UE PT-RS transmission procedure when transform precoding is enabled.....	255
6.3	UE PUSCH frequency hopping procedure	256
6.3.1	Frequency hopping for PUSCH repetition Type A and for TB processing over multiple slots.....	256
6.3.2	Frequency hopping for PUSCH repetition Type B	257
6.4	UE PUSCH preparation procedure time.....	258
7	UE procedures for transmitting and receiving on a carrier with intra-cell guard bands.....	259
8	Physical sidelink shared channel related procedures.....	260
8.1	UE procedure for transmitting the physical sidelink shared channel	262
8.1.1	Transmission schemes	264
8.1.2	Resource allocation.....	264
8.1.2.1	Resource allocation in time domain	264
8.1.2.2	Resource allocation in frequency domain	266
8.1.3	Modulation order, target code rate, redundancy version and transport block size determination.....	266
8.1.3.1	Modulation order and target code rate determination	266
8.1.3.2	Transport block size determination	267
8.1.4	UE procedure for determining the subset of resources to be reported to higher layers in PSSCH resource selection in sidelink resource allocation mode 2	268
8.1.4A	UE procedure for determining a set of preferred or non-preferred resources for another UE's transmission	276
8.1.4B	Void	277
8.1.4C	UE procedure for using a received non-preferred resource set	277
8.1.5	UE procedure for determining slots and resource blocks for PSSCH transmission associated with an SCI format 1-A	277
8.1.5A	UE procedure for determining slots and resource blocks indicated by a preferred or non-preferred resource set	279
8.1.6	Sidelink congestion control in sidelink resource allocation mode 2	280
8.1.7	UE procedure for determining the number of logical slots for a reservation period.....	281
8.2	UE procedure for transmitting sidelink reference signals	281
8.2.1	CSI-RS transmission procedure	281
8.2.2	PSSCH DM-RS transmission procedure.....	281
8.2.3	PT-RS transmission procedure	281
8.2.4	SL PRS transmission procedure.....	282

8.2.4.1	Resource allocation	282
8.2.4.1.1	Resource allocation in time domain	282
8.2.4.1.2	Resource allocation in frequency domain.....	283
8.2.4.2	UE procedure for determining the subset of resources to be reported to higher layers in SL PRS resource selection in a dedicated SL PRS resource pool in sidelink resource allocation mode 2	283
8.2.4.2A	UE procedure for determining slots and SL PRS resource(s) associated with an SCI format 1-B in a dedicated SL PRS resource pool	285
8.2.4.3	Sidelink congestion control in a dedicated SL PRS resource pool in sidelink resource allocation mode 2.....	285
8.3	UE procedure for receiving the physical sidelink shared channel	286
8.4	UE procedure for receiving reference signals	286
8.4.1	CSI-RS reception procedure	286
8.4.2	DM-RS reception procedure for RSRP computation.....	286
8.4.3	PT-RS reception procedure.....	286
8.4.4	SL PRS reception procedure.....	287
8.5	UE procedure for reporting channel state information (CSI)	287
8.5.1	Channel state information framework.....	287
8.5.1.1	Reporting configurations.....	288
8.5.1.2	Triggering of sidelink CSI reports	288
8.5.2	Channel state information.....	288
8.5.2.1	CSI reporting quantities	288
8.5.2.1.1	Channel quality indicator (CQI).....	288
8.5.2.2	Reference signal (CSI-RS).....	289
8.5.2.3	CSI reference resource definition.....	289
8.5.3	CSI reporting	290
8.6	UE PSSCH preparation procedure time	290
9	UE procedures for transmitting and receiving for RTT-based propagation delay compensation	290
9.1	PRS reception procedure for RTT-based propagation delay compensation	291
Annex <A> (informative): Change history		293
History		306