

ETSI TS 138 141-1 V18.9.0 (2025-04)



5G;
NR;

**Base Station (BS) conformance testing
Part 1: Conducted conformance testing
(3GPP TS 38.141-1 version 18.9.0 Release 18)**

[ETSI TS 138 141-1 V18.9.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/2f51edc1-e4d8-4326-bb4a-584010d99c4f/etsi-ts-138-141-1-v18-9-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/2f51edc1-e4d8-4326-bb4a-584010d99c4f/etsi-ts-138-141-1-v18-9-0-2025-04>



Reference

RTS/TSGR-0438141-1v190

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-04)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	17
1 Scope	19
2 References	19
3 Definitions, symbols and abbreviations	21
3.1 Definitions	21
3.2 Symbols.....	23
3.3 Abbreviations	25
4 General conducted test conditions and declarations.....	27
4.1 Measurement uncertainties and test requirements	27
4.1.1 General.....	27
4.1.2 Acceptable uncertainty of Test System.....	27
4.1.2.1 General	27
4.1.2.2 Measurement of transmitter	28
4.1.2.3 Measurement of receiver	31
4.1.2.4 Measurement of performance requirements.....	35
4.1.3 Interpretation of measurement results.....	35
4.2 Conducted requirement reference points	36
4.2.1 BS type 1-C	36
4.2.2 BS type 1-H	36
4.3 Base station classes	37
4.4 Regional requirements.....	38
4.5 BS configurations	40
4.5.1 BS type 1-C	40
4.5.1.1 Transmit configurations	40
4.5.1.1.1 General	40
4.5.1.1.2 Transmission with multiple transmitter antenna connectors.....	40
4.5.1.2 Receive configurations.....	40
4.5.1.2.1 General	40
4.5.1.2.2 Reception with multiple receiver antenna connectors, receiver diversity.....	41
4.5.1.3 Duplexers	41
4.5.1.4 Power supply options	41
4.5.1.5 Ancillary RF amplifiers.....	41
4.5.2 BS type 1-H.....	42
4.5.2.1 Transmit configurations	42
4.5.2.2 Receive configurations.....	43
4.5.2.3 Power supply options	43
4.5.3 BS with integrated Luant BS modem	44
4.6 Manufacturer declarations	44
4.7 Test configurations	50
4.7.1 General.....	50
4.7.2 Test signal used to build Test Configurations.....	51
4.7.3 NRTC1: Contiguous spectrum operation.....	51
4.7.3.1 NRTC1 generation	51
4.7.3.2 NRTC1 power allocation	51
4.7.4 NRTC2: Contiguous CA occupied bandwidth.....	51
4.7.4.1 NRTC2 generation	52
4.7.4.2 NRTC2 power allocation	52
4.7.5 NRTC3: Non-contiguous spectrum operation	52
4.7.5.1 NRTC3 generation	52
4.7.5.2 NRTC3 power allocation	53
4.7.6 NRTC4: Multi-band test configuration for full carrier allocation.....	53

4.7.6.1	NRTC4 generation	53
4.7.6.2	NRTC4 power allocation	53
4.7.7	NRTC5: Multi-band test configuration with high PSD per carrier	54
4.7.7.1	NRTC5 generation	54
4.7.7.2	NRTC5 power allocation	54
4.7.8	NRTC6: Non-contiguous spectrum operation in band n46, n96 and n102	54
4.7.8.1	NRTC6 generation	54
4.7.8.2	NRTC6 power allocation	55
4.8	Applicability of requirements	55
4.8.1	General	55
4.8.2	Requirement set applicability	55
4.8.3	Applicability of test configurations for single-band operation	56
4.8.4	Applicability of test configurations for multi-band operation	57
4.8.5	Additional conformance	58
4.9	RF channels and test models	59
4.9.1	RF channels	59
4.9.2	Test models	60
4.9.2.1	General	60
4.9.2.2	FR1 test models	60
4.9.2.2.1	FR1 test model 1.1 (NR-FR1-TM1.1)	62
4.9.2.2.2	FR1 test model 1.2 (NR-FR1-TM1.2)	63
4.9.2.2.3	FR1 test model 2 (NR-FR1-TM2)	63
4.9.2.2.4	FR1 test model 2a (NR-FR1-TM2a)	64
4.9.2.2.4A	FR1 test model 2b (NR-FR1-TM2b)	64
4.9.2.2.5	FR1 test model 3.1 (NR-FR1-TM3.1)	64
4.9.2.2.6	FR1 test model 3.1a (NR-FR1-TM3.1a)	65
4.9.2.2.6A	FR1 test model 3.1b (NR-FR1-TM3.1b)	65
4.9.2.2.7	FR1 test model 3.2 (NR-FR1-TM3.2)	65
4.9.2.2.8	FR1 test model 3.3 (NR-FR1-TM3.3)	66
4.9.2.2.9	NB-IoT operation in NR in-band test model (NR-N-TM)	67
4.9.2.3	Data content of Physical channels and Signals for NR-FR1-TM	67
4.9.2.3.1	PDCCH	67
4.9.2.3.2	PDSCH	68
4.9.2.4	Data content of Physical channels and Signals for NR-N-TM	69
4.9.3	NB-IoT testing	69
4.10	Requirements for contiguous and non-contiguous spectrum	69
4.11	Requirements for BS capable of multi-band operation	70
4.12	Format and interpretation of tests	71
5	Operating bands and channel arrangement	72
6	Conducted transmitter characteristics	73
6.1	General	73
6.1.1	BS type 1-C	73
6.1.2	BS type 1-H	73
6.2	Base station output power	73
6.2.1	Definition and applicability	73
6.2.2	Minimum requirement	75
6.2.3	Test purpose	75
6.2.4	Method of test	75
6.2.4.1	Initial conditions	75
6.2.4.2	Procedure	75
6.2.5	Test requirement	76
6.3	Output power dynamics	76
6.3.1	General	76
6.3.2	RE power control dynamic range	76
6.3.2.1	Definition and applicability	76
6.3.2.2	Minimum requirement	76
6.3.2.3	Test purpose	76
6.3.3	Total power dynamic range	76
6.3.3.1	Definition and applicability	76
6.3.3.2	Minimum requirement	77

6.3.3.3	Test purpose	77
6.3.3.4	Method of test	77
6.3.3.4.1	Initial conditions	77
6.3.3.4.2	Procedure	77
6.3.3.5	Test requirements	78
6.3.4	NB-IoT RB power dynamic range	78
6.3.4.1	Definition and applicability	78
6.3.4.2	Minimum requirement	78
6.3.4.3	Test purpose	78
6.3.4.4	Method of test	78
6.3.4.5	Test requirements	79
6.4	Transmit ON/OFF power	79
6.4.1	Transmitter OFF power	79
6.4.1.1	Definition and applicability	79
6.4.1.2	Minimum requirement	79
6.4.1.3	Test purpose	79
6.4.1.4	Method of test	79
6.4.1.5	Test requirements	79
6.4.2	Transmitter transient period	80
6.4.2.1	Definition and applicability	80
6.4.2.2	Minimum requirement	80
6.4.2.3	Test purpose	80
6.4.2.4	Method of test	80
6.4.2.4.1	Initial conditions	80
6.4.2.4.2	Procedure	81
6.4.2.5	Test requirements	81
6.5	Transmitted signal quality	81
6.5.1	General	81
6.5.2	Frequency error	82
6.5.2.1	Definition and applicability	82
6.5.2.2	Minimum Requirement	82
6.5.2.3	Test purpose	82
6.5.2.4	Method of test	82
6.5.2.5	Test Requirements	82
6.5.3	Modulation quality	82
6.5.3.1	Definition and applicability	82
6.5.3.2	Minimum Requirement	82
6.5.3.3	Test purpose	83
6.5.3.4	Method of test	83
6.5.3.4.1	Initial conditions	83
6.5.3.4.2	Procedure	83
6.5.3.5	Test requirements	84
6.5.4	Time alignment error	86
6.5.4.1	Definition and applicability	86
6.5.4.2	Minimum requirement	86
6.5.4.3	Test purpose	86
6.5.4.4	Method of test	86
6.5.4.4.1	Initial conditions	86
6.5.4.4.2	Procedure	86
6.5.4.5	Test requirement	87
6.6	Unwanted emissions	87
6.6.1	General	87
6.6.2	Occupied bandwidth	88
6.6.2.1	Definition and applicability	88
6.6.2.2	Minimum Requirements	88
6.6.2.3	Test purpose	88
6.6.2.4	Method of test	89
6.6.2.4.1	Initial conditions	89
6.6.2.4.2	Procedure	89
6.6.2.5	Test requirements	90
6.6.3	Adjacent Channel Leakage Power Ratio (ACLR)	90
6.6.3.1	Definition and applicability	90

6.6.3.2	Minimum requirement	90
6.6.3.3	Test purpose	90
6.6.3.4	Method of test	90
6.6.3.4.1	Initial conditions	90
6.6.3.4.2	Procedure	91
6.6.3.5	Test requirements	91
6.6.3.5.1	General requirements	91
6.6.3.5.2	Limits and <i>basic limits</i>	91
6.6.3.5.3	<i>BS type 1-C</i>	95
6.6.3.5.4	<i>BS type 1-H</i>	95
6.6.4	Operating band unwanted emissions	96
6.6.4.1	Definition and applicability	96
6.6.4.2	Minimum requirement	97
6.6.4.3	Test purpose	97
6.6.4.4	Method of test	98
6.6.4.4.1	Initial conditions	98
6.6.4.4.2	Procedure	98
6.6.4.5	Test requirements	99
6.6.4.5.1	General requirements	99
6.6.4.5.2	Basic limits for Wide Area BS (Category A)	99
6.6.4.5.3	Basic limits for Wide Area BS (Category B)	100
6.6.4.5.3.1	Category B requirements (Option 1)	100
6.6.4.5.3.2	Category B requirements (Option 2)	103
6.6.4.5.4	Basic limits for Medium Range BS (Category A and B)	105
6.6.4.5.5	Basic limits for Local Area BS (Category A and B)	109
6.6.4.5.5A	Basic limits for Local Area and Medium Range BS for band n46, n96 and n102 (Category A and B)	111
6.6.4.5.6	Basic limits for additional requirements	114
6.6.4.5.6.1	Limits in FCC Title 47	114
6.6.4.5.6.2	Protection of DTT	114
6.6.4.5.6.3	Additional operating band unwanted emissions limits for Band n48	114
6.6.4.5.6.4	Additional operating band unwanted emissions limits for Band n53	114
6.6.4.5.6.5	Protection of GPS	115
6.6.4.5.7	<i>BS type 1-C</i>	116
6.6.4.5.8	<i>BS type 1-H</i>	116
6.6.5	Transmitter spurious emissions	116
6.6.5.1	Definition and applicability	116
6.6.5.2	Minimum requirement	116
6.6.5.3	Test purpose	117
6.6.5.4	Method of test	117
6.6.5.4.1	Initial conditions	117
6.6.5.4.2	Procedure	117
6.6.5.5	Test requirements	118
6.6.5.5.1	Basic limits	118
6.6.5.5.1.1	Tx spurious emissions	118
6.6.5.5.1.2	Protection of the BS receiver of own or different BS	118
6.6.5.5.1.3	Additional spurious emissions requirements	119
6.6.5.5.1.4	Co-location with other base stations	130
6.6.5.5.2	(void)	136
6.6.5.5.3	<i>BS type 1-C</i>	136
6.6.5.5.4	<i>BS type 1-H</i>	136
6.7	Transmitter intermodulation	136
6.7.1	Definition and applicability	136
6.7.2	Minimum requirement	137
6.7.3	Test purpose	137
6.7.4	Method of test	137
6.7.4.1	Initial conditions	137
6.7.4.2	Procedure	137
6.7.5	Test requirements	138
6.7.5.1	<i>BS type 1-C</i>	138
6.7.5.1.1	Co-location minimum requirements	138
6.7.5.1.2	Additional requirements	139