

ETSI TS 138 323 V18.5.0 (2025-04)



**5G;
NR;**
**Packet Data Convergence Protocol (PDCP) specification
(3GPP TS 38.323 version 18.5.0 Release 18)**

[ETSI TS 138 323 V18.5.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/74b80816-10f1-4140-b8fe-0604a5763d55/etsi-ts-138-323-v18-5-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/74b80816-10f1-4140-b8fe-0604a5763d55/etsi-ts-138-323-v18-5-0-2025-04>



ReferenceRTS/TSGR-0238323vi50

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. [2025-04](#)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	6
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	9
4 General	10
4.1 Introduction	10
4.2 Architecture	10
4.2.1 PDCP structure	10
4.2.2 PDCP entities.....	13
4.3 Services	14
4.3.1 Services provided to upper layers	14
4.3.2 Services expected from lower layers	14
4.4 Functions	15
5 Procedures	15
5.1 PDCP entity handling.....	15
5.1.1 PDCP entity establishment	15
5.1.2 PDCP entity re-establishment	15
5.1.3 PDCP entity release	17
5.1.4 PDCP entity suspend	17
5.1.5 PDCP entity reconfiguration.....	18
5.2 Data transfer	18
5.2.1 Transmit operation.....	18
5.2.2 Receive operation	20
5.2.2.1 Actions when a PDCP Data PDU is received from lower layers	20
5.2.2.2 Actions when a <i>t-Reordering</i> expires.....	22
5.2.2.3 Actions when the value of <i>t-Reordering</i> is reconfigured	22
5.2.3 Sidelink transmit operation.....	22
5.2.4 Sidelink receive operation	22
5.3 SDU discard	23
5.4 Status reporting	23
5.4.1 Transmit operation.....	23
5.4.2 Receive operation	24
5.5 Data recovery	24
5.6 Data volume calculation.....	24
5.7 Robust header compression and decompression	26
5.7.1 Supported header compression protocols and profiles.....	26
5.7.2 Configuration of ROHC.....	26
5.7.3 Protocol parameters	26
5.7.4 Header compression using ROHC	27
5.7.5 Header decompression using ROHC	27
5.7.6 PDCP Control PDU for interspersed ROHC feedback	27
5.7.6.1 Transmit Operation	27
5.7.6.2 Receive Operation.....	28
5.8 Cipherring and decipherring	28
5.9 Integrity protection and verification	28
5.10 Handling of unknown, unforeseen, and erroneous protocol data	29
5.11 PDCP duplication.....	30
5.11.1 Activation/Deactivation of PDCP duplication.....	30

5.11.2	Duplicate PDU discard	30
5.12	Ethernet header compression and decompression	31
5.12.1	Supported header compression protocols	31
5.12.2	Configuration of EHC.....	31
5.12.3	Protocol parameters	31
5.12.4	Header compression using EHC	31
5.12.5	Header decompression using EHC	31
5.12.6	PDCP Control PDU for EHC feedback	31
5.12.6.1	Transmit Operation	31
5.12.6.2	Receive Operation.....	31
5.12.7	Simultaneous configuration of ROHC and EHC	32
5.13	Uplink data switching.....	32
5.14	Uplink Data compression and decompression.....	33
5.14.1	UDC protocol.....	33
5.14.2	Configuration of UDC	33
5.14.3	UDC header	33
5.14.4	Uplink data compression	33
5.14.5	PDCP Control PDU for UDC feedback	33
5.14.6	Pre-defined dictionary.....	34
5.14.7	UDC buffer reset procedure.....	34
5.14.8	UDC checksum error handling	34
5.15	Data volume calculation for delay status reporting	34
5.16	SN gap report	35
5.16.1	Transmit operation.....	35
5.16.2	Receive operation	35
6	Protocol data units, formats, and parameters.....	36
6.1	Protocol data units	36
6.1.1	Data PDU.....	36
6.1.2	Control PDU	36
6.2	Formats.....	37
6.2.1	General.....	37
6.2.2	Data PDU.....	37
6.2.2.1	Data PDU for SRBs	37
6.2.2.2	Data PDU for DRBs and MRBs with 12 bits PDCP SN	37
6.2.2.3	Data PDU for DRBs and MRBs with 18 bits PDCP SN	38
6.2.2.4	Data PDU for sidelink DRBs for groupcast and broadcast, for the sidelink SRB0 and for the sidelink SRB4	38
6.2.2.5	Data PDU for sidelink SRBs for unicast	39
6.2.2.6	Data PDU for sidelink DRBs for unicast with 12 bits PDCP SN.....	39
6.2.2.7	Data PDU for sidelink DRBs for unicast with 18 bits PDCP SN.....	40
6.2.3	Control PDU	41
6.2.3.1	Control PDU for PDCP status report	41
6.2.3.2	Control PDU for interspersed ROHC feedback	42
6.2.3.3	Control PDU for EHC feedback.....	42
6.2.3.4	Control PDU for UDC feedback	42
6.2.3.5	Control PDU for PDCP SN gap report.....	42
6.3	Parameters	43
6.3.1	General.....	43
6.3.2	PDCP SN	43
6.3.3	Data.....	43
6.3.4	MAC-I	44
6.3.5	COUNT	44
6.3.6	R	44
6.3.7	D/C.....	44
6.3.8	PDU type	44
6.3.9	FMC.....	45
6.3.10	Bitmap	45
6.3.11	Interspersed ROHC feedback	45
6.3.12	SDU Type	45
6.3.13	K _{NRP-sess} ID.....	45
6.3.14	FE.....	46

6.3.15	FDC	46
6.3.16	Discard Bitmap	46
7	State variables, constants, and timers	46
7.1	State variables	46
7.2	Constants	47
7.3	Timers	47
Annex A (normative): Ethernet Header Compression (EHC) protocol.....		49
A.1	EHC principle.....	49
A.2	EHC packet format and parameters.....	50
A.2.1	EHC packet format.....	50
A.2.1.1	EHC Full Header packet and EHC Compressed Header packet	50
A.2.1.2	EHC feedback packet.....	51
A.2.2	Parameters	52
A.2.2.1	F/C	52
A.2.2.2	CID	52
Annex B (normative): Uplink Data Compression Protocol.....		53
B.1	UDC general description	53
B.2	UDC packet format and parameters	53
B.2.1	UDC Header and UDC Data Block format	53
B.2.2	UDC parameters	53
B.2.2.1	FU	53
B.2.2.2	FR	53
B.2.2.3	Checksum	54
B.2.3	An example of UDC Checksum calculation.....	54
Annex C (informative): Change history		55
History		58

ETSI TS 138 323 V18.5.0 (2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/74b80816-10f1-4140-b8fe-0604a5763d55/etsi-ts-138-323-v18-5-0-2025-04>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 138 323 V18.5.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/74b80816-10f1-4140-b8fe-0604a5763d55/etsi-ts-138-323-v18-5-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/74b80816-10f1-4140-b8fe-0604a5763d55/etsi-ts-138-323-v18-5-0-2025-04>