TECHNICAL SPECIFICATION

ISO/IEC TS 23167

First edition
2020-02

Information technology — Cloud computing — Common technologies and techniques

Reference number
ISO/IEC TS 23167:2020(E)

© ISO/IEC 2020

iTeh Standards
(https://standards.iteh.ai)
Document Preview

ISO/IEC TS 23167:2020
https://standards.iteh.ai/catalog/standards/iso/66c8a481-d56a-4176-ac60-92c49ad4eef0/iso-iec-ts-23167-2020

Contents

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see http://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 38, *Cloud Computing and Distributed Platforms*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Cloud computing is described at a high, conceptual level in the two foundational standards ISO/IEC 17788 [1] and ISO/IEC 17789 [2].

However, as the use of cloud computing has grown, a set of commonly used technologies has grown to support, simplify and extend the use of cloud computing alongside sets of commonly used techniques which enable the effective exploitation of the capabilities of cloud services. Many of these common technologies and techniques are aimed at developers and operations staff, increasingly linked together in a unified approach called DevOps (see 10.2). The aim is to speed and simplify the creation and operation of solutions based on the use of cloud services.

This document aims to describe the common technologies and techniques which relate to cloud computing, to describe how they relate to each other and to describe how they are used by some of the roles associated with cloud computing.

This document (a Technical Specification) addresses areas that are still developing in the industry, where it is believed that there will be a future, but not immediate, need for one or more International Standards.

This document will be of primary interest to service developers in Cloud Service Providers and to standards developers working with ISO and other organizations.

iTeh Standards
(https://standards.iteh.ai)
Document Preview

Information technology — Cloud computing — Common technologies and techniques

1   Scope

This document provides a description of a set of common technologies and techniques used in conjunction with cloud computing. These include:

— virtual machines (VMs) and hypervisors;

— containers and container management systems (CMSs);

— serverless computing;

— microservices architecture;

— automation;

— platform as a service systems and architecture;

— storage services;

— security, scalability and networking as applied to the above cloud computing technologies.

2   Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 22123-1:—[1)], *Information technology — Cloud computing — Part 1:Terminology*

3   Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 22123-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at http://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

3.1
guest operating system
guest OS
operating system that runs within a virtual machine

[SOURCE: ISO/IEC 21878:2018, 3.2]

---

1)   To be published.

3.2
host operating system
host OS
operating system onto which virtualization software is installed

Note 1 to entry: "virtualization software" can include both hypervisor and virtual machines as well as container daemon (3.4) and containers.

3.3
serverless computing
cloud service category in which the cloud service customer can use different cloud capabilities types without the cloud service customer having to provision, deploy and manage either hardware or software resources, other than providing cloud service customer application code or providing cloud service customer data

Note 1 to entry: Serverless computing provides automatic scaling with dynamic elastic allocation of resources by the cloud service provider, automatic distribution across multiple locations, and automatic maintenance and backup.

Note 2 to entry: Serverless computing functionality is triggered by one or more cloud service customer defined events and can execute for a limited time period as required to deal with each event.

Note 3 to entry: Serverless computing functionality can be invoked by direct invocation from web and mobile applications.

3.4
container daemon
software service that executes on a host operating system (3.2) and is responsible for creating, starting and stopping containers on that system

3.5
container management system
CMS
software that provides for management and orchestration of container instances

Note 1 to entry: Capabilities include initial creation and placement, scheduling, monitoring, scaling, update and the parallel deployment of capabilities such as load balancers, firewalls, virtual networks and logging.

3.6
cloud native application
application that is explicitly designed to run within and to take advantage of the capabilities and environment of cloud services

3.7
functional decomposition
type of modular decomposition in which a system is broken down into components that correspond to system functions and subfunctions

EXAMPLE   Hierarchical decomposition, stepwise refinement.

[SOURCE: ISO/IEC/IEEE 24765:2017, 3.1695]

3.8
continuous deployment
software engineering approach in which teams produce software in short cycles such that the software can be released to production at any time and where deployment to production is itself automated

3.9
continuous delivery
continuous deployment (3.8) where the deployment stage is initiated manually

3.10
DevOps
methodology which combines together software development and IT operations in order to shorten the development and operations lifecycle

3.11
DevSecOps
DevOps (3.10) extended to include security capabilities as an essential and integral part of the development and operations processes

3.12
orchestration
type of composition where one particular element is used by the composition to oversee and direct the other elements

Note 1 to entry: The element that directs an orchestration is not part of the orchestration (composition instance) itself.

Note 2 to entry: See ISO/IEC 18384-3:2016, 8.3.

[SOURCE: ISO/IEC 18384-1:2016, 2.16]

3.13
virtual machine image
VM image
information and executable code necessary to run a virtual machine

3.14
virtual machine metadata
VM metadata
information about the configuration and startup of a virtual machine

3.15
microservice
independently deployable artefact providing a service implementing a specific functional part of an application

3.16
microservices architecture
design approach that divides an application into a set of microservices (3.15)

3.17
functions as a service
function as a service
FaaS
cloud service category in which the capability provided to the cloud service customer is the execution of cloud service customer application code, in the form of one or more functions that are each triggered by a cloud service customer specified event

3.18
serverless database
cloud service category in which the capability provided to the cloud service customer is a fully cloud service provider managed database made available via an application programming interface

3.19
firewall
type of security barrier placed between network environments — consisting of a dedicated device or a composite of several components and techniques — through which all traffic from one network environment traverses to another, and vice versa, and only authorized traffic, as defined by the local security policy, is allowed to pass

[SOURCE: ISO/IEC 27033-1:2015, 3.12]

3.20
container registry
component that provides the capability to store and to access container images

3.21
resource affinity
placement of two or more resources close to each other

Note 1 to entry: Closeness relates to factors such as speed of access or high bandwidth of access between the resources.

4   Symbols and abbreviated terms

API   Application programming interface

CMS   Container management system

CSC   Cloud service customer

CSP   Cloud service provider

DNS   Domain name service

GUI   Graphical user interface

HTTP   Hypertext transfer protocol

IaaS   Infrastructure as a service

IP   Internet protocol

MAC   Media access control

OCI   Open containers initiative

OS   Operating system

OVF   Open virtualization format

PaaS   Platform as a service

SaaS   Software as a service

VPN   Virtual private network

5   Overview of common technologies and techniques used in cloud computing

5.1   General

This document provides a description of a set of common technologies and techniques used in conjunction with cloud computing.

A common technology is one that is used to implement one or more of the functional components of cloud computing described in ISO/IEC 17789:2014,9.2[2] cloud computing reference architecture. The common technologies often form part of a cloud service or are employed by the cloud service customer (CSC) when using a cloud service.

A common technique is a methodology or an approach to performing some of the activities associated with cloud computing, as described in ISO/IEC 17789:2014,10.2.2[2]. It is typical of the common techniques to either reduce the effort needed to make use of cloud services or to enable full use of the capabilities provided by cloud services.

Many of the common technologies and techniques are used in conjunction when developing and operating cloud native applications.

The various common technologies and techniques are described in detail in the following clauses.

In what follows, text that is extracted from other standards are indicated by placing the extracted text in quotes, using italic text, and providing the exact reference at the end of the extracted text.

5.2 Technologies

5.2.1 General

The common technologies principally relate to virtualization and the control and management of virtualized resources in the development and operation of cloud native applications. A cloud native application is an application that is explicitly designed to run within and to take advantage of the capabilities and environment of cloud services. These technologies address the three primary hardware resources identified in ISO/IEC 17789:2014,9.2.4.2[2] of processing, storage and networking but also address the platform capabilities type of cloud service. These technologies include:

— Virtualized processing is addressed by virtual machines (see Clause 6), by containers (see Clause 7), by serverless computing (see Clause 8).

— Virtualized storage is addressed by means of a variety of Data Storage as a Service (see Clause 12).

— Virtualized networking is one of the primary groups of technologies for the provision and use of networking capabilities in relation to cloud services (see Clause 13).

— The Platform as a Service category of cloud services are designed to enable more rapid development, testing and production of cloud native applications (see Clause 11).

Security and scalability technologies apply generally across all types of cloud services, although the explicit use of the technologies by the CSC is more common for some types of cloud service (see Clause 14 and Clause 15).

5.2.2 Infrastructure capabilities type of cloud services

Technologies commonly used with infrastructure capabilities type of cloud services include:

— virtual machines;

— containers;

— virtualized storage;

— virtualized networking;

— security.

5.2.3 Platform capabilities cloud services

Technologies commonly used with platform capabilities type of cloud services include:

— containers;

— serverless computing;

— PaaS cloud services;

— virtualized storage;

— virtualized networking;

— security.

5.2.4 Application capabilities type cloud services

Technologies commonly used with application capabilities type of cloud services include:

— virtualized storage;

— virtualized networking;

— security.

5.3 Techniques

The common techniques typically apply to all cloud service categories, although some techniques are more useful with some categories of cloud service than others.

Orchestration and management of virtualized resources is achieved with tooling, including CMSs (see Clause 10 and 7.4).

Techniques commonly used with cloud computing include:

— Automation of various kinds, applied throughout the DevOps processes (see Clause 10).

— Scalability approaches such as parallel instances (see Clause 14).

— Microservices design approach to applications and systems (see Clause 9).

— Firewalls, encryption, and Identity and Access Management (IAM) techniques for security and protection of privacy (see Clause 15).

6 Virtual machines and hypervisors

6.1 General

Virtual machines and hypervisors are technologies that provide virtualized processing (also known as virtualized compute) for cloud services. These technologies primarily relate to cloud services of infrastructure capabilities type and IaaS as described in ISO/IEC 17788 and ISO/IEC 17789.

One of the key characteristics of cloud computing is its ability to share resources. This is fundamental to its economics, but it is also important to characteristics such as scalability and resilience. Sharing of processing resources requires some level of virtualization. Virtualization in general means that some resource is made available for use in a form that does not physically exist as such but which is made to appear to do so by software. In other words, virtualization provides an abstraction of the underlying resource, being converted into a software defined form for use by other software entities. The software performing the virtualization enables multiple users to simultaneously share the use of a single physical

resource without interfering with each other and usually without them being aware of each other. (See ISO/IEC 22123-1:—, 5.5).

One approach to the virtualization of processing resources is the use of virtual machines, which involves a hypervisor providing an abstraction of the system hardware and permitting multiple virtual machines to run on a given physical system, with each VM containing its own guest operating system (guest OS), as shown in <u>Figure 1</u>. This permits the system to be shared by the applications running in each VM.

The hypervisor is typically software that is installed and operated by the CSP. The cloud service that runs the VM offers the capability for the CSU to load software from a VM image and run the software within a VM on the CSP system. The VM is managed by the hypervisor, but this is not seen directly by the CSU.

6.2   Virtual machines and system virtualization

A virtual machine (VM) is an isolated execution environment for running software that uses virtualized physical resources. In other words, this involves the virtualization of the system – and the software within each VM is given carefully controlled access to the physical resources to enable sharing of those resources without interference. Sometimes termed system virtual machines, VMs provide the functionality needed to execute complete software stacks including entire operating systems and the application code that uses the operating system (ISO/IEC 22123-1:—, 5.5.1). This is as depicted by the "guest OS" and "App x" within each VM shown in <u>Figure 1</u>.

The purpose of VMs is to enable multiple applications to run at the same time on one hardware system, while those applications remain isolated from each other. The software running within each VM appears to have its own system hardware, such as processor, runtime memory, storage device(s) and networking hardware. Isolated means that the software running within one VM is separated from and unaware of software running within other VMs on the same system and is also separated from the host OS. Virtualization commonly means that a subset of the available physical resources can be made available to each VM, such as limited numbers of processors, limited RAM, limited storage space and controlled access to networking capabilities.

Each VM contains a complete stack of software, starting with the operating system and continuing with whatever other software is required to run the application(s) that are executed within the VM. The software stack could be very simple (e.g. a native application written in a language like C, using only functions supplied by the operating system itself) or complex (e.g. an application written in a language such as Java^{TM} which requires a runtime and which makes extensive use of libraries and/or services which are not present in the operating system and which have to be supplied separately).

Each VM can in principle contain any operating system. Different VMs on a single hardware system can run completely different operating systems such as Linux® and Windows®. The only requirement is that all the software running within the VM is designed for the hardware architecture of the underlying system – the hardware is virtualized, but not emulated. So, for example, code built for an ARM processor will not run in a VM running on an Intel x86 system.

6.3   Hypervisors

6.3.1   General

The hypervisor, sometimes termed a virtual machine monitor, is software that virtualizes physical resources and allows for running virtual machines. Virtualization means control of the abstraction of the underlying physical resources of the system. The hypervisor also manages the operation of the VMs. The hypervisor allocates resources to each running VM including processor (CPU), memory, disk storage and networking capabilities and bandwidth (ISO/IEC 22123-1).

Hypervisors exist as one of two types:

— "Bare metal", "native" or "type I";

— "Embedded", "hosted" or "type II".

Type I hypervisors can be faster and more efficient, since they do not need to work via a host operating system. Type II hypervisors may be slower, but have the advantage of being typically easier to set up and are compatible with a broader range of hardware than type I hypervisors, since hardware variations have to be dealt with in the type I hypervisor code, whereas the type II hypervisors take advantage of the hardware support built in to the host operating system.

6.3.2 Type I hypervisors

Type I hypervisors run directly on the underlying system hardware and control that hardware directly as well as managing the VMs. The organization of a system using a Type I hypervisor is shown in Figure 1.


Figure 1 — Type I hypervisor virtualization of system hardware

6.3.3 Type II hypervisors

Type II hypervisors run on top of a host operating system, more specifically the host OS kernel. It is the host operating system that controls the system hardware, while the hypervisor makes use of its capabilities to run and manage the VMs. The organization of a system with a Type II hypervisor is shown in Figure 2.