

---

---

## Soil and waste — Guidance on the selection and application of screening methods

*Sol et déchets — Recommandations relatives à la sélection et à  
l'application des méthodes de diagnostic rapide*

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO 12404:2021

<https://standards.iteh.ai/catalog/standards/iso/0729fa2e-6c94-49ec-8f7e-2acce5f03029/iso-12404-2021>



iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO 12404:2021

<https://standards.iteh.ai/catalog/standards/iso/0729fa2e-6c94-49ec-8f7e-2acce5f03029/iso-12404-2021>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Principles</b>	<b>1</b>
<b>5 Typical areas for application of screening methods</b>	<b>2</b>
5.1 General	2
5.2 Support of sampling/sample preparation processes	2
5.3 On-site verification	2
5.4 Monitoring of processes	2
5.5 Identification of homogeneity/heterogeneity of bulk material	2
5.6 Survey of contaminated sites (hot-spot identification)	2
5.7 Identification of sources of contamination	2
5.8 Monitoring of large areas	2
5.9 Safety issues	3
<b>6 Selection of a screening method</b>	<b>3</b>
6.1 General objectives	3
6.2 Data quality objectives (DQOs)	4
6.3 Selection criteria	4
6.3.1 General	4
6.3.2 Sampling/sample pre-treatment/preparation	5
6.4 Checks for the selection of candidate methods	5
6.4.1 General	5
6.4.2 Parameter definition	5
6.4.3 Field of application	5
6.4.4 Method characteristics	5
6.4.5 Boundary conditions	6
6.5 Fit-for-purpose test	6
6.6 Quality targets	6
<b>7 Applicability conditions for screening methods</b>	<b>7</b>
7.1 General	7
7.2 Performance requirements	7
7.3 Screening method applicability	8
7.3.1 General	8
7.3.2 Measurement conditions	8
7.3.3 Principle of the measurement	8
7.3.4 Instruction for method setup	8
7.3.5 Sampling and samples	9
7.3.6 Measurement steps	9
7.3.7 Statement of results	9
7.3.8 Sample and reagent disposal	9
7.3.9 Characteristic data of the method	9
<b>8 Fit-for-purpose evaluation</b>	<b>10</b>
8.1 General	10
8.2 Accuracy testing	10
8.3 Exclusion of false negative results	10
8.4 Testing of individual comparability	11
<b>9 Analytical acceptance criteria</b>	<b>11</b>
9.1 General	11
9.2 Starting criteria	11

9.3	Continuous criteria.....	11
<b>10</b>	<b>Quality assurance .....</b>	<b>11</b>
<b>11</b>	<b>Documentation.....</b>	<b>12</b>
<b>Annex A</b> (informative)	<b>Example for the selection and application process of screening methods to soil contamination.....</b>	<b>13</b>
<b>Annex B</b> (informative)	<b>Typical results on finding hot spots by screening methods.....</b>	<b>15</b>
<b>Annex C</b> (informative)	<b>Decision making process.....</b>	<b>17</b>
<b>Annex D</b> (informative)	<b>Example of documentation aid/check list.....</b>	<b>18</b>
<b>Annex E</b> (informative)	<b>Statistical tool for individual comparability — Equality of results from reference method and screening method: Mean value t-test for real samples.....</b>	<b>21</b>
<b>Bibliography</b> .....		<b>23</b>

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO 12404:2021

<https://standards.iteh.ai/catalog/standards/iso/0729fa2e-6c94-49ec-8f7e-2acce5f03029/iso-12404-2021>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, SC 3, *Chemical and physical characterization*.

This second edition cancels and replaces the first edition (ISO 12404:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- The contents of ISO 12404:2011 and EN 16123:2013 were merged;
- The scope was widened to include waste;
- The document was developed parallel with CEN according to the Vienna Agreement;
- The text was editorially revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

This document provides guidance on the use of screening methods for soil, soil-like materials and waste characterization. Most of the following clauses are applicable to all matrices mentioned. However, a few subclauses are specific to either waste or soil, including soil-like material, only.

One field of application of screening methods is “on-site verification” as recommended in the European Landfill Directive (1999/31/EC) and the Landfill Decision (2003/33/EC).

Screening methods, which can be chemical, physical or biochemical in nature, can often be applied in a quick and simple manner. Performance of quick and simple tests can be used in the field (i.e. on-site) and, in some cases, are also applicable for laboratory use. They can indicate the presence or absence of an analyte or provide a qualitative estimate of a parameter such as a concentration or value, or generate a semi-quantitative result.

Screening methods are applicable to processes such as entrance control at waste disposal sites in conjunction with standardized methods, because they allow fast verification of the documented waste characteristics. They can also be used in similar way when soil or soil-like materials are to be reused in accordance with the guidance in ISO 15176.

Regarding soil, they can also be used to produce a spatial distribution of concentrations or values within a site, which can be supported by subsequent reference (laboratory-based) analysis. When used in this way, the purpose is generally to obtain information on target parameters or groups of parameters and the location of unusual concentrations, possibly prior to undertaking a more detailed study or investigation. In waste investigation, the location of samples is limited to an area where waste is dumped but confirmation of the spatial distribution is still one of the investigation purposes, especially when investigating soil-like material.

The use of screening methods usually increases the efficiency of a site investigation. Generally, many more samples can be analysed or checked and screened for target parameters and results generated faster than using conventional laboratory-based reference methods. Additionally, screening methods, particularly if carried out on-site, can offer an immediate decision-making opportunity which enables staff to direct their efforts more effectively to those areas where a more thorough investigation might need to be undertaken. Any required performance criteria prescribed for a parameter or group of parameters need to be known; this should include an estimate of the uncertainty of the results.

**NOTE** Although soil screening methods are most commonly used to determine contaminants (pollutants) in soils, for example in investigations of potentially contaminated sites, they can also be used to determine parameters in uncontaminated soils (e.g. agricultural soils). Thus, the word “contaminant” in this document can be construed to apply in any particular context to any relevant soil parameter (e.g. chemical, physical, biological).

# Soil and waste — Guidance on the selection and application of screening methods

## 1 Scope

This document provides guidance on the selection and application of screening methods for assessing soil quality and waste characterization, including distribution of target parameters in soil and soil-like material. The aim of this document is to set up criteria as to when the different kind of screening methods can be applied for the analysis of a certain parameter in soil, including soil-like material, and waste, and which steps are required to prove their suitability.

This document does not recommend any particular screening method but confirms the principles of their selection and application.

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

**3.1 screening**

application of any analytical semi-quantitative method for exploratory analysis

### 3.2 screening method

method which is used (often on-site) to quickly explore a given area including target parameter distribution or to test a set of samples and obtain data on sample characteristics

Note 1 to entry: It is not necessarily directly comparable with reference methods.

### 3.3 reference method

method which is performed in accordance with national or international standards

### 3.4 on-site verification

inspection to ensure that the waste accepted at a landfill is the same as described in the accompanying documents and that it is in accordance with the basic characterization and/or compliance testing

Note 1 to entry: Procedures can be found in the European Landfill Directive (1999/31/EC) and the Landfill Decision (2003/33/EC).

## 4 Principles

This document specifies a framework for selection and application of screening methods.

It defines the whole process, from the selection of the screening method, the applicability and fit-for-purpose testing, the fulfilling of the acceptance criteria, the quality control of the applied method, to the documentation of measurement results.

The suitability of any particular screening method depends on the parameter or group of parameters requiring determination and on the technical nature of the method.

## 5 Typical areas for application of screening methods

### 5.1 General

Screening methods constitute a useful addition to standard procedures in the following areas.

### 5.2 Support of sampling/sample preparation processes

Screening methods can be used for:

- selection of the most suitable analytical method (concentration range, interferences, specificity, robustness);
- pre-selection of samples for analysis in the laboratory;
- provision of information about accompanying compounds relevant for sample preparation.

### 5.3 On-site verification

Characteristics of sampled waste are verified, e.g. during transport or at the entrance of waste treatment plants and landfills.

### 5.4 Monitoring of processes

Screening methods can be used:

- to monitor and control processes (e.g. success of treatment or remediation);
- to perform quality control on a treatment plant.

### 5.5 Identification of homogeneity/heterogeneity of bulk material

Screening methods can be applied to measure “target compounds” in large amounts of waste as well as soil and soil-like material to check the degree of homogeneity.

### 5.6 Survey of contaminated sites (hot-spot identification)

Screening methods are useful to identify contaminated areas in contamination-suspected sites. Examples for the application to contaminated sites are given in [Annex A](#) (flowchart) and [Annex B](#) (hot spot detection).

### 5.7 Identification of sources of contamination

Screening methods can be useful to identify the source of a contaminant (hot spot detection) and its distribution or contamination variability in a material stream or stock-pile.

### 5.8 Monitoring of large areas

Screening methods can be used for determination of the distribution of key parameters, e.g. nutrients in agricultural land.



## 5.9 Safety issues

Screening methods can be used to detect potentially toxic compounds (e.g. gases, radioactivity, explosives) which could be hazardous to the personnel taking and processing samples.

## 6 Selection of a screening method

### 6.1 General objectives

Before the screening of a site can be carried out, a thorough planning phase is necessary.

First, all information available about the site should be evaluated, often by conducting a preliminary investigation such as desk study and site reconnaissance following, for example, ISO 18400-202. This may include historical records or data available from previous investigations. Essential prerequisites for the suitable preparation of a screening investigation is information about the hydrogeological situation, the kind of contaminants and/or parameters of interest and the concentrations or values likely to be expected, as well as any information about the locality, including the former use of the site. Furthermore, the infrastructure of the site and the accessibility might need to be taken into consideration.

NOTE 1 Further additional steps can be considered:

- development of a conceptual site model (see e.g. ISO 21365);
- development of a suitable sampling strategy (see e.g. ISO 18400-104, and ISO 18400-203 or ISO 18400-205, as appropriate);
- preparation of a sampling plan (see e.g. ISO 18400-101).

NOTE 2 Further information relevant to development of sampling strategies can be found in e.g. ISO 11504, ISO 15175, ISO 15176, ISO 15799, ISO 15800 and ISO 19258.

When the target field is waste, a similar approach is advised. Information about sampling strategies and planning can be found in e.g. CEN/TR 15310, Part 1-5.

NOTE 3 For full titles of the documents listed above, see Bibliography.

Taking into account this background information, data quality objectives should be defined that determine the applicability of the screening method. Only with these preliminary steps the selection of screening methods is possible.

Some examples of detailed questions are listed below. This list is not exhaustive and not all might be relevant for a specific site:

- parameters and analytes of interest;
- matrices of interest and condition and variability of matrix;
- data quality objectives (see 6.2 for the details);
- parameter values known, expected or already found on-site;
- statistical probability;
- ease of sampling;
- site facilities;
- site area;
- number of results per time unit;

— health and safety considerations.

An example for the selection and application process of screening methods to soil contamination is given in the informative [Annex A](#).

An example for typical results on finding hot spots by screening methods is given in the informative [Annex B](#).

## 6.2 Data quality objectives (DQOs)

**NOTE** The data quality objectives (DQOs) process refers to a systematic planning procedure for environmental data collection so that the data can be defensibly interpreted, and statistically analysed where appropriate, to address specified objectives. It includes appropriate sampling design and sampling plans, as well as the analytical strategy and setting analytical data objectives<sup>[21]</sup>. The concept applies not just to numerical data, but also to the sufficiency of all relevant information in terms of quantity, quality and type.

In land contamination investigations, there are typically DQOs that require laboratory analytical data to be meaningfully comparable to a variety of risk-based or other quality criteria.

DQOs should be set for all investigations. They should be defined for the specific purpose of the site investigation phase or activity, e.g. risk-based assessment (human health and controlled waters), remediation, validation or waste classification.

When setting DQOs, account should be taken of the type, quantity and quality of the data required to inform subsequent decisions based on the data and other available information.

DQOs should be set having regard to QA/QC (Quality Assurance/Control) requirements and how comparison with risk-based or other criteria is to be effectively supported by the site data and information as well as the laboratory analytical data collected.

Review points should be identified at key stages throughout the investigation, assessment and remediation design phases to ensure that DQOs remain aligned to the project requirements. The review should include assessment of the continuing validity of the conceptual site model, data consistency, emerging data gaps and levels of uncertainty. A written record of the review should be maintained and incorporated in the assessment and design process and include a statement on whether the DQOs have been met and any shortfalls within the assessment.

## 6.3 Selection criteria

### 6.3.1 General

The following criteria should be taken into consideration when selecting the appropriate screening method. The different criteria should be weighted depending on the intended application. The decision-making process and the results should be documented by the user (see flowchart in [Annex C](#) and documentation aid in [Annex D](#)).

Prerequisites are:

- one known parameter or a set of known parameters;
- aim of determination;
- matrix (soil, soil-like materials, solid or liquid waste).

Whenever a sample is collected from waste, the sample source of waste is obvious. In the case of a sample collected from the ground, if the sample has no link with information on sampling location, screening application has no meaning. Even with soil-like material, samples are to be linked with sampling location in the same way.

### 6.3.2 Sampling/sample pre-treatment/preparation

Sampling/sample pre-treatment/preparation can include:

- direct measurement [e.g. (handheld) x-ray-fluorescence systems allow direct measurement with limited sampling/sample pre-treatment/preparation];
- pre-treatment/preparation (e.g. extraction, separation);
- particle size and homogeneity.

Most screening methods require the provision of the analyte in an extract/eluate, which therefore requires sample pre-treatment. Pre-treatment needs to be carried out in accordance with the relevant standards.

## 6.4 Checks for the selection of candidate methods

### 6.4.1 General

A candidate screening method should meet predefined requirements in terms of:

- parameter definition;
- field of application;
- method characteristics;
- boundary conditions.

### 6.4.2 Parameter definition

Possible parameter definitions include:

- total content (e.g. chromium, benzene);
- individual species (e.g.  $\text{Cr}^{3+}$ ,  $\text{Cr}^{6+}$ ,  $\text{Fe}^{2+}$ ,  $\text{Fe}^{3+}$ , volatile organic compounds);
- group parameters [e.g. total organic carbon (TOC), adsorbable organically bound halogens (AOX)].

In the case of on-site verification, the parameters are typically defined by declaration or based on the experience of the staff.

### 6.4.3 Field of application

Fields of application are as follows:

- specified decision value (e.g. limit value, target value);
- concentration range;
- matrix;
- method limitations/interferences.

### 6.4.4 Method characteristics

Method characteristics are as follows:

- sensitivity, selectivity, accuracy value (e.g. limit value, target value);
- working range;