INTERNATIONAL STANDARD

ISO 6521-1

> First edition 2019-06

Lubricants, industrial oils and related products (Class L) — Family D (compressors) —

Part 1:

Specifications of categories DAA and iTeh STAND CARD PRES FOR reciprocating and drip feed rotary air compressors)

> Lubrifiants, huiles industrielles et produits connexes (classe L) — Famille D (compresseurs) —

https://standards.iteh.partie 1/st specifications 443 feet les catégories DAA et DAB (lubrifiants pour compresseurs alternatifs et compresseurs rotatifs alimentés au goutte à goutte)



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 6521-1:2019 https://standards.iteh.ai/catalog/standards/sist/a2ce443f-c739-4576-9d83-1a3d5742d57a/iso-6521-1-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tents	Page
Forew	vord	iv
Introd	duction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Sampling	2
5	Requirements	2
6	Specifications 6.1 Specifications for ISO-L-DAA air compressor oils 6.2 Specifications for ISO-L-DAB air compressor oils	3 3
Biblio	ography	6

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 28, *Petroleum and related products, fuels and lubricants from natural or synthetic sources*, Subcommittee SC 4, *Classifications and specifications*.

A list of all parts in the ISO 6521 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Lubricants for compressors are used in various compressor designs. The lubricants for these applications can vary in composition, from straight mineral oils to more complex blends, based on mineral oils, synthetic oils (e.g. poly α -olefins, esters, poly-glycols), and additives. The additives most currently used are antioxidants, rust and copper corrosion inhibitors. They can be supplemented by detergents and dispersing additives to improving the cleanliness of the hottest parts of the compressors, e.g. the inlet and the exhaust valves in reciprocating compressors.

These lubricants are also able to lubricate the mechanical parts of the compressors (crankshaft and connecting rods bearings, crossheads, rolling bearings).

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Lubricants, industrial oils and related products (Class L) — Family D (compressors) —

Part 1:

Specifications of categories DAA and DAB (lubricants for reciprocating and drip feed rotary air compressors)

1 Scope

This document specifies the minimum requirements for mineral or synthetic based lubricants intended for use in reciprocating and drip feed rotary air compressors (vane compressors) with the compression chamber(s)/cylinders lubricated by direct lubricant injection.

NOTE This document can be read in conjunction with ISO 6743-3[1].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2160, Petroleum products — Corrosiveness to copper — Copper strip test

ISO 2592, Petroleum and related products/stan Determination of flash and fire points — Cleveland open cup method 1a3d5742d57a/iso-6521-1-2019

ISO 2719, Determination of flash point — Pensky-Martens closed cup method

ISO 2909, Petroleum products — Calculation of viscosity index from kinematic viscosity

ISO 3016, Petroleum and related products from natural or synthetic sources — Determination of pour point

ISO 3104, Petroleum products — Transparent and opaque liquids — Determination of kinematic viscosity and calculation of dynamic viscosity

ISO 3170, Petroleum liquids — Manual sampling

ISO 3448, Industrial liquid lubricants — ISO viscosity classification

ISO 3675, Crude petroleum and liquid petroleum products — Laboratory determination of density — Hydrometer method

ISO 3987, Petroleum products — Determination of sulfated ash in lubricating oils and additives

ISO 4259 (all parts), Petroleum and related products — Precision of measurement methods and results

ISO 6245, Petroleum products — Determination of ash

ISO 6247, Petroleum products — Determination of foaming characteristics of lubricating oils

ISO 6296, Petroleum products — Determination of water — Potentiometric Karl Fischer titration method

ISO 6614, Petroleum products — Determination of water separability of petroleum oils and synthetic fluids

ISO 6615, Petroleum products — Determination of carbon residue — Conradson method

ISO 6617, Petroleum-based lubricating oils — Aging characteristics — Determination of change in Conradson carbon residue after oxidation

ISO 6618, Petroleum products and lubricants — Determination of acid or base number — Colour-indicator titration method

ISO 6619, Petroleum products and lubricants — Neutralization number — Potentiometric titration method

ISO 7120, Petroleum products and lubricants — Petroleum oils and other fluids — Determination of rustpreventing characteristics in the presence of water

ISO 12185, Crude petroleum and petroleum products — Determination of density — Oscillating U-tube method

ISO 12937, Petroleum products — Determination of water — Coulometric Karl Fischer titration method

ISO 20764, Petroleum and related products — Preparation of a test portion of high-boiling liquids for the determination of water content — Nitrogen purge method

ASTM D1160, Standard Test Method for Distillation of Petroleum Products at Reduced Pressure

DIN 51352-2, Testing of lubricants; determination of ageing characteristics of lubricating oils; Conradson carbon residue after ageing by passing air through the lubricating oil in the presence of iron(III) oxide

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
 - https://standards.iteh.ai/catalog/standards/sist/a2ce443f-c739-4576-9d83-
- IEC Electropedia: available at http://www.electropedia.org/019

Sampling

Sampling of compressor oils for the purpose of this document, unless otherwise specified, shall be carried out in accordance with the relevant procedure described in ISO 3170. The sample shall be evaluated on a representative portion. Any drum, barrel, tanker compartment or any type of container delivered to the end user may be sampled and analysed at the discretion of the purchaser.

5 Requirements

Compressor oil samples, when tested under the prescribed methods, shall be in accordance with the limits set out in Tables 1 and 2.

The aspect of the delivered oil shall be clear and bright and free of any visible particulate matter, under visible light at ambient temperature.

Most of the test methods specified in Tables 1 and 2 contain a precision statement. In cases of dispute, the procedure described in the ISO 4259 series shall apply.

Some equipment manufacturers or customers can have additional requirements covering e.g. NOTE 1 characteristics such as elastomer and materials compatibility, anti-wear behaviour, detergent properties.

These lubricants can also be used to lubricate the other mechanical parts of the compressors (crankshaft and connecting rod bearings, crossheads, rolling bearings). They might be also able to fulfil the required properties.

6 Specifications

6.1 Specifications for ISO-L-DAA air compressor oils

These lubricants are refined mineral oils with suitable oxidation and corrosion inhibitors; they can also contain some additional detergent additives to improve the cleanliness of the exhaust valve systems in reciprocating compressors. They are intended to lubricate reciprocating and rotary air compressors operating within the parameters of a normal duty cycle as defined in ISO 6743-3[1].

These lubricants shall be in accordance with the specifications given in <u>Table 1</u>.

6.2 Specifications for ISO-L-DAB air compressor oils

These lubricants are either refined mineral oils, part-synthetic or synthetic oils with suitable oxidation and corrosion inhibitors; they may also contain some additional detergent additives to improve the cleanliness of the exhaust valve systems in reciprocating compressors. They are intended to lubricate reciprocating and rotary air compressors operating within the parameters of a severe duty cycle as defined in ISO 6743-3[1].

These lubricants shall be in accordance with the specifications given in Table 2.

iTeh STANDARD PREVIEW (standards.iteh.ai)