



**SLOVENSKI STANDARD
SIST EN IEC 63339:2025**

01-marec-2025

Poenoten referenčni model za pametno proizvodnjo (IEC 63339:2024)

Unified reference model for smart manufacturing (IEC 63339:2024)

Einheitliches Referenzmodell für Smart Manufacturing (IEC 63339:2024)

Modèle de référence unifié pour la fabrication intelligente (IEC 63339:2024)

Ta slovenski standard je istoveten z: EN IEC 63339:2024

ICS:

<https://standards.iteh.org/standards/129367/sist-en-iec-63339-2025>
25.040.01 Sistemi za avtomatizacijo v industriji na splošno / Industrial automation systems in general

SIST EN IEC 63339:2025

en,fr,de

EUROPEAN STANDARD

EN IEC 63339

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2024

ICS 25.040

English Version

Unified reference model for smart manufacturing (IEC 63339:2024)

Modèle de référence unifié pour la fabrication intelligente
(IEC 63339:2024)

Einheitliches Referenzmodell für Smart Manufacturing
(IEC 63339:2024)

This European Standard was approved by CENELEC on 2024-11-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

[SIST EN IEC 63339:2025](https://standards.iteh.ai/catalog/standards/sist/375a0993-c72f-44ff-9f51-c10a4d29367f/sist-en-iec-63339-2025)

<https://standards.iteh.ai/catalog/standards/sist/375a0993-c72f-44ff-9f51-c10a4d29367f/sist-en-iec-63339-2025>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 63339:2024 (E)**European foreword**

The text of document 65/1020/FDIS, future edition 1 of IEC 63339, prepared by TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63339:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2025-11-30 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-11-30 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 63339:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 61360 (series) NOTE Approved as EN 61360 (series)

IEC 61512-1 NOTE Approved as EN 61512-1

IEC 62264 (series) NOTE Approved as EN IEC 62264 (series)

IEC 62559 (series) NOTE Approved as EN IEC 62559 (series)

ISO 11354 (series) NOTE Approved as EN ISO 11354 (series)

ISO 19439:2006 NOTE Approved as EN ISO 19439:2006 (not modified)



IEC 63339

Edition 1.0 2024-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Unified reference model for smart manufacturing

Modèle de référence unifié pour la fabrication intelligente

Document Preview

[SIST EN IEC 63339:2025](https://standards.iteh.ai/catalog/standards/sist/375a0993-c72f-44ff-9f51-c10a4d29367f/sist-en-iec-63339-2025)

<https://standards.iteh.ai/catalog/standards/sist/375a0993-c72f-44ff-9f51-c10a4d29367f/sist-en-iec-63339-2025>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040

ISBN 978-2-8322-9683-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	12
2 Normative references	12
3 Terms, definitions, abbreviated terms, acronyms and conventions.....	12
3.1 Terms and definitions.....	12
3.2 Abbreviated terms and acronyms	17
3.3 Conventions.....	18
4 Conformance.....	18
4.1 Intended usage	18
4.2 Full conformance	18
4.3 Partial conformance	18
4.3.1 Conformance to purpose and context requirements	18
4.3.2 Conformance to dimensions and coherence.....	18
4.3.3 Conformance to semantic modelling of aspects	19
4.3.4 Conformance to facets and frameworks	19
5 The URMSM in smart manufacturing concepts.....	19
6 Reference model concepts	20
6.1 SM modelling	20
6.2 Modelling purpose.....	21
6.3 Modelling dimensions.....	22
6.4 Dimension coherence	23
6.5 Stakeholders.....	24
6.6 Concerns	24
6.7 Use case.....	24
6.8 Viewpoints and views.....	25
6.9 Perspectives	25
6.9.1 Use of perspective	25
6.9.2 Stakeholder perspectives.....	26
6.9.3 Analytical framework.....	26
6.10 Aspects.....	26
6.11 Life cycle modelling	27
6.12 SM semantic modelling	28
6.12.1 Semantic modelling overview.....	28
6.12.2 Forms of semantic representation.....	30
6.12.3 Granularity of semantic models.....	31
7 Dimensions of URMSM.....	31
7.1 Identifying aspect interactions of smart manufacturing	31
7.2 Specifying modelling dimensions	32
7.2.1 Collections of aspects as dimensions of smart manufacturing	32
7.2.2 Collections of dimensions as an analytical framework for smart manufacturing.....	33
7.2.3 Collections of life cycle phases as dimensions of smart manufacturing	34
7.3 Using a semantic model for analytical reasoning in smart manufacturing	34
7.4 Selecting facet dimensions based upon concerns	35
7.5 Identify meaningful dimension interactions.....	37

7.6	Frameworks as visualizations of interactions.....	38
8	Using the URMSM	41
8.1	Utility of a reference model for smart manufacturing	41
8.2	Industry specific application of the URMSM	41
8.3	Specializing URMSM	42
8.3.1	Specific utilization of the URMSM and rules for derivatives of SMRMs.....	42
8.3.2	Manipulating reference models to match purpose	43
9	Use cases of the URMSM.....	44
9.1	Analysis use case	44
9.1.1	Examining interactions at intersections of aspects	44
9.1.2	Examining interactions near intersections of aspects	45
9.1.3	Inserting new capabilities to analyse.....	45
9.2	Synthesis use case	45
9.2.1	Identifying necessary coverage of aspect interactions	45
9.2.2	Sequencing activities based upon dependencies	46
9.3	Simulation in SMRM.....	46
9.4	Implementation use case	47
10	Family of reference models based upon the URMSM.....	48
10.1	A base of essential SM modelling dimensions	48
10.2	Re-arranging framework dimensions	50
10.3	Complementary frameworks for same situation	50
10.4	Using multiple SMRMs to achieve purpose.....	51
Annex A (informative)	Concept areas of SM.....	52
A.1	Aspects of production and products	52
A.2	Perspectives of production and products stakeholders	52
A.3	Lifecycle considerations	53
A.4	Modelling of products and production using semantic models	53
A.5	Semantic models	55
Annex B (informative)	Formal Foundation for URMSM	57
B.1	Modelling framework for URMSM	57
B.1.1	Formalism caveat	57
B.1.2	Modelling framework formalism.....	57
B.1.3	Using a URMSM framework	60
B.1.4	Semantic models of dimensions composed of aspects	62
Annex C (informative)	Positioning URMSM among reference models	65
C.1	Positioning URMSM among reference models.....	65
Annex D (informative)	Meta-model for reference model analysis	66
D.1	Meta-model analysis	66
D.2	Using a meta-model.....	66
D.2.1	General	66
D.2.2	Assumptions, constraints and guidance	66
D.2.3	Concepts	67
Annex E (informative)	Principles of semantic modelling	73
E.1	Top level conceptual model.....	73
E.2	Semiotic conceptual model	75
E.3	Top level model domains	78
Annex F (informative)	Practitioner's modelling activity in a systematic usage of URMSM	80

F.1	Use case derivation of concerns, aspects, and perspectives	80
F.2	Relationship between aspects on a dimension and model contents	82
F.2.1	General	82
F.2.2	Implication of the dimension of lifecycle	83
F.2.3	Implication of the dimension of smart technology	83
F.2.4	Implication of the dimension of enterprise hierarchy	84
F.2.5	Implication of the dimension of capability level	84
F.3	Concept of step-by-step approach.....	84
F.3.1	Formalism caveat	84
F.3.2	Practical procedure.....	85
Annex G (informative)	Use case: Value stream	87
G.1	Overview.....	87
G.2	Conveyor system project.....	87
G.3	SM use case	88
G.4	Dimensions	90
G.4.1	Information in context	90
G.4.2	Dimension coherence using semantic models	90
G.4.3	Interactions between dimensions	90
G.4.4	Dimension S – The supply chain.....	91
G.4.5	Dimension C – Product/production system design.....	91
G.4.6	Dimension D – Production system	91
G.4.7	Dimension H – Operations management (shown within the production systems dimension D).....	91
G.4.8	Dimension I – Control/process level 1 (shown within Dimension D).....	92
G.5	Project flow and interaction.....	93
G.5.1	Product concept (Ctx) quotation.....	93
G.5.2	Product order process	94
G.5.3	New product concept(Ctx) quotation	95
G.5.4	Interaction matrix.....	95
Bibliography	96
Figure 1	– Using URMSM	9
Figure 2	– SM standard developer perspective of facet reuse	36
Figure 3	– Projection steps for standards developers	37
Figure 4	– A one dimensional framework representation	39
Figure 5	– A two dimensional framework representation	39
Figure 6	– Nested processes (centre oval) and user members (right).....	40
Figure 7	– URMSM abstraction stack	42
Figure 8	– Example of a model for use case #1.....	47
Figure 9	– Diversified smart manufacturing systems expected from different stakeholders	48
Figure 10	– Basic structure for a family of SMRM with alternative 3D representations.....	51
Figure A.1	– SM contextual relationships	54
Figure A.2	– Semiotic Triangle with 3 semiotic domains and 3 morphisms (relations between pairs of semiotic domain artefacts)	55
Figure A.3	– Product standards catalogue concept model.....	56
Figure B.1	– Semantic model scenario dimensions	62

Figure B.2 – Semantic model scenario as relationship graph	63
Figure C.1 – Example of cascading reference models	65
Figure D.1 – Meta-model for SMRM	72
Figure E.1 – Top level conceptual model "The Semiotic Triangle"	73
Figure E.2 – Knowledge Ontology (K-Pyramid) explained by the three coloured corners of the Semiotic Triangle (Concept Symbol Phenomenon)	74
Figure E.3 – I4.0 Methodology / Theory of Data: Flattening the knowledge/data pyramid.....	75
Figure E.4 – Cyclic semiotic relationships (morphisms).....	76
Figure E.5 – A first high level consolidation of interactions (I) – including IIoT Control Structure.....	76
Figure E.6 – Composition of SM knowledge from different SM domains	77
Figure E.7 – Top level concept model for model domain	78
Figure E.8 – Natural aspect concept model – dynamics	79
Figure F.1 – Utilization of the URMSM through a modelling activity of SM practitioners.....	80
Figure F.2 – Projection steps for SM practitioners.....	81
Figure F.3 – Relationship between aspects on a dimension and model contents	83
Figure F.4 – Potential problem of the modelling activity by SM practitioners	84
Figure F.5 – Step-by-step approach.....	86
Figure G.1 – Product model interactions	89
Figure G.2 – Production System Dimension D.....	92
Table B.1 – Semantic model scenario	62
Table B.2 – Semantic model scenario as N-squared diagram.....	63
Table B.3 – Semantic model scenario Direct Intersections	64
Table B.4 – Semantic model scenario Indirect Interactions	64
Table G.1 – Interaction matrix.....	95

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNIFIED REFERENCE MODEL FOR SMART MANUFACTURING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63339 has been prepared by IEC technical committee 65: Industrial-process measurement, control and automation in cooperation with ISO technical committee 184: Automation systems and integration. It is an International Standard.

It is published as a double logo standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65/1020/FDIS	65/1094/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 63339:2025](https://standards.iteh.ai/catalog/standards/sist/375a0993-c72f-44ff-9f51-c10a4d29367f/sist-en-iec-63339-2025)

<https://standards.iteh.ai/catalog/standards/sist/375a0993-c72f-44ff-9f51-c10a4d29367f/sist-en-iec-63339-2025>

INTRODUCTION

“Manufacturing” refers to a range of human activities, from handicraft to high tech, and is commonly applied to industrial production, where raw materials and parts are transformed into finished goods on small to large scale by a series of interconnected processes. Smart manufacturing (SM) is an emergent characteristic of manufacturing achieved by digital technologies, gradually built up through digital transformation, combining diversity and uniformity, demonstrating continuous value delivery by a highly complicated collection of processes interacting on different time scales. In today’s manufacturing landscape, manufacturing is no longer characterized as a set of serial processes, but instead as a highly interconnected set of distributed processes that are able to cooperate on different time scales. A set of supervisory processes achieve coordination of these distributed processes using links that enable dynamic response to changing conditions in demands, supply, environment, energy and, other human or naturally caused probabilistic events. Since these probabilistic events are not known before occurrence, they often are disruptive and result in changing conditions.

The purpose of smart manufacturing is to accommodate those disruptive events, while supporting the introduction of new technologies and methods in a coordinated manner across the variety of customers, suppliers and stakeholders at various stages in the value chain.

Building upon the common knowledge and results found in IEC TR 63319 [9]¹ – A meta-modelling analysis approach to smart manufacturing reference models, as depicted in Figure 1 – this document specifies the unified reference model for smart manufacturing (URMSM) to create purpose-specific domain and application reference models for smart manufacturing initiatives by specifying the necessary structure and terminology for expressing such models. The URMSM is applicable across the many domains and applications found within a manufacturing enterprise.

Smart manufacturing reference models (SMRM), which conform to the requirements of this document, provide SM standards developers and SM practitioners with better opportunities for implementing models of production systems and products that take full advantage of technological innovations. These innovations occur during:


- analysis and synthesis using models of manufacturing,
- application of new materials, processes and facilities for manufacturing,
- understanding the emergence of digital twin concepts and other smart manufacturing technologies.

The URMSM is not one model or one model visualization. The URMSM is the specification for a family of reference models that share structural and behavioural properties intended to promote interoperability.

NOTE Subclause 8.2 provides more information regarding relationships among models and derivation relations.

The URMSM brings together concepts from existing works, both standards and practice, to support the variety of existing reference models, the adaptation of existing reference models for new uses, and the emergence of new reference models, all of which take advantage of the evolution in manufacturing technologies.

¹ Numbers in square brackets refer to the Bibliography.



IEC

Figure 1 – Using URMSM

The model-based approach of the URMSM has two major structural components. The first is a modelling framework to support various arrangements of manufacturing elements into conceptual configurations deemed pertinent to domains of manufacturing enterprises. The second is the conceptualization of semantic models that reside within the modelling framework. A concise URMSM terminology supports both the modelling framework and the conceptual semantic models.

Since smart manufacturing is essentially a human conception of improved manufacturing technologies and practices, differences in interpretation of that concept can lead some practitioners to over-simplify the complicated nature of perspective and property interactions in today's manufacturing systems. Objectifying the notion of 'smart' for manufacturing is a challenge since developers and practitioners have been getting smarter about manufacturing for over 200 years already.

For IEC work in a domain of similar complexity, the author of [48] summarizes "smartness" in the domain of Smart Cities as follows:

Smartness is an emergent characteristic of a system

- achieved by digital technologies,
- explicitly architected and engineered to reduce complexity,
- gradually built up through digital transformation,
- permanently demonstrating value delivery,
- combining diversity and uniformity,
- coordinating and cooperating between all the stakeholders.

Considering this characterization, the URMSM provides the means for creating reference models for smart manufacturing that enable emergence of more digitally oriented, engineered solutions for delivering additional value from manufacturing operations. The result is improved performance aspects with integrated and intelligent use of processes and resources in cyber, physical and human spheres to create and deliver products and services, which also collaborate with other domains within enterprises' value chains [16].

This document identifies a collection of criteria for arranging aspects of the smart manufacturing domain as reference models. The important relationships among manufacturing elements enable useful examination and derivation of practical designs in order to fulfil a defined purpose, and to maintain and improve the resulting system through methods for analysis and synthesis.

The URMSM provides insight into the modelling of aspects of manufacturing elements to consider when developing new elements. Smart support methods for conducting that development or modification can require an evolution from existing practice to a more unified model-based approach.

This document can be used to support the development processes of smart manufacturing, and to assure coherence and compatibility during the development of standards.

This document identifies ways to apply those aspects of manufacturing and the acumen essential to developing a smart manufacturing model for a particular industrial enterprise.

The URMSM goes beyond the representational features of manufacturing elements to enable examination of interactions among those elements through the use of models to address issues arising in the course of smart manufacturing initiatives.

Expectations regarding the outcome of a satisfactory URMSM are:

- enabling the examination of value within a value creation network;
- enabling a range of appropriate libraries such as use cases, interface definitions, models for semantics, information and data, and international standards as modelled views relative to modelling purposes for particular smart manufacturing situations;
- enabling representation as a multi-dimensional space composed from various collections of aspects to accommodate particular modelling purposes, such as aspects of production, aspects of product, aspects of smart technology, and their relationships over their respective life cycles;
- enabling assurance that information is consistently structured using standards for information, data and modelling languages, without ambiguous meaning, by applying semantic models and techniques;
- enabling efficient usability for the creation of tailored smart manufacturing models that address a stakeholder's particular concerns.

The URMSM supports all three modalities of interoperation (unified, integrated, and federated) that can co-exist within a modelling framework, albeit with varying extents of effectiveness and efficiency (see ISO 11354 [17]). Having a formal understanding of modelling frameworks enables more effective and efficient utilization of frameworks.

Clause 4 specifies extents of conformance to URMSM based upon meeting the requirements and recommendations in their entirety, as full conformance, or for particular subclauses, as partial conformance.

Clause 5 presents aspects of manufacturing commonly associated with 'smart manufacturing'.

Clause 6 presents modelling concepts essential for constructing suitable reference models in the domain of smart manufacturing.

Clause 7 establishes examination and derivation criteria for interoperation of aspects in manufacturing.

Clause 8 presents ways to use the URMSM to create purpose-specific reference models.

Clause 9 presents use cases for the URMSM and a progression of capability markers that indicate maturity in the application of the URMSM.

Clause 10 discusses ways to manipulate and use reference frameworks for extended analysis and synthesis for systems used in smart manufacturing.

Annex A presents concept areas of smart manufacturing.

Annex B provides a formal foundation for the URMSM approach including a modelling framework for URMSM.