



SLOVENSKI STANDARD
kSIST-TS FprCEN ISO/TS 23818-2:2022
01-junij-2022

Ugotavljanje skladnosti cevnih sistemov iz polimernih materialov za obnovo obstoječih cevovodov - 2. del: Kompozitni material iz smolnih vlaken (RFC) (ISO/TS 23818-2:2021)

Assessment of conformity of plastics piping systems for the rehabilitation of existing pipelines - Part 2: Resin-fibre composite (RFC) material (ISO/TS 23818-2:2021)

**iTeh STANDARD
PREVIEW**

Évaluation de la conformité des systèmes de canalisations en plastique destinés à la réhabilitation des réseaux existants - Partie 2: Matériau composite résine-fibres (RFC) (ISO/TS 23818-2:2021)

[kSIST-TS FprCEN ISO/TS 23818-2:2022](https://standards.iteh.ai/catalog/standards/sist/08ba0be7-4ca7-4017-9d10-b6dd47f049/k SIST TS FprCEN ISO TS 23818-2:2022)

[https://standards.iteh.ai/catalog/standards/sist/08ba0be7-](https://standards.iteh.ai/catalog/standards/sist/08ba0be7-4ca7-4017-9d10-b6dd47f049/k SIST TS FprCEN ISO TS 23818-2:2022)

**Ta slovenski standard je istoveten z: FprCEN ISO/TS 23818-2
23818-2-2022**

ICS:

23.040.20	Cevi iz polimernih materialov	Plastics pipes
83.140.40	Gumene cevi	Hoses

kSIST-TS FprCEN ISO/TS 23818-2:2022 en,fr,de

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

[kSIST-TS FprCEN ISO/TS 23818-2:2022](https://standards.iteh.ai/catalog/standards/sist/08ba0be7-aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-23818-2-2022)
<https://standards.iteh.ai/catalog/standards/sist/08ba0be7-aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-23818-2-2022>

TECHNICAL
SPECIFICATION

ISO/TS
23818-2

First edition
2021-08

**Assessment of conformity of plastics
piping systems for the rehabilitation
of existing pipelines —**

Part 2:

Resin-fibre composite (RFC) material

*Évaluation de la conformité des systèmes de canalisations en
plastique destinés à la réhabilitation des réseaux existants —*

Partie 2: Matériau composite résine-fibres (RFC)

[kSIST-TS FprCEN ISO/TS 23818-2:2022](https://standards.iteh.ai/catalog/standards/sist/08ba0be7-aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-23818-2-2022)

[https://standards.iteh.ai/catalog/standards/sist/08ba0be7-
aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-
23818-2-2022](https://standards.iteh.ai/catalog/standards/sist/08ba0be7-aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-23818-2-2022)



Reference number
ISO/TS 23818-2:2021(E)

© ISO 2021

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

[kSIST-TS FprCEN ISO/TS 23818-2:2022](https://standards.iteh.ai/catalog/standards/sist/08ba0be7-aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-23818-2-2022)
<https://standards.iteh.ai/catalog/standards/sist/08ba0be7-aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-23818-2-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
3.1 Assessment of conformity.....	2
3.2 Rehabilitation general.....	4
4 Abbreviated terms.....	6
5 General.....	6
6 Testing and inspection.....	7
6.1 Grouping.....	7
6.1.1 General.....	7
6.1.2 Size and wall strength groups.....	7
6.1.3 Fitting groups.....	7
6.2 Type testing.....	8
6.3 Batch release tests.....	8
6.4 Process verification tests during installation.....	8
6.5 CIPP product verification tests.....	9
6.6 Audit tests.....	9
6.7 Indirect tests.....	9
6.8 Test records.....	9
Annex A (normative) Test procedures for plastics piping systems for the rehabilitation of networks for underground non-pressure drainage and sewerage.....	10
Annex B (normative) Test procedures for plastics piping systems for the rehabilitation of networks for water supply and for drainage and sewerage under pressure.....	18
Annex C (normative) Specification of new system (N), change in design (D), change in material (M) and extension of the product range (E).....	21
Annex D (normative) Parameters and criteria for reduced long-term tests (RLTT).....	23
Annex E (informative) Summary tables of scheme requirements.....	25
Bibliography.....	27

ISO/TS 23818-2:2021(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 8, *Rehabilitation of pipeline systems*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

A list of all parts in the ISO 23818 series can be found on the ISO website.

Introduction

System standards dealing with the following applications are either available or in preparation for pipeline rehabilitation:

- ISO 11296, *Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks*;
- ISO 11297, *Plastics piping systems for renovation of underground drainage and sewerage networks under pressure*;
- ISO 11298, *Plastics piping systems for renovation of underground water supply networks*;
- ISO 11299, *Plastics piping systems for renovation of underground gas supply networks*;
- ISO 21225, *Plastics piping systems for the trenchless replacement of underground pipeline networks*.

These system standards are distinguished from those for conventionally installed plastics piping systems by the requirement to verify certain characteristics in the as-installed condition, after site processing. This is in addition to specifying requirements for plastics piping system components as manufactured.

For the assessment of conformity, three Technical Specifications for pipe lining systems of distinct materials are applicable:

- ISO/TS 23818-1, *Assessment of conformity of plastics piping systems for the rehabilitation of existing pipelines — Part 1: Polyethylene (PE) material*;
- ISO/TS 23818-2 (this document), *Assessment of conformity of plastics piping systems for the rehabilitation of existing pipelines — Part 2: Resin-fibre composite (RFC) material*;
- ISO/TS 23818-3, *Assessment of conformity of plastics piping systems for the rehabilitation of existing pipelines — Part 3: Unplasticized poly(vinyl chloride) (PVC-U) material*.

These three Technical Specifications cover the system standards, as presented in [Table 1](#).

ISO/TS 23818-2:2021(E)

Table 1 — Structure of Technical Specifications for assessment of conformity

Technical Specification	Material	Technique	Application			
			Non-pressure drainage and sewerage networks	Drainage and sewerage networks under pressure	Water supply networks	Gas supply networks
ISO/TS 23818-1	PE	LINING WITH CONTINUOUS PIPES, CLOSE-FIT PIPES AND SPIRALLY WOUND PIPES	ISO 11296-2	ISO 11297-2	ISO 11298-2	ISO 11299-2
			ISO 11296-3	ISO 11297-3	ISO 11298-3	ISO 11299-3
			ISO 11296-7			
		TRENCHLESS REPLACEMENT USING PIPE BURSTING, PIPE EXTRACTION, HORIZONTAL DRILLING AND IMPACT MOLING	ISO 21225-1	ISO 21225-1	ISO 21225-1	ISO 21225-1
ISO 21225-2	ISO 21225-2		ISO 21225-2	ISO 21225-2		
ISO/TS 23818-2	RFC	LINING WITH CURED-IN-PLACE PIPES (CIPP)	ISO 11296-4	ISO 11297-4	ISO 11298-4	
ISO/TS 23818-3	PVC-U	LINING WITH CLOSE-FIT PIPES AND SPIRALLY WOUND PIPES	ISO 11296-3			
			ISO 11296-7			

The format of the three Technical Specifications is in line with Technical Specifications for assessment of conformity to other system standards, apart from presenting the detailed requirement for Inspection and Testing in two annexes, for non-pressure applications and pressure applications (where applicable) respectively.

The format is schematically represented in [Figure 1](#).




Figure 1 — Format of the Technical Specifications for the assessment of conformity

[Figure 2](#) is intended to provide general information on the concept of testing and organization of those tests used for the purpose of the assessment of conformity. For each type of test, i.e. type testing (TT), batch release test (BRT), process verification test (PVT-I), CIPP product verification test (CPVT) and audit test (AT), this document details the applicable characteristics to be assessed as well as the frequency and sampling of testing.

[Figure 2](#) also provides a typical scheme for the assessment of conformity of RFC pipes, fittings, joints or assemblies by manufacturers and/or installers, including certification.

KSIST-TS FprCEN ISO/TS 23818-2:2022
 aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-
 23818-2-2022

ISO/TS 23818-2:2021(E)




Figure 2 — Typical scheme for the assessment of conformity by a manufacturer, including certification

<https://standards.iteh.ai/catalog/standards/sist/08ba0be7-aca6-401f-a1f6-e06dd47f6746/ksist-ts-fprcen-iso-ts-23818-2-2022>

Assessment of conformity of plastics piping systems for the rehabilitation of existing pipelines —

Part 2: Resin-fibre composite (RFC) material

1 Scope

This document provides a scheme for the assessment of conformity of RFC products for the rehabilitation of existing pipelines, in accordance with the applicable parts of ISO 11296, ISO 11297 and ISO 11298, and intended to be included in the manufacturer's quality plan as part of the quality management system and for the establishment of certification procedures.

It applies to cured-in-place pipe (CIPP) products only. It applies to non-pressure pipe liners, and to independent (fully structural, class A) and interactive (semi-structural, class B) pressure pipe liners, as defined in ISO 11295, which do not rely on adhesion to the existing pipeline.

NOTE In order to help the reader, summary tables of overall scheme requirements are provided in [Annex E](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1043-1, *Plastics — Symbols and abbreviated terms — Part 1: Basic polymers and their special characteristics*

ISO 10928, *Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Methods for regression analysis and their use*

ISO 11296-1:2018, *Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks — Part 1: General*

ISO 11296-4:2018, *Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks — Part 4: Lining with cured-in-place pipes*

ISO 11296-4:2018/Amd 1:2021, *Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks — Part 4: Lining with cured-in-place pipes — Amendment 1: Updated definitions, marking requirements and procedure for alternative expression of flexural test results*

ISO 11297-4:2018, *Plastics piping systems for renovation of underground drainage and sewerage networks under pressure — Part 4: Lining with cured-in-place pipes*

ISO 11298-4:2021, *Plastics piping systems for renovation of underground water supply networks — Part 4: Lining with cured-in-place pipes*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11296-4, ISO 11297-4, ISO 11298-4 and the following apply.

ISO/TS 23818-2:2021(E)

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 Assessment of conformity

3.1.1 certification body

impartial body, governmental or non-governmental, possessing the necessary competence and responsibility to carry out certification of conformity according to given rules of procedure and management

Note 1 to entry: A certification body should preferably operate in accordance with ISO/IEC 17021-1 or ISO/IEC 17065.

3.1.2 inspection body

body that performs inspection

Note 1 to entry: An inspection body can be an organization, or part of an organization.

Note 2 to entry: An inspection body should preferably operate in accordance with ISO/IEC 17020 or ISO/IEC 17021-1.

[SOURCE: ISO/IEC 17020:2012, 3.5, modified — Note 2 to entry added.]

3.1.3 testing laboratory

laboratory which measures, tests, calibrates or otherwise determines the *characteristics* (3.2.6) of the performance of *materials* (3.1.13) and products

Note 1 to entry: In the context of this document, the *materials* (3.1.13) and products can be subjected to *type testing* (3.1.6), *batch release test* (3.1.7), *process verification test at the "1" stage* (3.1.8), *CIPP product verification test* (3.1.20), *audit test* (3.1.9), and *witness test* (3.1.11), as applicable.

Note 2 to entry: A testing laboratory should preferably operate in accordance with ISO/IEC 17025.

3.1.4 quality management system

part of a management system with regard to quality

Note 1 to entry: Requirements for quality management systems are given in ISO 9001.

[SOURCE: ISO 9000:2015, 3.5.4, modified — Note 1 to entry added.]

3.1.5 quality plan

document setting out the specific quality practices, resources and sequence of activities relevant to a particular product or range of products

3.1.6 type testing

TT
testing performed to prove that the *material* (3.1.13), pipe, *joint* (3.1.17) or assembly is capable of conforming to the requirements given in the relevant standard

Note 1 to entry: The type test results remain valid until there is a change in the *material* (3.1.13) or product or assembly provided that the process verification tests are done regularly.