INTERNATIONAL STANDARD

First edition 2020-05

Indirect, temperature-controlled refrigerated delivery services — Land transport of parcels with intermediate transfer

Services de livraison frigorifiques indirects sous température dirigée — Transport terrestre de colis comprenant un transbordement

(https://standards.iteh.ai) Document Preview

ISO 23412:2020

https://standards.iteh.ai/catalog/standards/iso/40a4a26a-1d40-425a-9e7a-695be465487d/iso-23412-2020



Reference number ISO 23412:2020(E)

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 23412:2020

https://standards.iteh.ai/catalog/standards/iso/40a4a26a-1d40-425a-9e7a-695be465487d/iso-23412-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents

Page

Fore	ord	. v
Intro	uction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions 3.2 Cold stores 3.14 Refrigerated parcels 3.18 Temperature ranges and maximum temperatures	1 2 3
4	 Refrigerated delivery service definition and communications 4.1 Refrigerated delivery service attributes. 4.2 Name of the refrigerated delivery service. 4.3 Business licence for refrigerated delivery service providers 4.4 Refrigerated delivery service provider's contact details and customer service. 4.5 Service transport temperature of the refrigerated delivery service. 4.5.1 General. 4.5.2 Chilled parcels. 4.5.3 Frozen parcels. 4.6.1 General. 4.6.2 Items not accepted for transport by the refrigerated delivery service provider	6 6667777778888888
5 ps://sta	Transport network ISO 23412:2020 5.1s in General Log/standards/iso/40a4a26a.1140.425a.9a7a.695be465487d/iso.23412.2020 5.2 Geographical routing system 5.3 Demand and available resources 5.4 Operation sites 5.4.1 General 5.4.2 Responsible person 5.4.3 Transport	9 9 9 0 0
6	Information exchanged between the refrigerated delivery service provider and the delivery service user 1 6.1 Documented information 1 6.2 Information to be obtained from the delivery service user 1 6.3 Delivery service user confirmation 1 6.4 Information to be provided by the refrigerated delivery service provider 1	. 1 1
7	Refrigerated parcels17.1Acceptance of refrigerated parcels17.2Labelling, marking and visible information17.3Transferring refrigerated parcels into a refrigerated enclosure or cold store17.4Transferring refrigerated parcels between refrigerated enclosures and/ or cold stores17.5Temporary storage of refrigerated parcels in operation sites17.6Geographical sorting of refrigerated parcels17.7Delivery to the recipient1	2 2 3 3 3
8	Information exchanged between the refrigerated delivery service provider and the recipient 8.1 Information to be obtained from the recipient on delivery of the refrigerated parcel	.4

	8.2	Information to be obtained from the recipient on collection by the recipient of the	1.4			
	0.2	refrigerated parcel from an operation site	14			
	8.3	Information to be provided by the refrigerated delivery service provider on	1 🗖			
	8.4	delivery of the refrigerated parcel Information to be provided by the refrigerated delivery service provider on	15			
	0.4	collection by a recipient of the refrigerated parcel from an operation site	15			
9		tions for operation sites, refrigerated enclosures, cold stores and cooling				
		ials				
	9.1	Operation site				
		9.1.1 Security of operation site				
	0.2	9.1.2 Protection from external conditions Refrigerated enclosures				
	9.2	9.2.1 General				
		9.2.1 General 9.2.2 Temperature monitoring of a refrigerated enclosure				
	9.3	Cold stores				
	9.5	9.3.1 General				
		9.3.2 Temperature monitoring of cold stores in operation sites				
	9.4	Cooling materials				
	9.5	Cooling material cold stores				
	2.0	9.5.1 General				
		9.5.2 Temperature monitoring of cooling material cold stores				
10	Work	instructions and operational manuals	18			
10	10.1	General	18			
	10.2	Work instructions				
		10.2.1 General				
		10.2.2 Handling of refrigerated parcels				
	10.3	Work instructions for transferring refrigerated parcels				
	10.4	Operational manual for refrigerated enclosure				
	10.5	Operational manual for the pre-cooling and pre-freezing of refrigerated enclosures	20			
	10.6	Operational manual for cold stores in operation sites				
	10.7	Operational manual for cooling materials				
	10.8	Operational manual for cooling material cold stores				
http: 11	Staffi	dards.iten.al/catalog/standards/1so/40a4a26a-1d40-425a-9e/a-695be46548/d/1so-23 1g	412-2020 22			
11	11.1	' 5 Training programme				
	11.1	Additional training				
	11.2	Staff members responsible for driving				
10	Monit					
12		oring and improving the refrigerated delivery service				
	12.1 12.2	Transport network Delays and non-deliveries within standard delivery timescales				
	12.2	Temperature monitoring and temperature recording of the transport network				
	12.3	12.3.1 Temperature monitoring				
		12.3.1 Temperature monitoring				
	12.4	Temperature control within the transport network				
	12.5	Quality controls of refrigerated delivery service operations				
Annos		ormative) Additional guidance for use				
Annex		ormative) Considerations for the transport of refrigerated parcels containing tuff	22			
Biblio	graphy	7	34			

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Project Committee ISO/PC 315, *Indirect, temperature-controlled refrigerated delivery services* — *land transport of parcels with intermediate transfer.*

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

https://standards.iteh.ai/catalog/standards/iso/40a4a26a-1d40-425a-9e7a-695be465487d/iso-23412-2020

Introduction

0.1 Why develop this document?

In recent years there has been a growth in temperature-controlled refrigerated delivery services in response to the growing need to deliver temperature-sensitive goods in the form of chilled parcels and frozen parcels. Such temperature-controlled refrigerated delivery services have been modelled on typical postal and distribution services to support the development of e-commerce.

These specific types of temperature-controlled refrigerated delivery services can contribute to the ability of local food producers to expand their businesses and increase their sales channels.

Temperature-controlled refrigerated delivery services can provide an affordable option to send chilled parcels and frozen parcels without the need to add cooling materials inside them. As a result of the global trend towards more online trading for food industries, a number of countries have started to implement temperature-controlled refrigerated delivery services of this nature.

There is an expectation for further growth of refrigerated delivery services across more countries. Therefore, there is a recognised need for the refrigerated delivery services to develop industry standards and good practice in this area. However, because of the temperature sensitivity of the transported goods and the specific rules for food safety, there is a need to recognise a lack in existing food safety or refrigerated transport standards to cover the specificities of this new activity.

0.2 What are the aims of this document?

This document sets out the requirements for refrigerated delivery service providers in order to improve the quality and consistency of their refrigerated delivery services for both receiving refrigerated parcels and sending them through the refrigerated delivery service.

In addition, this document aims to be a guideline for refrigerated delivery service providers to support consumer safety through a total control of the cold chain while the refrigerated parcel is in the possession of the refrigerated delivery service provider.

The information that the refrigerated delivery service provider is required to give the delivery service user through this document (see <u>Clause 4</u>) could help the delivery service user to make a more informed ²⁰²⁰ choice when selecting a temperature-controlled refrigerated delivery service and could improve overall consumer trust in using such refrigerated delivery services.

0.3 Which service does this document target?

Refrigerated delivery service users may choose service temperature ranges from among refrigerated services offers that are suitable for their shipments. The requirements within this document focus on the service provided by, and the processes for, temperature control within the refrigerated delivery service offered. The exact temperature ranges of the refrigerated delivery service offered and the terms and conditions for the different temperature range of refrigerated transported parcels are decided by the refrigerated delivery service provider. Temperatures, terms and conditions may differ depending on the country within which the refrigerated delivery service is operating and therefore are not covered.

The scope of this document covers the carriage of individual parcels by refrigerated delivery services and the temperature of the goods can be associated with the temperature of the parcel's environment. This document's requirements focus on the temperature control of the service, rather than the temperature of the goods themselves. Therefore, it is not necessary to open each refrigerated parcel to monitor the temperature of the goods.

Certain refrigerated delivery services might need to apply some additional requirements that fall outside of this document (these might include temperature measuring of the refrigerated parcels themselves – see also 0.4) but in such instances it is the responsibility of the refrigerated delivery service provider to find out what these are and implement them as appropriate.

0.4 How does this document affect refrigerated delivery service providers specifically providing indirect refrigerated delivery services for food?

Some products might fall under local legislation, therefore attention is drawn to the need for refrigerated delivery service providers to be aware of relevant rules and requirements (for example, food safety). It is important to note that this document covers refrigerated delivery services of refrigerated goods which are not specific, or exclusive for food products. However, in this case the absence of cross-contamination should be verified as soon as other refrigerated goods are loaded alongside food within the refrigerated delivery service provider network.

It is also acknowledged that different countries might also have different legal definitions for either refrigerated delivery services or for the transport of food in terms of transport conditions and/or the temperature or type of chilled and frozen food or food products. Precise temperatures for chilled and frozen transport have not been defined within its requirements, and, where applicable, attention has been drawn to the need to refer to any relevant legislation.

Where a refrigerated delivery service provider is specifically providing indirect refrigerated delivery services for temperature-sensitive or refrigerated food, relevant government departments, trade associations and professional bodies within the country of business can often be consulted to provide advice, guidance and particular requirements regarding the operation of indirect refrigerated delivery services for food within that particular jurisdiction. Perishable foodstuffs can be a particularly sensitive area, and it might be useful to consult a document such as the United Nations ATP publication, the Agreement on the International Carriage of Perishable Foodstuffs and on the Special Equipment to be Used for such Carriage^[8], which has been developed and adopted by a number of countries, for further guidance and/or applicability for such specialist temperature-controlled refrigerated delivery services. The Codex Alimentarius (the "Food Code"), which was established by the Food and Agriculture Organization of the United Nations (FAO) and the World Health Organization (WHO) might also provide relevant international standards regarding food.

Document Preview

ISO 23412:2020

https://standards.iteh.ai/catalog/standards/iso/40a4a26a-1d40-425a-9e7a-695be465487d/iso-23412-2020

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 23412:2020

https://standards.iteh.ai/catalog/standards/iso/40a4a26a-1d40-425a-9e7a-695be465487d/iso-23412-2020

Indirect, temperature-controlled refrigerated delivery services — Land transport of parcels with intermediate transfer

1 Scope

This document specifies requirements for the provision and operation of indirect, temperaturecontrolled refrigerated delivery services for refrigerated parcels which contain temperature-sensitive goods (including foods) in land transportation. It includes all refrigerated delivery service stages from acceptance (receipt) of a chilled or frozen parcel from the delivery service user to its delivery at the designated destination, including intermediate transfer of the refrigerated parcels between refrigerated vehicles or container and via a geographical routing system. This document also includes requirements for resources, operations and communications to delivery service users. It is intended for application by refrigerated delivery service providers.

This document does not cover requirements for:

- a) refrigerated parcel delivery via modes of transport such as airplane, ship or train;
- b) refrigerated parcels that are transported in ambient temperatures due to the fact that they contain their own refrigeration materials (for example, ice packs, refrigerated foam bricks, dry ice blocks) and are surrounded and enclosed by sealed thermo protective packaging that creates a separate refrigerated climate to that provided within the delivery service. However, these types of refrigerated parcels may be transported through a refrigerated delivery service;
- c) direct refrigerated delivery services in which chilled parcels and frozen parcels are collected from the delivery service user and transported directly to a recipient without in-transit transfer;
- d) the quality or the measurement of the temperature of the contents of the chilled parcels or frozen parcels being delivered and their pre-point of receipt state, however it does set the requirements for the refrigerated delivery service carrying them;
 - e) Medical devices and medical equipment and pharmaceuticals might be subject to specific legislation and require specific transport requirements and are therefore, excluded from the scope of this document.

NOTE Resources covered by requirements of this document include facilities, refrigerated vehicles, cold stores, and staff members. This document is not limited to covering specific sizes of vehicles, as long as the performance requirements can be met. Land transport refrigerated vehicles which are conveyed in a ship as roll-on/roll-off vehicles are covered by this document. While this document does not cover requirements directly relating to the quality or safety of the refrigerated parcels being delivered, attention is drawn to specific country legislation that might require a refrigerated delivery service provider to adhere to additional requirements outside of this document, such as monitoring the temperature of the refrigerated parcel itself, or specific requirements regarding the segregation of different types of refrigerated parcel. It is important to note that the contents of refrigerated parcels referenced within this document are not limited to edible or perishable products.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1

acceptance

point when a refrigerated parcel is passed from a *delivery service user* (3.4) to the *refrigerated delivery* service provider (3.12)

3.2 **Cold stores**

3.2.1

cooling material cold store

equipment having an insulated enclosure, which has an independent means of cooling, that is used for freezing and preserving *cooling materials* (3.3), for example, eutectic plates, dry ice, and that is situated within an operation site (3.8)

Note 1 to entry: See also 9.4 and 9.5 for requirements for cooling materials and cooling material cold stores.

3.2.2

cold store

equipment having an insulated enclosure, which has independent means of reaching temperatures within the applicable service transport temperature (3.18.2), accommodating multiple chilled parcels (3.14.1) or multiple frozen parcels (3.14.2), and that is located within an operation site (3.8)

3.3

cooling material

substance, or unit containing a substance, capable of lowering the temperature of an enclosed environment

Note 1 to entry: Cooling materials such as eutectic plates are also referred to within the industry as "cold plates". "ice packs", "cold storage agents", "coolant blocks", or "ice-plates". Such cooling materials can be used within an insulated container, iteh.ai/catalog/standards/iso/40a4a26a-1d40-425a-9e7a-695be465487d/iso-23412-2020

3.4

delivery service user

person or organization who requests a refrigerated delivery service and agrees to its terms and conditions in order to send a refrigerated parcel(s) to a *recipient* (3.10)

3.5

designated destination

delivery address determined by the *delivery service user* (3.4)

3.6

geographical routing system

process that defines and dictates the journey of a refrigerated parcel, depending on the *designated destination* (3.5)

Note 1 to entry: This is similar to the geographical routing used in a typical postal service.

3.7

thermally insulated container

mobile container constructed from materials to reduce the rate of heat transmission through its faces, that can be temperature controlled and accommodate multiple *chilled parcels* (3.14.1) or *frozen parcels* (3.14.2) in the process of being transported

Note 1 to entry: Thermally insulated containers are designed to maintain temperature and not to cool down parcels.

Note 2 to entry: An insulated container can be either a separate container, or it can be a container within a *refrigerated vehicle* (3.15) or non-refrigerated vehicle (see 3.11 and 3.15).

3.8

operation site

location forming part of the *transport network* (3.21) where refrigerated parcels are:

- a) transferred from one *refrigerated enclosure* (3.11) to another as part of the *geographical routing system* (3.6); or
- b) submitted to the refrigerated delivery service by a *delivery service user* (3.4); or
- c) collected by a *recipient* (<u>3.10</u>)

3.9

operational manual

set of instructions regarding how equipment functions

3.10

recipient

person or organization named by the *delivery service user* (3.4) as being located at the *designated destination* (3.5) for the delivery of the refrigerated parcel

3.11

refrigerated enclosure

temperature-controlled enclosure within a *refrigerated vehicle* (3.15) or an insulated container, which has its own means of *cooling material* (3.3), that is artificially maintained at a *service transport temperature* (3.18.2) and that can accommodate multiple *chilled parcels* (3.14.1) or multiple *frozen parcels* (3.14.2) during transport

Note 1 to entry: This could be the temperature-controlled body of a truck, or insulated container containing *cooling material* (3.3).

3.12

refrigerated delivery service provider O 23412:2020

ttp: company or organization providing the refrigerated delivery services 95be465487d/iso-23412-2020

3.13

indirect refrigerated delivery service

operation that offers the transport of refrigerated parcels from a *delivery service user* (3.4) to a *recipient* (3.10) through a temperature-controlled *transport network* (3.21), similar to a postal service

Note 1 to entry: Direct refrigerated delivery service means an operation that offers the transport of refrigerated parcels directly from a delivery service user to a recipient without either transference between *refrigerated enclosure* (3.11) or through a temperature-controlled transport network. Direct refrigerated delivery services are excluded from this document (see <u>Clause 1</u>).

3.14 Refrigerated parcels

3.14.1

chilled parcel

packaged goods that have been refrigerated to within a positive *service transport temperature* (3.18.2) specified by the *refrigerated delivery service provider* (3.12) and agreed by service users in order to be carried or sent by the refrigerated delivery service

Note 1 to entry: There are different temperature categories and requirements for different types of chilled goods, especially with regard to chilled food and food-based products. This determines the service transport temperature parameters given by a refrigerated delivery service provider. See also 4.5.

3.14.2

frozen parcel

packaged goods which have been refrigerated to within a negative *service transport temperature* (3.18.2) specified by the *refrigerated delivery service provider* (3.12) and agreed by service users in order to be carried or sent by the refrigerated delivery service

Note 1 to entry: The service transport temperature for frozen parcels might, in addition, depend upon the frozen category within which the goods fall (for food or food-based products being transported, this is deep frozen or quick frozen, for example). See also <u>4.5</u>.

3.15

refrigerated vehicle

road transport vehicle constructed with one or more temperature-controlled enclosures with an integrated cooling system which is used for the transport of packages requiring controlled temperature conditions in transit

Note 1 to entry: A refrigerated vehicle contains one or multiple *refrigerated enclosures* (3.11), see 9.2.1.

3.16

responsible person

individual appointed by the *refrigerated delivery service provider* (3.12) to manage the people, processes and resources of an *operation site* (3.8)

Note 1 to entry: This might be an operational site manager or equivalent role.

3.17

temperature-controlled environment Leh Standards

area in which the environment is maintained at a specific temperature or within a specified temperature range

Note 1 to entry: This might be for example, a *cold store* (3.2.2), *refrigerated enclosure* (3.11) within a *refrigerated vehicle* (3.15), or a refrigerated room.

3.18 Temperature ranges and maximum temperatures

3.18.1 3.18.1 3.18.1 3.18.1 3.18.1 3.18

operational transport temperature

temperature range, or level of refrigeration, excluding temperature rises caused by defrost events, given either:

- a) for *chilled parcel* (3.14.1) delivery or *frozen parcel* (3.14.2) delivery, as a temperature range containing a maximum and minimum temperature limit; or
- b) for frozen parcel delivery, as a maximum temperature limit;

which is defined and accepted by the *refrigerated delivery service provider* (3.12) as that within which, or below which, the refrigerated delivery service operations of *refrigerated enclosures* (3.11) and cold stores are conducted

3.18.2

service transport temperature

temperature range, or level of refrigeration, excluding temperature rises caused by defrost events, given either:

- a) for *chilled parcel* (3.14.1) delivery or *frozen parcel* (3.14.2) delivery, as a temperature range containing a maximum and minimum temperature limit; or
- b) for frozen parcel delivery, as a maximum temperature limit;