



SLOVENSKI STANDARD
oSIST prEN ISO 24807:2022

01-oktober-2022

Storitve rekreativnega potapljanja - Zahteve za usposabljanje rekreativnih potapljačev - Dekompresijsko potapljanje do 100 m (ISO/DIS 24807:2022)

Recreational diving services - Requirements for rebreather diver training - Decompression diving to 100 m (ISO/DIS 24807:2022)

Dienstleistungen des Freizeittauchens - Anforderungen an die Ausbildung von Kreislaufgerätetauchern - Dekompressionstauchen bis 100m (ISO/DIS 24807:2022)

Services relatifs à la plongée de loisirs - Exigences concernant la formation des plongeurs à l'utilisation des recycleurs - Plongée avec décompression jusqu'à 100 m (ISO/DIS 24807:2022)

Ta slovenski standard je istoveten z: prEN ISO 24807

ICS:

03.080.99	Druge storitve	Other services
03.200.99	Drugi standardi v zvezi s prostim časom in turizmom	Other standards relating to leisure and tourism

oSIST prEN ISO 24807:2022

en,fr,de

DRAFT INTERNATIONAL STANDARD

ISO/DIS 24807

ISO/TC 228

Secretariat: UNE

Voting begins on:
2022-09-01

Voting terminates on:
2022-11-24

Recreational diving services — Requirements for rebreather diver training — Decompression diving to 100 m

ICS: 03.080.30; 03.100.30; 03.200.99

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO 24807:2022](https://standards.iteh.ai/catalog/standards/sist/251f8354-8c06-4444-b458-1fd50a087378/osist-pren-iso-24807-2022)

<https://standards.iteh.ai/catalog/standards/sist/251f8354-8c06-4444-b458-1fd50a087378/osist-pren-iso-24807-2022>

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/DIS 24807:2022(E)

© ISO 2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 24807:2022

<https://standards.iteh.ai/catalog/standards/sist/251f8354-8c06-4444-b458-1fd50a087378/osist-pren-iso-24807-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Competencies	4
5 Prerequisites for training	4
5.1 General.....	4
5.2 Minimum age.....	4
5.3 Diving experience.....	5
5.4 Health requirements.....	5
6 Introductory information	5
7 Theoretical knowledge	5
7.1 Knowledge review.....	5
7.2 Risk management.....	5
7.3 Team diving.....	6
7.4 Project dives with specific objectives.....	7
7.5 Function of rebreather components.....	7
7.6 Breathing performance using a rebreather.....	8
7.7 Rebreather assembly and checks.....	8
7.8 Gas supply duration.....	9
7.9 CO ₂ absorbent duration.....	9
7.10 Rebreather pre-water entry checks.....	10
7.11 Advanced decompression dive planning.....	10
7.12 Dive conduct.....	10
7.13 Identifying and reacting to potential issues.....	11
7.14 Hypercapnia, hypoxia, and hyperoxia.....	12
7.15 Buddy and team diving procedures.....	12
7.16 Rebreather maintenance.....	13
7.17 Maintaining knowledge and skills.....	13
8 Practical skills	13
8.1 Skills review.....	13
8.2 General.....	14
8.3 Pre-dive procedures.....	14
8.4 Dive conduct.....	14
8.5 Emergency situations.....	15
8.6 Response to rebreather malfunctions.....	15
8.7 Post dive procedures.....	16
9 Instructors	16
10 Training equipment and materials	16
10.1 Training equipment.....	16
10.2 Training materials.....	17
11 Practical training parameters	17
11.1 Training dives or in-water sessions.....	17
11.2 Instructor responsibilities.....	18
11.2.1 General.....	18
11.2.2 Instructor to student ratios for dives of 60 m or less.....	18
11.2.3 Instructor to student ratios for dives deeper than 60 m.....	18
11.3 Rebreather dive leaders.....	18
11.4 Breathing gas limits.....	18

ISO/DIS 24807:2022(E)

11.4.1	Closed-circuit rebreather	18
11.4.2	Semi-closed rebreather	19
12	Evaluation	19
12.1	Knowledge	19
12.2	Skill evaluation	19
12.3	Proof of qualification	19
Annex A (informative) Gas density and gas mixtures		21
Annex B (normative) Student crossover training programmes		23
Bibliography		24

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 24807:2022](https://standards.iteh.ai/catalog/standards/sist/251f8354-8c06-4444-b458-1fd50a087378/osist-pren-iso-24807-2022)

<https://standards.iteh.ai/catalog/standards/sist/251f8354-8c06-4444-b458-1fd50a087378/osist-pren-iso-24807-2022>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 228, *Tourism and related services*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/DIS 24807:2022(E)**Introduction**

Rebreathers (i.e. breathing devices that recirculate some or all of the diver's exhaled breath and replenish any consumed oxygen to maintain a breathable mixture) are becoming much more widely available and popular among divers. The market for rebreather diving has been constantly growing in recent years and is now considered to be large enough that the need for standards for training organizations on minimum training requirements is evident. Rebreathers allow divers to dive longer and to greater depths. Such depths can go beyond 30 m and may therefore require mandatory decompression stops. If rebreathers are used improperly they can be hazardous; divers have had fatal accidents due to incorrect use of these devices. It is therefore important to specify training for diving with such devices.

Training organizations offering training that conforms with this document may exceed any of the requirements in terms of the volume or complexity of training but should at least ensure the students master all the skills and knowledge defined in this document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO 24807:2022](https://standards.iteh.ai/catalog/standards/sist/251f8354-8c06-4444-b458-1fd50a087378/osist-pren-iso-24807-2022)

<https://standards.iteh.ai/catalog/standards/sist/251f8354-8c06-4444-b458-1fd50a087378/osist-pren-iso-24807-2022>

Recreational diving services — Requirements for rebreather diver training — Decompression diving to 100 m

1 Scope

This document specifies requirements for rebreather diver training programmes which provide the competencies required to perform dives to 100 m with a rebreather using a breathing mixture containing helium requiring mandatory decompression stops.

This document specifies evaluation criteria for these competencies.

This document specifies the requirements under which training is provided, in addition to the general requirements for recreational diving service provision in accordance with ISO 24803.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 24801-3, *Recreational diving services — Requirements for the training of recreational scuba divers — Part 3: Level 3 — Dive leader*

ISO 24802-2, *Recreational diving services — Requirements for the training of scuba instructors — Part 2: Level 2*

ISO 24803, *Recreational diving services — Requirements for recreational diving providers*

ISO/DIS 24806, *Recreational diving services — Requirements for rebreather diver training — Decompression diving to 60 m*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 rebreather

apparatus that has a supply of gas carried by the diver, allowing the diver to breathe under water which enables the diver to inspire gas from a facepiece connected to a counterlung and to pass exhaled gas through a carbon dioxide absorption material before it is re-breathed from the counterlung and inspired partial pressure of the gases within the apparatus remain within acceptable physiological limits so that gas is thus recirculated within the apparatus

Note 1 to entry: A rebreather can also be called a self-contained rebreathing apparatus.

Note 2 to entry: A facepiece can be a mouthpiece assembly, a half mask, a full-face mask or a helmet.

ISO/DIS 24807:2022(E)

[SOURCE: EN 14143:2013, 3.1, modified — Note 1 to entry modified and Note 2 to entry added. This content has been reproduced with the permission of CEN. Copyright remains with CEN.]

3.2 rebreather type

primary rebreather design

EXAMPLE Closed-circuit rebreather (CCR), manually controlled closed-circuit rebreather (mCCR), electronically controlled closed-circuit rebreather (eCCR), semiclosed-circuit rebreather (SCR), manually controlled SCR (mSCR), electronically controlled SCR (eSCR), hybrid closed-circuit rebreather (hCCR).

3.3 rebreather unit

type of *rebreather* (3.1) having consistent controls, displays and configuration over several *rebreather models* (3.4) where the operation is essentially the same from rebreather model to rebreather model

3.4 rebreather model

specific individual design of *rebreather* (3.1) made by a manufacturer

3.5 breathing gas

gas present in the *breathing loop* (3.14) inspired by the diver

3.6 supply gas

gas present in a cylinder which may be added to the *breathing loop* (3.14)

3.7 bailout gas

gas present in a cylinder that may be breathed directly by the diver

3.8 nitrox

breathable mixture of nitrogen and oxygen with more than 21 % oxygen content, which may contain trace gases at levels no higher than those found in normal air

[SOURCE: ISO 11107:2009, 3.5]

3.9 trimix

gas comprising a specified mixture of oxygen, helium and nitrogen, capable of supporting human life under appropriate diving or hyperbaric conditions

Note 1 to entry: This includes manufactured gas mixtures made up from combinations of pure oxygen, pure helium and pure nitrogen, with or without compressed air.

[SOURCE: EN 14143:2013, 3.20 — This content has been reproduced with the permission of CEN. Copyright remains with CEN.]

3.10 heliox

gas comprising a specified mixture of oxygen and helium, capable of supporting human life under appropriate diving or hyperbaric conditions

3.11 PO₂

partial pressure of oxygen in a gas mixture

Note 1 to entry: This usually refers specifically to the breathing-gas mixture inhaled by a diver.

3.12**set-point****PO₂ setpoint**

PO₂ value that is used by a control system to determine when a solenoid valve injects oxygen into the *breathing loop* (3.14)

3.13**respiratory minute volume****RMV**

product of the tidal volume and breathing frequency measured in litres per minute

[SOURCE: EN 14143:2013, 3.10]

3.14**breathing loop**

portion of a *rebreather* (3.1) through which gas circulates, usually consisting of a mouthpiece, breathing hose(s), counterlung(s), non-return valves and a CO₂ absorbent canister

3.15**scrubber**

canister in the *breathing loop* (3.14) containing CO₂ absorbent

3.16**confined water**

swimming pool with a depth appropriate to the activity or body of water, offering similar conditions with regard to visibility, depth, water movement and access

[SOURCE: ISO 24801-2:2014, 3.5]

3.17**open water**

body of water significantly larger than a swimming pool, offering conditions typical of a natural body of water

[SOURCE: ISO 24801-2:2014, 3.6]

3.18**limited open water**

open water (3.17) no deeper than 20 metres with no appreciable water movement, and visibility that is sufficient to allow effective student supervision and skill development

3.19**service provider**

entity (individual or organization), including any individual acting on behalf such an entity, which offers one or more of the following services:

- introductory diving activities;
- snorkelling excursions;
- provision of training and education;
- organized and guided diving for qualified divers;
- rental of diving equipment.

[SOURCE: ISO 24803:2017-03, 3.1]

3.20**safety stop**

a non-mandatory *decompression stop* (3.21) near the surface prior to surfacing

ISO/DIS 24807:2022(E)

3.21

decompression stop

mandatory stop during ascent from depth prior to surfacing

3.22

no-decompression diving

diving without requiring mandatory *decompression stops* (3.21)

3.23

decompression diving

diving with mandatory *decompression stops* (3.21)

3.24

delayed surface marker buoy

DSMB

surface marker buoy that can be deployed by a diver from underwater

4 Competencies

The training programme shall ensure that students are qualified to independently plan and conduct dives requiring mandatory decompression stops using the specific rebreather unit for which the diver has received training.

Divers qualified in accordance with this document are competent to dive with a suitably qualified buddy to 100 m using a rebreather with a supply gas containing:

- a minimum of 5 % oxygen; and
- sufficient helium to control narcosis and to ensure a breathing gas density of less than 6,3 g/l.

In order to be deemed qualified to dive with a specific rebreather unit other than the one that the diver has received training for, a diver will need further unit specific training.

The training program shall ensure that the student has a full understanding of any theoretical concepts or skills applicable to the rebreather type, rebreather unit and rebreather model they will use. Students shall be provided with an overview of any information that is not specific to their rebreather, but this only needs to be informative in nature so that they are aware of the general possible configurations that other divers may use.

5 Prerequisites for training

5.1 General

The service provider shall ensure that the student fulfils the following prerequisites to take part in the training course envisaged.

In order to participate in a training programme in accordance with this document students shall be qualified in accordance with ISO/DIS 24806.

5.2 Minimum age

The minimum age to participate in a training programme in accordance with this document shall be 18 years.