



# SLOVENSKI STANDARD

## oSIST prEN 17388-1:2022

01-september-2022

---

### Hidroizolacijski trakovi - Okoljske deklaracije za proizvode - Pravila za kategorije proizvodov za bitumenske in sintetične elastomerne trakove za tesnjenje (streh) - 1. del: Pristop "od zibelke do groba"

Flexible sheets for waterproofing - Environmental product declaration - Product Category Rules for bituminous and synthetic flexible sheets for (roof) waterproofing - Part 1: Cradle to grave

Abdichtungsbahnen - Umweltproduktdeklaration - Produkt-Kategorie-Regeln für Bitumenbahnen und synthetische Abdichtungsbahnen für die Abdichtung (von Dächern) - Teil 1: Von der Wiege bis zur Bahre

Feuilles souples d'étanchéité - Déclarations environnementales sur les produits - Règles spécifiques des catégories de produits pour feuilles bitumineuses et feuilles synthétiques pour l'étanchéité (de toiture) - Partie 1: Du berceau à la tombe

**Ta slovenski standard je istoveten z: prEN 17388-1**

---

#### ICS:

13.020.20	Okoljska ekonomija. Trajnostnost	Environmental economics. Sustainability
91.060.20	Strehe	Roofs
91.100.50	Veziva. Tesnilni materiali	Binders. Sealing materials

**oSIST prEN 17388-1:2022**

**en,fr,de**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**DRAFT**  
**prEN 17388-1**

July 2022

ICS 91.100.50

English Version

**Flexible sheets for waterproofing - Environmental product declaration - Product Category Rules for bituminous and synthetic flexible sheets for (roof) waterproofing - Part 1: Cradle to grave**

Feuilles souples d'étanchéité - Déclarations environnementales sur les produits - Règles spécifiques des catégories de produits pour feuilles bitumineuses et feuilles synthétiques pour l'étanchéité (de toiture) - Partie 1: Du berceau à la tombe

Abdichtungsbahnen - Umweltproduktdeklaration - Produkt-Kategorie-Regeln für Bitumenbahnen und synthetische Abdichtungsbahnen für die Abdichtung (von Dächern) - Teil 1: Von der Wiege bis zur Bahre

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 254.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning** : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

<b>Contents</b>	<b>Page</b>
European foreword .....	4
Introduction .....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions .....	7
4 Symbols and abbreviations .....	7
5 General aspects.....	8
5.1 Objective of the PCR.....	8
5.2 Types of EPD with respect to life cycle stages covered .....	8
5.3 Comparability of EPD for construction products .....	8
5.4 Additional environmental information .....	8
5.5 Ownership, responsibility and liability for the EPD.....	8
5.6 Communication formats.....	8
6 Product category rules for LCA .....	8
6.1 Product category .....	8
6.2 Life cycle stages and information modules to be included .....	8
6.2.1 General.....	8
6.2.2 A1-A3, product stage, information modules .....	8
6.2.3 A4-A5, construction process stage, information modules .....	9
6.2.4 B1-B5, use stage, information modules related to the building fabric.....	9
6.2.5 B6-B7, use stage, information modules related to the operation of the building .....	9
6.2.6 C1-C4, end-of-life stage, information modules.....	9
6.2.7 D, benefits and loads beyond the system boundary, information module .....	9
6.3 Calculation rules for the LCA .....	9
6.3.1 Functional or declared unit.....	9
6.3.2 Functional unit.....	9
6.3.3 Declared unit .....	9
6.3.4 Reference service life (RSL) .....	10
6.3.5 System boundaries .....	10
6.3.6 Criteria for the exclusion of inputs and outputs (cut-off criteria) .....	11
6.3.7 Selection of data .....	11
6.3.8 Data quality requirements .....	12
6.3.9 Developing product level scenarios.....	13
6.3.10 Units.....	17
6.4 Inventory analysis .....	17
6.4.1 Collecting data.....	17
6.4.2 Calculation procedures.....	17
6.4.3 Allocation of input flows and output emissions .....	17
6.4.4 Information on biogenic carbon content.....	17
6.5 Impact assessment .....	17
7 Content of the EPD .....	17
7.1 Declaration of general information.....	17
7.2 Declaration of environmental indicators derived from LCA.....	18
7.2.1 General.....	18

7.2.2	Rules for declaring LCA information per module .....	18
7.2.3	Indicators describing environmental impacts based on life cycle impact assessment (LCIA) .....	18
7.2.4	Indicators describing resource use and environmental information based on life cycle inventory (LCI) .....	18
7.2.5	Information on biogenic carbon content .....	18
7.3	Scenarios and additional technical information .....	18
7.3.1	General .....	18
7.3.2	Construction process stage .....	18
7.3.3	B1-B7 Use stage .....	19
7.3.4	End-of-life .....	19
7.4	Additional information on release of dangerous substances to indoor air, soil and water during the use stage .....	19
7.4.1	Indoor air .....	19
7.4.2	Soil and water .....	19
7.5	Aggregation of information modules .....	19
8	Project report .....	19
8.1	General .....	19
8.2	LCA-related elements of the project report .....	19
8.3	Documentation on additional information .....	20
8.4	Data availability for verification .....	20
9	Verification and validity of an EPD .....	20
Annex A (normative)	Extension rules .....	21
A.1	General .....	21
A.2	Rules for plastic sheets according to EN 13956 .....	21
A.2.1	General .....	21
A.2.2	Scenario 1: Sheets without reinforcement .....	22
A.2.3	Scenario 2: Reinforced sheets .....	22
A.2.4	Scenario 3: Sheets with backing .....	23
A.2.5	Scenario 4: Combination .....	24
A.3	Rules for reinforced bitumen sheets according to EN 13707 .....	24
A.4	Rules for rubber sheets according to EN 13956 .....	24
Annex B (informative)	EPD scope and practice .....	25
B.1	Introduction .....	25
B.2	Specific EPD .....	25
B.3	Generic EPD .....	25
B.3.1	Average EPD .....	25
B.3.2	Worst case EPD .....	25
B.3.3	Sector EPD .....	25

## prEN 17388-1:2022 (E)

### European foreword

This document (prEN 17388-1:2022) has been prepared by Technical Committee CEN/TC 254 “Flexible sheets for waterproofing”, the secretariat of which is held by NEN.

This document is currently submitted to CEN Enquiry.

EN 17388, *Flexible sheets for waterproofing - Environmental product declarations - Product category rules for reinforced bitumen, plastic and rubber flexible sheets for roof waterproofing*, consists of two parts:

- *Part 1: Cradle to grave and module D*
- *Part 2: Cradle to gate with options, modules C1-C4 and module D*

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[oSIST prEN 17388-1:2022](https://standards.iteh.ai/catalog/standards/sist/ca2c1d42-033c-4aa3-af7c-e76876d4b1a2/osist-pren-17388-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/ca2c1d42-033c-4aa3-af7c-e76876d4b1a2/osist-pren-17388-1-2022>

## Introduction

CEN/TC 254 has decided to provide this European standard in 2 parts. The scope of these different parts is based on the different types of environmental product declarations (EPD) identified by EN 15804:2012+A2:2019. This will avoid misinterpretation in the market about the EPD scope and content.

This standard consists of two parts:

- Part 1: Cradle to grave and module D;
- Part 2: Cradle to gate with options, modules C1-C4 and module D.

NOTE 1 The clauses and sub clauses with exception of the annexes are corresponding with the clauses and sub clauses of EN 15804:2012+A2:2019.

NOTE 2 Cradle to grave and module D. All modules A, B, C and D are mandatory.

NOTE 3 Cradle to gate with options, modules C1-C4 and module D. Modules A1-A3, C and D are mandatory, additional modules A4-A5, B1-B7 are optional.

NOTE 4 For further information see Annex B.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[oSIST prEN 17388-1:2022](https://standards.iteh.ai/catalog/standards/sist/ca2c1d42-033c-4aa3-af7c-e76876d4b1a2/osist-pren-17388-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/ca2c1d42-033c-4aa3-af7c-e76876d4b1a2/osist-pren-17388-1-2022>

## prEN 17388-1:2022 (E)

### 1 Scope

This document provides product category rules (PCR) for the assessment of the environmental performance of reinforced bitumen, plastic and rubber flexible sheets for which the intended use is roof waterproofing.

NOTE The reference product standards are EN 13707 and EN 13956.

This document is intended to be used for the development and issue of a cradle to grave and module D EPD using:

— either generic data and system generic data;

or

— specific data and system specific data.

This document includes requirements and rules to:

- define the indicators to be declared and the way in which they are collected and reported;
- describe which stages of a product's life cycle are considered in the EPD and which processes are to be included in the life cycle stages;
- include the rules for calculating the life cycle inventory (LCI) and the life cycle impact assessment (LCIA) underlying an EPD, including the specification of the quality of the applied data;
- define generic data and system generic data which are to be used for an EPD.

### 2 Normative references

The following standards are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13707, *Flexible sheets for waterproofing — Reinforced bitumen sheets for roof waterproofing — Definitions and characteristics*

EN 13956, *Flexible sheets for waterproofing — Plastic and rubber sheets for roof waterproofing — Definitions and characteristics*

EN 15804:2012+A2:2019, *Sustainability of construction works — Environmental product declarations — Core rules for the product category of construction products*



### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15804:2012+A2:2019, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

As in, in addition:

#### 3.1

##### **average data**

data representative of a product, product group or construction service, provided by one or more manufacturers

#### 3.2

##### **generic data**

surrogate data used if no specific data is available

#### 3.3

##### **product**

item manufactured or processed for incorporation in construction works

#### 3.4

##### **product group**

products with similar intended uses, the boundaries of which are defined by the EPD owner

#### 3.5

##### **roof waterproofing system**

assembly of one or more sheets in its applied and jointed form to prevent the passage of water from one plane to another, which has certain performance characteristics, to be assessed as a whole, to be used in the roof of a building, including roofs used for parking of vehicles and for roof gardens

#### 3.6

##### **specific data**

data representative for a product, product group or construction service, provided by one manufacturer

### 4 Symbols and abbreviations

For the purposes of this document, the symbols and abbreviations given in EN 15804:2012+A2:2019 shall apply.

**prEN 17388-1:2022 (E)****5 General aspects****5.1 Objective of the PCR**

In addition to EN 15804:2012+A2:2019, 5.1, this document defines the requirements on information, data and environmental indicators that shall be included in an environmental product declaration (EPD) for a cradle to grave and module D EPD, for:

- roof waterproofing systems with reinforced bitumen flexible sheets for roof waterproofing according to EN 13707;
- or
- roof waterproofing systems with plastic and rubber flexible sheets for roof waterproofing according to EN 13956.

**5.2 Types of EPD with respect to life cycle stages covered**

In addition to EN 15804:2012+A2:2019, 5.2 the following shall apply.

The life cycle assessment (LCA) based information in an EPD shall cover (see EN 15804:2012+A2:2019, Figure 1) the life cycle of a product according to the system boundary (see 6.3.5). In this case, the EPD covers the product stage, construction process stage, use stage, end-of-life stage and benefits and loads beyond the system boundary.

**5.3 Comparability of EPD for construction products**

In addition to EN 15804:2012+A2:2019, 5.3 the following shall apply.

The cradle to grave and module D analysis shall integrate all relevant requirements to ensure the technical performances of the products in the end-use.

**5.4 Additional environmental information**

EN 15804:2012+A2:2019 shall apply. <https://standards.iteh.ai/catalog/standards/sist/ca2c1d42-033c-4aa3-af7c-876d4b1a2/osist-pren-17388-1-2022>

**5.5 Ownership, responsibility and liability for the EPD**

EN 15804:2012+A2:2019 shall apply.

**5.6 Communication formats**

EN 15804:2012+A2:2019 shall apply.

**6 Product category rules for LCA****6.1 Product category**

The product category referred to in this document includes roof waterproofing systems with reinforced bitumen, plastic and rubber flexible sheets for roof waterproofing according to EN 13707 and EN 13956.

**6.2 Life cycle stages and information modules to be included****6.2.1 General**

All life cycle stages shall be reported.

**6.2.2 A1-A3, product stage, information modules**

EN 15804:2012+A2:2019 shall apply.

### 6.2.3 A4-A5, construction process stage, information modules

EN 15804:2012+A2:2019 shall apply.

### 6.2.4 B1-B5, use stage, information modules related to the building fabric

EN 15804:2012+A2:2019 shall apply.

### 6.2.5 B6-B7, use stage, information modules related to the operation of the building

In addition to EN 15804:2012+A2:2019, the following rules shall apply:

Modules B6-B7 (use stage, information modules related to the operation of the building) have no influence on the roof waterproofing systems. The value of “zero” is plausible for these indicators.

### 6.2.6 C1-C4, end-of-life stage, information modules

EN 15804:2012+A2:2019 shall apply.

### 6.2.7 D, benefits and loads beyond the system boundary, information module

EN 15804:2012+A2:2019 shall apply.

## 6.3 Calculation rules for the LCA

### 6.3.1 Functional or declared unit

A construction product may have a number of possible functions. Based on the goal and the scope of an EPD, the EPD may relate to a specific function and scenario using a functional unit or it may cover a range of functionalities and scenarios using a declared unit.

### 6.3.2 Functional unit

The functional unit defines the way in which the identified functions or performance characteristics of the product are quantified. This allows comparison with other product systems which have been assessed to fulfil the same functional unit.

This document is valid for all roof waterproofing systems with flexible sheets. The functional unit is 1 m<sup>2</sup> roof waterproofing system.

The reference service life of the roof waterproofing system shall be defined and declared according to 6.3.4.

The thickness or mass per m<sup>2</sup> of the sheets shall be expressed according to the applicable product standard.

For an EPD, whereby a formula to calculate the values for other sheets thicknesses or masses may be included within the LCA-report and EPD, the formula shall comply with the rules defined in Annex A.

### 6.3.3 Declared unit

The declared unit for roof waterproofing sheets is 1 m<sup>2</sup>.