
Hidroizolacijski trakovi - Okoljske deklaracije za proizvode - Pravila za kategorije proizvodov za ojačene bitumenske, polimerne in elastomerne trakove za tesnjenje streh - 2. del: Pristop "od zibelke do vrat" z možnostmi, moduli C1-C4 in modul D

Flexible sheets for waterproofing - Environmental product declarations - Product category rules for reinforced bitumen, plastic and rubber flexible sheets for roof waterproofing - Part 2: Cradle to gate with options, modules C1-C4 and module D

Abdichtungsbahnen - Umweltproduktdeklaration - Produkt-Kategorie-Regeln für Bitumenbahnen mit Trägereinlage, Kunststoff- und Elastomerbahnen für Dachabdichtungen - Teil 2: Wiege bis Werkstor mit Optionen, Module C1-C4 und Modul D

Feuilles souples d'étanchéité - Déclarations environnementales sur les produits - Règles spécifiques des catégories de produits pour feuilles bitumineuses armées, feuilles plastiques et élastomères pour l'étanchéité de toiture - Partie 2 : Du berceau à la sortie de l'usine avec options, modules C1-C4 et module D

Ta slovenski standard je istoveten z: EN 17388-2:2024

ICS:

13.020.20	Okoljska ekonomija. Trajnostnost	Environmental economics. Sustainability
91.060.20	Strehe	Roofs
91.100.50	Veziva. Tesnilni materiali	Binders. Sealing materials

SIST EN 17388-2:2025**en,fr,de**

EUROPEAN STANDARD

EN 17388-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2024

ICS 91.100.50

English Version

Flexible sheets for waterproofing - Environmental product declarations - Product category rules for reinforced bitumen, plastic and rubber flexible sheets for roof waterproofing - Part 2: Cradle to gate with options, modules C1-C4 and module D

Feuilles souples d'étanchéité - Déclarations environnementales sur les produits - Règles spécifiques des catégories de produits pour feuilles bitumineuses armées, feuilles plastiques et élastomères pour l'étanchéité de toiture - Partie 2 : Du berceau à la sortie de l'usine avec options, modules C1-C4 et module D

Abdichtungsbahnen - Umweltproduktdeklaration - Produkt-Kategorie-Regeln für Bitumenbahnen mit Trägereinlage, Kunststoff- und Elastomerbahnen für Dachabdichtungen - Teil 2: Wiege bis Werkstor mit Optionen, Module C1-C4 und Modul D

This European Standard was approved by CEN on 19 August 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	4
Introduction	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Abbreviations	7
5 General aspects.....	8
5.1 Objective of the PCR.....	8
5.2 Types of EPD with respect to life cycle stages covered	8
5.3 Comparability of EPD for construction products	8
5.4 Additional environmental information	8
5.5 Ownership, responsibility and liability for the EPD.....	8
5.6 Communication formats.....	8
6 Product category rules for life cycle assessment (LCA)	8
6.1 Product category	8
6.2 Life cycle stages and information modules to be included	9
6.2.1 General.....	9
6.2.2 A1-A3, product stage, information modules	9
6.2.3 A4-A5, construction process stage, information modules (optional).....	9
6.2.4 B1-B5, use stage, information modules related to the building fabric (optional)	9
6.2.5 B6-B7, use stage, information modules related to the operation of the building (optional)	9
6.2.6 C1-C4, end-of-life stage, information modules.....	9
6.2.7 D, benefits and loads beyond the system boundary, information module	9
6.3 Calculation rules for the LCA	9
6.3.1 Functional or declared unit.....	9
6.3.2 Functional unit.....	9
6.3.3 Declared unit	10
6.3.4 Reference service life (RSL)	10
6.3.5 System boundaries	10
6.3.6 Criteria for the exclusion of inputs and outputs (cut-off criteria)	11
6.3.7 Selection of data	11
6.3.8 Data quality requirements	12
6.3.9 Developing product level scenarios	12
6.3.10 Units.....	14
6.4 Inventory analysis	14
6.4.1 Collecting data.....	14
6.4.2 Calculation procedures.....	14
6.4.3 Allocation of input flows and output emissions	14
6.4.4 Information on biogenic carbon content.....	15
6.5 Impact assessment	15
7 Content of the EPD	15
7.1 Declaration of general information.....	15
7.2 Declaration of environmental parameters derived from LCA.....	15

7.2.1	General	15
7.2.2	Rules for declaring LCA information per module	15
7.2.3	Indicators describing environmental impacts based on life cycle impact assessment (LCIA)	15
7.2.4	Indicators describing resource use and environmental information based on life cycle inventory (LCI)	15
7.2.5	Information on biogenic carbon content	15
7.3	Scenarios and additional technical information	16
7.3.1	General	16
7.3.2	Construction process stage	16
7.3.3	B1-B7 Use stage	16
7.3.4	End-of-life	16
7.4	Additional information on release of dangerous substances to indoor air, soil and water during the use stage	17
7.4.1	Indoor air	17
7.4.2	Soil and water	17
7.5	Aggregation of information modules	17
8	Project report	17
8.1	General	17
8.2	LCA-related elements of the project report	17
8.3	Documentation on additional information	17
8.4	Data availability for verification	17
9	Verification and validity of an EPD	17
Annex A (informative)	EPD scope and practice	18
A.1	Introduction	18
A.2	Specific EPD	18
A.3	Generic EPD	18
A.3.1	Average EPD	18
A.3.2	Worst case EPD	18
A.3.3	Sector EPD	18
Bibliography	19

EN 17388-2:2024 (E)

European foreword

This document (EN 17388-2:2024) has been prepared by Technical Committee CEN/TC 254 “Flexible sheets for waterproofing”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2025, and conflicting national standards shall be withdrawn at the latest by April 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

EN 17388, *Flexible sheets for waterproofing - Environmental product declarations - Product category rules for reinforced bitumen, plastic and rubber flexible sheets for roof waterproofing* consists of the following parts:

- *Part 1: Cradle to grave and module D;*
- *Part 2: Cradle to gate with options, modules C1-C4 and module D.*

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

[SIST EN 17388-2:2025](https://standards.iteh.ai/catalog/standards/sist/618c59c5-9d1a-4da2-afab-891b3bb45970/sist-en-17388-2-2025)

<https://standards.iteh.ai/catalog/standards/sist/618c59c5-9d1a-4da2-afab-891b3bb45970/sist-en-17388-2-2025>

Introduction

CEN TC 254 has decided to provide this European Standard in 2 parts. The scope of these different parts is based on the different types of environmental product declarations (EPD) identified by EN 15804:2012+A2:2019. This will avoid misinterpretation in the market about the EPD scope and content.

NOTE 1 The clauses and subclauses, with the exception of the annexes, are corresponding with the clauses and subclauses of EN 15804:2012+A2:2019.

NOTE 2 For further information, see Annex A.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN 17388-2:2025](https://standards.iteh.ai/catalog/standards/sist/618c59c5-9d1a-4da2-afab-891b3bb45970/sist-en-17388-2-2025)

<https://standards.iteh.ai/catalog/standards/sist/618c59c5-9d1a-4da2-afab-891b3bb45970/sist-en-17388-2-2025>

EN 17388-2:2024 (E)

1 Scope

This document provides product category rules (PCR) for the assessment of the environmental performance of reinforced bitumen, plastic and rubber flexible sheets for which the intended use is roof waterproofing.

NOTE The reference product standards are EN 13707 and EN 13956.

This document is intended to be used for the development and issue of a cradle to gate with options, modules C1-C4 and module D EPD using specific data. This document includes requirements and rules to:

- define the indicators to be declared and the way in which they are collected and reported;
- describe which stages of a product's life cycle are considered in the EPD and which processes are to be included in the life cycle stages;
- include the rules for calculating the life cycle inventory (LCI) and the life cycle impact assessment (LCIA) underlying an EPD, including the specification of the quality of the applied data.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13707, *Flexible sheets for waterproofing — Reinforced bitumen sheets for roof waterproofing — Definitions and characteristics*

EN 13956, *Flexible sheets for waterproofing — Plastic and rubber sheets for roof waterproofing — Definitions and characteristics*

EN 15804:2012+A2:2019¹, *Sustainability of construction works — Environmental product declarations — Core rules for the product category of construction products*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15804:2012+A2:2019 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp/>
- IEC Electropedia: available at <https://www.electropedia.org/>

¹ As impacted by EN 15804:2012+A2:2019/AC:2021.

3.1

average data

data representative of a product, product group or construction service, provided by one or more manufacturers

Note 1 to entry: Manufacturer refers to the product stage.

[SOURCE: EN 15804:2012+A2:2019, 3.3, modified – In the definition, the word “suppliers” has been replaced with “manufacturers” and the Note 1 to entry has been replaced.]

3.2

generic data

surrogate data used if no specific data is available

Note 1 to entry: Generic system data are surrogate data related to the intended use.

3.3

product

item manufactured or processed for incorporation in construction works

Note 1 to entry: Product refers to all products of the roof waterproofing system.

[SOURCE: EN 15804:2012+A2:2019, 3.6 modified – The term “construction product” has been replaced with “product”, Note 1 to entry has been replaced and the Note 2 to entry has been removed.]

3.4

product group

products with similar intended uses, the boundaries of which are defined by the EPD owner

3.5

roof waterproofing system

assembly of one or more sheets in its applied and jointed form to prevent the passage of water from one plane to another, which has certain performance characteristics, to be assessed as a whole, to be used in the roof of a building

Note 1 to entry: Roofs used for parking of vehicles and roof gardens are included.

3.6

specific data

data representative for a product, product group or construction service, provided by one manufacturer

Note 1 to entry: Manufacturer refers to the product stage.

[SOURCE: EN 15804:2012+A2:2019, 3.31, modified – In the definition, the word “supplier” has been replaced with “manufacturer” and the Note 1 to entry has been added.]

4 Abbreviations

For the purposes of this document, the abbreviations given in EN 15804:2012+A2:2019 apply.

EN 17388-2:2024 (E)

5 General aspects

5.1 Objective of the PCR

As in EN 15804:2012+A2:2019, in addition:

This document defines the requirements on information, data and environmental indicators that shall be included in an environmental product declaration (EPD) for a cradle to gate with options, modules C1-C4 and module D EPD using specific data for:

— roof waterproofing systems with reinforced bitumen flexible sheets for roof waterproofing according to EN 13707;

or

— roof waterproofing systems with plastic and rubber flexible sheets for roof waterproofing according to EN 13956.

5.2 Types of EPD with respect to life cycle stages covered

As in EN 15804:2012+A2:2019, in addition:

The LCA based information in an EPD shall cover (see EN 15804:2012+A2:2019, Figure 1) the life cycle of a product according to the system boundary (see 6.3.5). This cradle to gate with options, modules C1-C4 and module D EPD covers the product stage (module A1-A3), the end-of-life stage (module C1-C4) and benefits and loads beyond the system boundary (module D) and can cover the construction process stage (module A4-A5) and the use stage (module B1-B7) and shall be based on a functional unit or declared unit.

5.3 Comparability of EPD for construction products

As in EN 15804:2012+A2:2019 shall apply.

5.4 Additional environmental information

As in EN 15804:2012+A2:2019 shall apply.

5.5 Ownership, responsibility and liability for the EPD

As in EN 15804:2012+A2:2019 shall apply.

5.6 Communication formats

As in EN 15804:2012+A2:2019 shall apply.

6 Product category rules for life cycle assessment (LCA)

6.1 Product category

The product category referred to in this document includes roof waterproofing systems with reinforced bitumen, plastic and rubber flexible sheets for roof waterproofing according to EN 13707 and EN 13956.