



SLOVENSKI STANDARD
SIST ISO/IEC 13818-1:2018/Amd 1:2018
01-september-2018

Informacijska tehnologija - Splošno kodiranje gibljivih slik in pripadajočih avdio informacij - 1. del: Sistemi - Dopnilo 1: Ultra majhna zakasnitev ter podpora ločljivosti 4k in več za prenos videa JPEG 2000

Ultra-low latency and 4k and higher resolution support for transport of JPEG 2000 video

iTeh STANDARD PREVIEW

Support de résolution 4k et supérieure et latence ultrafaible pour le transfert de vidéos JPEG 2000

[SIST ISO/IEC 13818-1:2018/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-06a891c1ac7b/sist-iso-iec-13818-1-2018-amd-1-2018)

Ta slovenski standard je istoveten z: **ISO/IEC 13818-1:2018/Amd 1:2018**

ICS:

35.040.40	Kodiranje avdio, video, multimedijskih in hipermedijskih informacij	Coding of audio, video, multimedia and hypermedia information
-----------	---	---

SIST ISO/IEC 13818-1:2018/Amd 1:2018 en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO/IEC 13818-1:2018/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018)

<https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018>

INTERNATIONAL
STANDARD

ISO/IEC
13818-1

Sixth edition
2018-03-01
AMENDMENT 1
2018-05

**Information technology — Generic
coding of moving pictures and
associated audio information —**

**Part 1:
Systems**

**AMENDMENT 1: Ultra low latency and
4k and higher resolution support for
transport of JPEG 2000 video**

*Technologies de l'information — Codage générique des images
animées et du son associé —*

Partie 1: Systèmes

*AMENDEMENT 1: Support de résolution 4k et supérieure et latence
ultrafaible pour le transfert de vidéos JPEG 2000*



Reference number
ISO/IEC 13818-1:2018/Amd.1:2018(E)

© ISO/IEC 2018

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO/IEC 13818-1:2018/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018)
<https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by ITU-T as Rec. ITU-T H.220.0 (03/2017) and drafted in accordance with its editorial rules. It was adopted under the JTC1 PSDO procedure by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*, in collaboration with ITU-T.

A list of all parts in the ISO/IEC 13818 series can be found on the ISO website.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO/IEC 13818-1:2018/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018)

<https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018>

**INTERNATIONAL STANDARD ISO/IEC 13818-1
RECOMMENDATION ITU-T H.222.0**

**Information technology – Generic coding of moving pictures and
associated audio information – Part 1: Systems**

Amendment 1

**Ultra-low latency and 4K and higher resolution support for
transport of JPEG 2000 video**

Summary

Amendment 1 to ITU-T H.222.0 (2017) | ISO/IEC 13818-1:2017 fixes interoperability issues in the transport of JPEG 2000 Part 1 (Rec. ITU-T T.800 | ISO/IEC 15444-1) by removing references to Rec. ITU-T T.800 | ISO/IEC 15444-1 Annex M and updating the definition of the elementary stream header to make it self-contained in ISO/IEC 13818-1 Annex S. It further adds support for JPEG 2000 Ultra-Low Latency (ULL) encoding and transport of professional video, audio and data over Internet Protocol networks, by specifying the use of horizontal, independent JPEG 2000 stripes. Finally, it supports higher resolutions (4K or higher) of JPEG 2000 video images by adding a new block mode. This new mode allows implementers to divide a given frame into blocks.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T H.222.0	1995-07-10	16	11.1002/1000/1071
1.1	ITU-T H.222.0 (1995) Amd. 1	1996-11-11	16	11.1002/1000/3834
1.2	ITU-T H.222.0 (1995) Amd. 2	1996-11-11	16	11.1002/1000/4096
1.3	ITU-T H.222.0 (1995) Technical Cor. 1	1998-02-06	16	11.1002/1000/4532
1.4	ITU-T H.222.0 (1995) Amd. 3	1998-02-06	16	11.1002/1000/4228
1.5	ITU-T H.222.0 (1995) Amd. 4	1998-02-06	16	11.1002/1000/4229
1.6	ITU-T H.222.0 (1995) Amd. 5	1999-05-27	16	11.1002/1000/4498
1.7	ITU-T H.222.0 (1995) Amd. 6	1999-05-27	16	11.1002/1000/4671
2.0	ITU-T H.222.0	2000-02-17	16	11.1002/1000/5142
2.1	ITU-T H.222.0 (2000) Technical Cor. 1	2001-03-01	16	11.1002/1000/5419
2.2	ITU-T H.222.0 (2000) Technical Cor. 2	2002-03-29	16	11.1002/1000/5675
2.3	ITU-T H.222.0 (2000) Amd. 1	2002-12-14	16	11.1002/1000/6190
2.4	ITU-T H.222.0 (2000) Amd. 1/Cor. 1	2003-06-29	16	11.1002/1000/6449
2.5	ITU-T H.222.0 (2000) Amd. 2	2003-06-29	16	11.1002/1000/6363
2.6	ITU-T H.222.0 (2000) Amd. 3	2004-03-15	16	11.1002/1000/7208
2.7	ITU-T H.222.0 (2000) Technical Cor. 3	2005-01-08	16	11.1002/1000/7435
2.8	ITU-T H.222.0 (2000) Amd. 4	2005-01-08	16	11.1002/1000/7436
2.9	ITU-T H.222.0 (2000) Amd. 5	2005-01-08	16	11.1002/1000/7437
2.10	ITU-T H.222.0 (2000) Technical Cor. 4	2005-09-13	16	11.1002/1000/8560
3.0	ITU-T H.222.0	2006-05-29	16	11.1002/1000/8802
3.1	ITU-T H.222.0 (2006) Amd. 1	2007-01-13	16	11.1002/1000/9024
3.2	ITU-T H.222.0 (2006) Amd. 2	2007-08-29	16	11.1002/1000/9214

* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

ISO/IEC 13818-1:2018/Amd.1:2018(E)

3.3	ITU-T H.222.0 (2006) Cor. 1	2008-06-13	16	11.1002/1000/9471
3.4	ITU-T H.222.0 (2006) Cor. 2	2009-03-16	16	11.1002/1000/9692
3.5	ITU-T H.222.0 (2006) Amd. 3	2009-03-16	16	11.1002/1000/9691
3.6	ITU-T H.222.0 (2006) Cor. 3	2009-12-14	16	11.1002/1000/10621
3.7	ITU-T H.222.0 (2006) Cor. 4	2009-12-14	16	11.1002/1000/10622
3.8	ITU-T H.222.0 (2006) Amd. 4	2009-12-14	16	11.1002/1000/10623
3.9	ITU-T H.222.0 (2006) Amd. 5	2011-05-14	16	11.1002/1000/11287
3.10	ITU-T H.222.0 (2006) Amd. 6	2011-05-14	16	11.1002/1000/11288
4.0	ITU-T H.222.0	2012-06-29	16	11.1002/1000/11655
4.1	ITU-T H.222.0 (2012) Amd. 1	2014-01-13	16	11.1002/1000/12054
4.2	ITU-T H.222.0 (2012) Amd. 2	2014-01-13	16	11.1002/1000/12055
4.3	ITU-T H.222.0 (2012) Amd. 3	2014-01-13	16	11.1002/1000/12056
4.4	ITU-T H.222.0 (2012) Amd. 4	2014-01-13	16	11.1002/1000/12057
4.5	ITU-T H.222.0 (2012) Amd. 5	2014-10-14	16	11.1002/1000/12306
5.0	ITU-T H.222.0	2014-10-14	16	11.1002/1000/12359
5.1	ITU-T H.222.0 (2014) Amd. 1	2015-04-29	16	11.1002/1000/12452
5.2	ITU-T H.222.0 (2014) Amd. 1 Cor. 1	2015-11-29	16	11.1002/1000/12625
5.3	ITU-T H.222.0 (2014) Amd. 2	2015-12-14	16	11.1002/1000/12632
5.4	ITU-T H.222.0 (2014) Amd. 3	2015-12-14	16	11.1002/1000/12633
5.5	ITU-T H.222.0 (2014) Amd. 1 Cor. 2	2016-07-14	16	11.1002/1000/12899
5.5	ITU-T H.222.0 (2014) Cor. 1	2016-07-14	16	11.1002/1000/12903
5.7	ITU-T H.222.0 (2014) Amd. 4	2016-07-14	16	11.1002/1000/12900
5.8	ITU-T H.222.0 (2014) Amd. 5	2016-07-14	16	11.1002/1000/12901
5.9	ITU-T H.222.0 (2014) Amd. 6	2016-07-14	16	11.1002/1000/12902
5.10	ITU-T H.222.0 (2014) Amd. 3 Cor. 1	2017-03-01	16	11.1002/1000/13184
5.10	ITU-T H.222.0 (2014) Cor. 2	2017-03-01	16	11.1002/1000/13188
5.12	ITU-T H.222.0 (2014) Amd. 7	2017-03-01	16	11.1002/1000/13186
5.13	ITU-T H.222.0 (2014) Amd. 8	2017-03-01	16	11.1002/1000/13187
6.0	ITU-T H.222.0	2017-03-01	16	11.1002/1000/13269
6.0	ITU-T H.222.0 (2017) Amd. 1	2017-12-14	16	11.1002/1000/13431

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2018

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

ISO/IEC 13818-1:2018/Amd.1:2018(E)**CONTENTS**

	<i>Page</i>
1) Clause 2.1.69	1
2) New clauses 2.1.70, 2.1.71, 2.1.73, 2.1.74	1
3) Clause 2.6.80	1
4) Clause 2.6.81	2
5) Annex S, clause S.2	5
6) Annex S, new clauses S.3 and S.4	5
7) Annex S, new clause S.5	6
8) Annex S, clause S.6	9
9) Annex S, clause S.8.1	9
10) Annex S, Table S.2	10

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO/IEC 13818-1:2018/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018)
<https://standards.iteh.ai/catalog/standards/sist/9a08aae9-eb09-4635-a536-08a891c1ac9b/sist-iso-iec-13818-1-2018-amd-1-2018>

INTERNATIONAL STANDARD
ITU-T RECOMMENDATIONInformation technology – Generic coding of moving pictures and
associated audio information – Part 1: Systems

Amendment 1

Ultra-low latency and 4K and higher resolution support for
transport of JPEG 2000 video

1) Clause 2.1.69

Replace 2.1.69 with the following:

2.1.69 JPEG 2000 (J2K) video access unit: The JPEG 2000 codestream or codestreams comprising a decodable and randomly accessible (portion of) image, preceded by all the parameters required to decode the access unit and display the decoded data.

2) New clauses 2.1.70, 2.1.71, 2.1.73, 2.1.74

Add new 2.1.70, 2.1.71, 2.1.73, 2.1.74 and update other subclause numbering accordingly:

2.1.70 J2K block: The JPEG 2000 codestream or codestreams corresponding to a rectangular portion of a video frame, as detailed in S.3.

NOTE – Usage of J2K blocks requires J2K block mode (defined in 2.1.71) to be enabled in the J2K video descriptor. Such usage facilitates the support of 4k and higher resolutions.

2.1.71 J2K block mode: Optional mode defined in S.3, dividing each frame of a J2K video stream in a certain amount of rectangular blocks, each encoded as an independent J2K block (defined in 2.1.70).

2.1.73 J2K stripe: The JPEG 2000 codestream or codestreams comprising a decodable horizontally divided portion of an image, as detailed in S.4.

NOTE – Usage of J2K stripes requires J2K stripe mode (defined in 2.1.74) to be enabled in the J2K video descriptor. Such usage enables transport of a J2K video stream with a low end-to-end latency.

2.1.74 J2K stripe mode: Optional mode defined in S.4, dividing the (portion of) image transported in a J2K video access unit in a succession of horizontal stripes, each encoded as an independent J2K stripe (defined in 2.1.73).

3) Clause 2.6.80

Replace Table 2-99 with the following:

Table 2-99 – J2K video descriptor

Syntax	No. of bits	Mnemonic
J2K_video_descriptor() {		
descriptor_tag	8	uimsbf
descriptor_length	8	uimsbf
extended_capability_flag	1	bslbf
profile_and_level	15	bslbf
horizontal_size	32	uimsbf
vertical_size	32	uimsbf
max_bit_rate	32	uimsbf
max_buffer_size	32	uimsbf
DEN_frame_rate	16	bslbf
NUM_frame_rate	16	bslbf
if (extended_capability_flag == '1') {		