

DRAFT AMENDMENT ISO 7010:2011/DAM 243

ISO/TC 145/SC 2

Secretariat: DIN

Voting begins on:
2018-06-22

Voting terminates on:
2018-09-14

Graphical symbols — Safety colours and safety signs — Registered safety signs

AMENDMENT 243: Safety sign E030: Emergency exit for people unable to walk or with walking impairment (right)

Symboles graphiques — Couleurs de sécurité et signaux de sécurité — Signaux de sécurité enregistrés

*AMENDEMENT 243: Signal de sécurité E030 : Sortie de secours pour les personnes incapables de marcher
ou ayant une déficience de la marche (à droite)*

ICS: 01.080.20; 01.080.10

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[ISO 7010:2011/DAMd 243](#)

<https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-f073adde64d5/iso-7010-2011-damd-243>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number
ISO 7010:2011/DAM 243:2018(E)

© ISO 2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7010:2011/DAmD 243

<https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-f073adde64d5/iso-7010-2011-damd-243>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identification, signs, shapes, symbols and colours*.

ISO 7010:2011/DAmD 243
<https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-f073adde64d5/iso-7010-2011-damd-243>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 7010:2011/DAmD 243](https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-f073adde64d5/iso-7010-2011-damd-243)

<https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-f073adde64d5/iso-7010-2011-damd-243>

Graphical symbols — Safety colours and safety signs — Registered safety signs

AMENDMENT 243: Safety sign E030: Emergency exit for people unable to walk or with walking impairment (right)

IMPORTANT — The colours represented in the electronic file of this International Standard can be neither viewed on screen nor printed as true representations. For the purposes of colour matching, see ISO 3864-4 which provides colorimetric and photometric properties together with, as a guideline, references from colour order systems.


Add safety sign E030 to the alphabetical summary in Table 1 and to category E in Tables 2 and 3 as follows:

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 7010:2011/DAMd 243](https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-f073adde64d5/iso-7010-2011-damd-243)

<https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-f073adde64d5/iso-7010-2011-damd-243>

Safety sign E030: Emergency exit for people unable to walk or with walking impairment (right)

	<p>Reference No. ISO 7010-E030</p>
	<p>Referent Emergency exit for people unable to walk or with walking impairment (right).</p>
	<p>Function To indicate an escape route to a place of safety intended for people unable to walk or with walking impairment.</p>
	<p>Image content Human figure in wheelchair (right-hand profile), which drives through a door frame (right).</p>
<p>Hazard Not being able to locate an escape route to a place of safety, which is intended for the evacuation of people unable to walk or with walking impairment.</p>	
<p>Human behaviour that is intended to be caused after understanding the safety sign's meaning Being aware of the location of an escape route to a place of safety, which can be used by people unable to walk or with walking impairment.</p>	
<p>Additional information https://standards.iteh.ai/catalog/standards/sist/4a784edf-d9e0-4993-a9ec-1073adde64d5/iso-7010-2011-damd-243 Test data obtained according to ISO 9186-1:2014 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training. Supplementary arrow sign (type D of ISO 3864-3) in white on green to be used to give directional information.</p>	