



**SLOVENSKI STANDARD**  
**SIST EN IEC 60068-2-86:2024**

**01-junij-2024**

---

**Okoljsko preskušanje - 2-86. del: Preskusi - Preskus Fx: Vibracije - Metoda z večkratnim vzbujanjem in več osmi (IEC 60068-2-86:2024)**

Environmental testing - Part 2-86: Tests -Test Fx: Vibration - Multi-exciter and multi-axis method (IEC 60068-2-86:2024)

Umgebungseinflüsse – Teil 2-86: Prüfverfahren – Prüfung Fx und Leitfaden: Mehrfach-Anregung, Multi-Achsen-Schock und Schwingung (IEC 60068-2-86:2024)

Essais d'environnement - Partie 2-86: Essais - Essai fx: Méthode par excitateurs multiples et axes multiples - Chocs et vibrations - Essais et recommandations (IEC 60068-2-86:2024)

**Ta slovenski standard je istoveten z: IEC EN IEC 60068-2-86:2024**

<https://standards.iteh.ai/catalog/standards/sist/5ee214ca-dc98-4dc2-bbd0-cd2243f406fc/sist-en-iec-60068-2-86-2024>

---

**ICS:**

|        |                               |                       |
|--------|-------------------------------|-----------------------|
| 19.040 | Preskušanje v zvezi z okoljem | Environmental testing |
|--------|-------------------------------|-----------------------|

**SIST EN IEC 60068-2-86:2024**                      **en**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN IEC 60068-2-86**

March 2024

ICS 19.040

English Version

**Environmental testing - Part 2-86: Tests - Test Fx: Vibration -  
Multi-exciter and multi-axis method  
(IEC 60068-2-86:2024)**

Essais d'environnement - Partie 2-86: Essais - Essai Fx:  
Vibrations - Méthode par excitateurs multiples et axes  
multiples  
(IEC 60068-2-86:2024)

Umgebungseinflüsse - Teil 2-86: Prüfverfahren - Prüfung  
Fx: Vibration - Multi-Erreger- und Mehrachsenverfahren  
(IEC 60068-2-86:2024)

This European Standard was approved by CENELEC on 2024-03-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

[SIST EN IEC 60068-2-86:2024](https://standards.iteh.ai/catalog/standards/sist/5ee214ca-dc98-4dc2-bbd0-cd2243f406fc/sist-en-iec-60068-2-86-2024)

<https://standards.iteh.ai/catalog/standards/sist/5ee214ca-dc98-4dc2-bbd0-cd2243f406fc/sist-en-iec-60068-2-86-2024>



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## EN IEC 60068-2-86:2024 (E)

### European foreword

The text of document 104/1035/FDIS, future edition 1 of IEC 60068-2-86, prepared by IEC/TC 104 "Environmental conditions, classification and methods of test" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60068-2-86:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-12-21
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2027-03-21

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

### Endorsement notice

The text of the International Standard IEC 60068-2-86:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60068-2-47 NOTE Approved as EN 60068-2-47

IEC 60721 (series) NOTE Approved as EN 60721 (series)

ISO/IEC 17025 NOTE Approved as EN ISO/IEC 17025

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cencenelec.eu](http://www.cencenelec.eu).

| <u>Publication</u> | <u>Year</u> | <u>Title</u>  | <u>EN/HD</u>      | <u>Year</u> |
|--------------------|-------------|---|-------------------|-------------|
| IEC 60068-1        | -           | Environmental testing - Part 1: General and guidance  | EN 60068-1        | -           |
| IEC 60068-2-6      | -           | Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)                         | EN 60068-2-6      | -           |
| IEC 60068-2-27     | -           | Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock                            | EN 60068-2-27     | -           |
| IEC 60068-2-57     | -           | Environmental testing - Part 2-57: Tests - Test Ff: Vibration - Time-history and sine-beat method | EN 60068-2-57     | -           |
| IEC 60068-2-64     | -           | Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance      | EN 60068-2-64     | -           |
| IEC 60068-2-80     | -           | Environmental testing - Part 2-80: Tests - Test Fi: Vibration - Mixed mode                        | EN 60068-2-80     | -           |
| IEC 60068-2-85     | -           | Environmental testing - Part 2-85: Tests - Test Fj: Vibration - Long time history replication     | EN IEC 60068-2-85 | -           |
| ISO 2041           | -           | Mechanical vibration, shock and condition monitoring - Vocabulary                                 | -                 | -           |





IEC 60068-2-86

Edition 1.0 2024-02

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Environmental testing –  
Part 2-86: Tests – Test Fx: Vibration – Multi-exciter and multi-axis method**

**Essais d'environnement –  
Partie 2-86: Essais – Essai Fx: Vibrations – Méthode par excitateurs multiples et  
axes multiples**

[SIST EN IEC 60068-2-86:2024](https://standards.iteh.ai/catalog/standards/sist/5ee214ca-dc98-4dc2-bbd0-cd2243f406fc/sist-en-iec-60068-2-86-2024)

<https://standards.iteh.ai/catalog/standards/sist/5ee214ca-dc98-4dc2-bbd0-cd2243f406fc/sist-en-iec-60068-2-86-2024>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 19.040

ISBN 978-2-8322-8242-7

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|  |    |
|--|----|
| FOREWORD .....   | 4  |
| 1 Scope .....  | 6  |
| 2 Normative references .....   | 7  |
| 3 Terms and definitions .....  | 8  |
| 4 Background .....   | 9  |
| 4.1 General.....   | 9  |
| 4.2 Multi-axis and/or multi-exciter testing to achieve an improved distribution of dynamic responses ..... | 9  |
| 4.3 Multi-exciter testing for large equipment.....   | 10 |
| 4.4 Multi-axis testing for reliability growth .....  | 10 |
| 4.5 Multi-axis testing to reduce test durations .....  | 10 |
| 5 Test apparatus and control strategy.....   | 11 |
| 6 Test severities and tolerances .....   | 11 |
| 6.1 Test severities .....  | 11 |
| 6.2 Tolerances.....  | 11 |
| 6.3 Excitations outside the specified test frequency range .....   | 11 |
| 6.4 Cross-axis motions .....   | 12 |
| 7 Mounting of specimen and installation of measurement systems.....  | 12 |
| 8 Precursor testing .....  | 13 |
| 9 Vibration response investigation .....   | 13 |
| 10 Pre-conditioning .....  | 13 |
| 11 Initial measurement and functional performance test .....   | 14 |
| 12 Low level excitation for equalisation prior to testing .....  | 14 |
| 13 Testing .....   | 14 |
| 14 Intermediate measurement and functional performance .....   | 14 |
| 15 Recovery .....  | 14 |
| 16 Final measurement and functional performance and vibration response investigation .....                 | 15 |
| 17 Test verification .....   | 15 |
| 18 Information to be specified in the relevant specification .....   | 15 |
| 19 Information to be given in the test report.....   | 16 |
| Annex A (informative) Guidance on multi-axis and multi-exciter test control systems .....                  | 18 |
| A.1 General.....   | 18 |
| A.2 Multi-exciter control strategies .....   | 18 |
| A.3 Determined and over determined control strategies .....  | 19 |
| A.4 Quantifying the inter-relationship between exciters for vibration testing .....                        | 20 |
| A.5 Quantifying the inter-relationship between exciters for time history replication testing.....          | 21 |
| Annex B (informative) Additional testing guidance .....  | 23 |
| B.1 Fixing, monitor, control and reference points.....   | 23 |
| B.2 Control equalisation .....   | 23 |
| B.3 Cross-axis motion, signal distortion and out of test frequency range responses .....                   | 24 |
| B.4 Precursor testing .....  | 25 |
| B.5 Vibration response investigation .....   | 25 |



|                       |   |    |
|-----------------------|---|----|
| B.6                   | Temperature conditioning and stabilization .....  | 25 |
| B.7                   | Performance evaluation .....  | 26 |
| B.8                   | Verification of test procedure .....  | 26 |
| Annex C (informative) | Guidance on the application of multi-axis / multi-vibrator tests .....                          | 28 |
| C.1                   | General.....  | 28 |
| C.2                   | Advice on using multi-exciter systems for the testing of large specimens .....                  | 28 |
| C.2.1                 | General .....   | 28 |
| C.2.2                 | Data measurements.....  | 28 |
| C.2.3                 | Multi-exciter test fixture .....  | 28 |
| C.2.4                 | Test control .....  | 29 |
| C.2.5                 | Testing .....   | 29 |
| C.3                   | Advice on using multi-axis systems for multi-degree of freedom testing .....                    | 29 |
| C.3.1                 | General .....   | 29 |
| C.3.2                 | Data measurements.....  | 30 |
| C.3.3                 | Multi-exciter test fixture .....  | 30 |
| C.3.4                 | Test control .....  | 30 |
| C.3.5                 | Testing .....   | 30 |
| C.4                   | Advice on using multiple shakers attached directly to the specimen via flexible couplings ..... | 31 |
| C.4.1                 | General .....   | 31 |
| C.4.2                 | Data measurements.....  | 31 |
| C.4.3                 | Multi-exciter test fixture .....  | 32 |
| C.4.4                 | Test control .....  | 33 |
| C.4.5                 | Interrelationship in testing.....   | 34 |
| Annex D (informative) | Guidance on the use of measured data for multi-axis/multi-vibrator tests.....                   | 35 |
| D.1                   | General.....  | 35 |
| D.2                   | Use of measured data to derive test severities.....   | 35 |
| Annex E (informative) | Guidance on the selection of test tolerances .....  | 37 |
| E.1                   | General.....  | 37 |
| E.2                   | Test tolerances associated with measured data .....   | 37 |
| E.3                   | Test tolerances applicable to different parameters .....  | 37 |
| Bibliography.....     |   | 39 |
| Figure A.1            | – Power Spectral Density (PSD) and Cross-Spectral Density (CSD) for a two exciter system .....  | 20 |
| Figure A.2            | – Power Spectral Density (PSD) and Cross-Spectral Density (CSD) for a six exciter system.....   | 20 |
| Figure C.1            | – Examples of spherical bearings .....  | 33 |
| Table E.1             | – Test tolerances applicable to different parameters .....                                      | 38 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## ENVIRONMENTAL TESTING –

**Part 2-86: Tests – Test Fx: Vibration –  
Multi-exciter and multi-axis method**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60068-2-86 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test. It is an International Standard.

The text of this International Standard is based on the following documents:

| Draft         | Report on voting |
|---------------|------------------|
| 104/1035/FDIS | 104/1043/RVD     |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 60068 series, published under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## iTeh Standards (<https://standards.iteh.ai>) Document Preview

[SIST EN IEC 60068-2-86:2024](https://standards.iteh.ai/catalog/standards/sist/5ee214ca-dc98-4dc2-bbd0-cd2243f406fc/sist-en-iec-60068-2-86-2024)

<https://standards.iteh.ai/catalog/standards/sist/5ee214ca-dc98-4dc2-bbd0-cd2243f406fc/sist-en-iec-60068-2-86-2024>

## ENVIRONMENTAL TESTING –

### Part 2-86: Tests – Test Fx: Vibration – Multi-exciter and multi-axis method

#### 1 Scope

This document provides a test procedure for use with multi-exciter and multi-axis vibration test systems. The vibration test is intended for general application to components, equipment, and other products, hereinafter referred to as "specimens", subjected to dynamic environments that could arise during an equipment life cycle. Although this document is mainly intended for vibration testing, the procedure is also applied to certain types of shock and transient tests.

The test procedure set out in this document is applicable where a specimen is required to demonstrate its adequacy to resist specified vibration, shock and transient conditions, without unacceptable degradation of functional or structural performance. The test procedure has significant similarity to test procedures of other IEC 60068-2 documents and encompasses the same range of vibration and shock excitation types.

This document is applicable to specimens subjected to vibration, shock and transient conditions resulting from transportation and/or operational environments, for example in aircraft, space vehicles and land vehicles. It is primarily intended for unpackaged specimens. It is applicable to specimens in their transportation container when the latter are considered as part of the specimen itself.

The test method and associated techniques addressed within this document are primarily intended for use with multiple electrodynamic or servo-hydraulic vibration generators along with an associated computer-based digital control system to control of the specimen excitations.

This document encompasses two testing approaches, commonly referred to as multi-exciter single-axis (MESA), and multi-exciter multi-axis (MEMA). These are:

- a) Utilising fixed base shakers either in a single axis or a selected combination of fixed X, Y, Z configurations, also allowing for rotations dependent upon fixture coupling design.
- b) Utilising multiple shakers attached directly to the specimen via flexible couplings or similar methods. Here the shakers are attached at any point and in any direction on the specimen. This approach is quite similar to that used for modal testing, but using environmental test severities.

It is emphasised that MESA and MEMA testing currently requires a high degree of engineering judgement and relevant experience, and both test specifier and tester are fully aware of this fact. Generally, MESA and MEMA testing requires greater resources to set up an appropriate test, but potentially provides a more accurate outcome.

For the purpose of this document, the creator of the relevant testing specification, the test specifier, is expected to select the procedure and the values of severity appropriate to the specimen and its use. Precursor testing is included within the procedure of this document, as an option, to permit the test specifier to establish the practicality of the test specification and severities with the specimen. A separate specimen is usually provisioned for such precursor testing.