INTERNATIONAL STANDARD

Second edition 2020-01

Rice — Determination of biometric characteristics of kernels

Riz — Détermination des caractéristiques biométriques des grains

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 11746:2020</u> https://standards.iteh.ai/catalog/standards/sist/fd8e1816-54d1-4f54-b61ae21e6f6930d8/iso-11746-2020



Reference number ISO 11746:2020(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 11746:2020</u> https://standards.iteh.ai/catalog/standards/sist/fd8e1816-54d1-4f54-b61ae21e6f6930d8/iso-11746-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Page

Contents

Foreword		iv
1	Scope	
2	Normative references	
3	Terms and definitions	
4	Principle	
5	Apparatus	
6	Sampling	
7	Procedure7.1Preparation of the test sample7.2Determination	
8	Calculation and expression of results8.1Calculation8.2Determination of length/width ratio8.3Expression of results	
9	Precision 9.1 Interlaboratory test 9.2 Repeatability 9.3 Reproducibility	
10		
Ann	Test report (standards.iteh.ai) nex A (normative) Kernel measurements	
Ann	nex B (informative) Results of the interlaboratory test	
Bibli	liography	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 4, *Cereals and pulses*.

https://standards.iteh.ai/catalog/standards/sist/fd8e1816-54d1-4f54-b61a-fd8e1816-54d1-4f54-b618-fd8e1816-54d1-4f54-b618-fd8e1816-54d1-4f54-b618-fd8e1816-54d1-4f54-b618-fd8e1816-54d1-4f54-b618-fd8e18-fd88e18-fd8e18-fd8e1

This second edition cancels and replaces the fifst edition (ISO 11746:2012), which has been technically revised. It also incorporates the Amendment ISO 11746:2012/Amd 1:2017. The main changes compared with the previous edition are as follows:

- the preparation of the test sample has been modified;
- a determination of length/width ratio has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Rice — **Determination of biometric characteristics of kernels**

1 Scope

This document specifies a method for the determination of the biometric characteristics of husked or milled rice kernels.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5725-1, Accuracy (trueness and precision) of measurement methods and results — Part 1: General principles and definitions

ISO 7301, Rice — Specification

ISO 24333, Cereals and cereal products Sampling D PREVIEW

3 Terms and definitions (standards.iteh.ai)

For the purposes of this document, the terms and definitions given in ISO 5725-1, ISO 7301, ISO 24333 and the following apply://standards.iteh.ai/catalog/standards/sist/fd8e1816-54d1-4f54-b61a-

e21e6f6930d8/iso-11746-2020 ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at <u>http://www.electropedia.org/</u>

3.1

biometric characteristics

length, width and thickness of the kernel measured along the three Cartesian axes

Note 1 to entry: See <u>Figure A.1</u>.

4 Principle

Manual selection of kernels and measurement of their biometric characteristics with a micrometer.

5 Apparatus

Usual laboratory apparatus and, in particular, the following.

5.1 **Sample divider**, conical sampler or multiple-slot sampler with a distribution system.

NOTE Some sample dividers are described in ISO 24333.

5.2 Tray, or equivalent device, coloured in contrast with the colour of the rice to be evaluated.

5.3 Tweezers, of different types (metal, plastic, round tips or pointed, etc.), for easy handling of kernels.

5.4 Micrometer, or equivalent device capable of being read to the nearest 0,01 mm and which ensures that no kernel deformation occurs during measurement.

Avoidance of kernel deformation is particularly important for husked rice.

6 Sampling

Sampling is not part of the method specified in this document. A recommended sampling method is given in ISO 24333.

It is important the laboratory receives a truly representative sample that has not been damaged or changed during transport or storage.

7 Procedure

7.1 Preparation of the test sample

Mix and reduce an aggregate sample, using a sample divider (5.1). Repeat the first step of dividing at least three times. By the following steps, reduce the sample until a test sample of about 50 g is obtained.

Spread it on the tray (5.2) and, with the aid of tweezers (5.3), remove extraneous matter, immature and/or malformed kernels, and kernels in any way broken to obtain the test sample.

7.2 Determination

<u>ISO 11746:2020</u>

7.2.1 Randomly draw out two sets of 100 kernels from the test sample obtained in <u>7.1</u>.

7.2.2 While maintaining each kernel motionless in the correct orientation (see <u>Annex A</u>) with the aid of tweezers (5.3), measure the biometric characteristics of the kernels of both sets (see <u>7.2.1</u>) using the micrometer (5.4). Report the values to the nearest 0,01 mm.

7.2.3 For each biometric characteristic (length, width and thickness), calculate the arithmetic means for both sets, $(\overline{X}_1, \overline{X}_2)$, and check whether the value calculated using Formula (1) is less than or equal to 2:

$$\left| \frac{\bar{X}_1 - \bar{X}_2}{\left(\bar{X}_1 + \bar{X}_2\right)/2} \times 100 \right| \tag{1}$$

A value higher than 2 indicates that sets have not been randomly selected, in which case, return all the kernels to the test sample and repeat the procedure from <u>7.2.1</u>.

8 Calculation and expression of results

8.1 Calculation

Calculate the arithmetic means, \overline{X}_1 and \overline{X}_2 , for all the biometric characteristics, as shown by Formula (2):

$$X = \frac{\overline{X}_1 + \overline{X}_2}{2} \tag{2}$$

In the case of lengths, X = l. In the case of widths, X = b. In the case of thickness, $X = \delta$.

8.2 Determination of length/width ratio

The length/width ratio calculation is given by Formula (3):

$$l/b = \frac{\overline{l}}{\overline{b}}$$
(3)

where

- \overline{l} represents the average of the two lengths determinations;
- \overline{b} represents the average of the two widths determinations.

(standards.iteh.ai)

8.3 Expression of results

Report the mean values of the length, width, thickness and length/width ration of the kernels to the nearest 0,01 mm. e21e6f6930d8/iso-11746-2020

9 Precision

9.1 Interlaboratory test

Details of an interlaboratory test on the precision of the method are summarized in <u>Annex B</u>. It is possible that the values derived from this interlaboratory test are not applicable to other types of rice and mixtures of other varieties.

9.2 Repeatability

The absolute difference between two independent single test results, obtained using the same method on identical test material in the same laboratory by the same operator using the same equipment within a short interval of time, will, in not more than 5 % of cases, be greater than the repeatability limits:

 $r_l = 0,125 \text{ mm}$

 $r_b = 0,049 \text{ mm}$

 $r_{\delta} = 0,040 \text{ mm}$

for kernel length, width and thickness, respectively.

9.3 Reproducibility

The absolute difference between two single test results, obtained using the same method on identical test material in different laboratories with different operators using different equipment, will, in not more than 5 % of cases, be greater than the reproducibility limits:

 $R_l = 0,337 \text{ mm}$ $R_b = 0,163 \text{ mm}$ $R_\delta = 0,092 \text{ mm}$

for kernel length, width and thickness, respectively.

10 Test report

The test report shall contain at least the following information:

- a) all information necessary for the complete identification of the sample;
- b) the sampling method used, if known;
- c) the test method used, with reference to this document, i.e. ISO 11746;
- d) all operating details not specified in this document, or regarded as optional, together with details of any incidents that may have influenced the test result(s); **REVIEW**
- e) the test result(s) obtained;

(standards.iteh.ai)


f) if the repeatability has been checked, the final quoted result obtained;

ISO 11746:2020

g) the date of the test. https://standards.iteh.ai/catalog/standards/sist/fd8e1816-54d1-4f54-b61ae21e6f6930d8/iso-11746-2020

Annex A (normative)

Kernel measurements



Кеу

- b width
- *l* length
- δ thickness

<u>ISO 11746:2020</u> https://standards.iteh.ai/catalog/standards/sist/fd8e1816-54d1-4f54-b61ae21e6f6930d8/iso-11746-2020

Figure A.1 — Kernel measurements