



SLOVENSKI STANDARD
SIST EN IEC 61158-5-27:2023

01-november-2023

**Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 5-27. del:
Definicija opravil na aplikacijski ravni - Elementi tipa 27 (IEC 61158-5-27:2023)**

Industrial communication networks - Fieldbus specifications - Part 5-27: Application layer service definition - Type 27 elements (IEC 61158-5-27:2023)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-27: Application layer service definition (Anwendungsschicht) - Type 27-Elemente (IEC 61158-5-27:2023)

Réseau de communication industriels - Spécifications des bus de terrain - Partie 5-27: Définition des services de la couche application - Eléments de type 27 (IEC 61158-5-27:2023)

Ta slovenski standard je istoveten z: IEC EN IEC 61158-5-27:2023

<https://standards.iteh.ai/catalog/standards/sist/0f779387-1fdb-45e9-ac4a-eda795dca299/sist-en-iec-61158-5-27-2023>

ICS:

| | | |
|-----------|--|--|
| 25.040.40 | Merjenje in krmiljenje industrijskih postopkov | Industrial process measurement and control |
| 35.100.70 | Uporabniški sloj | Application layer |
| 35.110 | Omreževanje | Networking |

SIST EN IEC 61158-5-27:2023

en,fr,de

**EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM**

EN IEC 61158-5-27

April 2023

ICS 25.040

English Version

**Industrial communication networks - Fieldbus specifications -
Part 5-27: Application layer service definition - Type 27 elements
(IEC 61158-5-27:2023)**

Réseau de communication industriels - Spécifications des
bus de terrain - Partie 5-27: Définition des services de la
couche application - Eléments de type 27
(IEC 61158-5-27:2023)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-27:
Application layer service definition (Anwendungsschicht) -
Type 27-Elemente
(IEC 61158-5-27:2023)

This European Standard was approved by CENELEC on 2023-04-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.
[\(https://standards.iteh.ai\)](https://standards.iteh.ai)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

[SIST EN IEC 61158-5-27:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/0f779387-1fdb-45e9-ac4a-eda795dca299/sist-en-iec-61158-5-27-2023>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61158-5-27:2023 (E)**European foreword**

The text of document 65C/1205/FDIS, future edition 1 of IEC 61158-5-27, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-5-27:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-01-11 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2026-04-11 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice**iTeh Standards**

The text of the International Standard IEC 61158-5-27:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 61158-2 NOTE Approved as EN 61158-2

<https://sist-en-iec-61158-5-27-2023.sist-en-iec-61158-5-27-2023.c4a-eda795dca299/sist-en-iec-61158-5-27-2023>

IEC 61784-1 (series) NOTE Approved as EN IEC 61784-1 (series)¹

IEC 61784-2 (series) NOTE Approved as EN IEC 61784-2 (series)²

¹ To be published. Stage at the time of publication: FprEN IEC 61784-1-X:2023.

² To be published. Stage at the time of publication: FprEN IEC 61784-2-X:2023.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|-------------------|-------------|
| IEC 61158-1 | 2023 | Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series | EN IEC 61158-1 | 2023 |
| IEC 61158-6-27 | 2023 | Industrial communication networks - Fieldbus Specifications Part 6-27: Application layer protocol specification - Type 27 elements | EN IEC 61158-6-27 | 2023 |
| ISO/IEC 7498-1 | - | Information technology - Open Systems Interconnection - Basic reference model: The basic model | - | - |
| ISO/IEC 8824-1 | - | Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation | - | - |
| ISO/IEC 9545 | - | Information technology - Open Systems Interconnection - Application layer structure | - | - |
| ISO/IEC 10731 | - | Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services | - | - |
| IEEE Std 802 | 2014 | IEEE Standard for Local and metropolitan area networks: Overview and Architecture | - | - |
| IEEE Std 802.1AS | - | IEEE standard for Local and metropolitan area networks - Timing and Synchronization for Time-Sensitive Applications | - | - |



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 5-27: Application layer service definition – Type 27 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 5-27: Définition des services de la couche application –
Éléments de type 27**

SIST EN IEC 61158-5-27:2023

<https://standards.iteh.ai/catalog/standards/sist/0f779387-1fdb-45e9-ac4a-eda795dca299/sist-en-iec-61158-5-27-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040

ISBN 978-2-8322-6582-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

| | |
|--|-----|
| FOREWORD | 6 |
| INTRODUCTION | 8 |
| 1 Scope | 9 |
| 1.1 General | 9 |
| 1.2 Specifications | 10 |
| 1.3 Conformance | 10 |
| 2 Normative references | 10 |
| 3 Terms, definitions, symbols, abbreviated terms and conventions | 11 |
| 3.1 Referenced terms and definitions | 11 |
| 3.1.1 ISO/IEC 7498-1 terms | 11 |
| 3.1.2 ISO/IEC 9545 terms | 11 |
| 3.1.3 ISO/IEC 8824-1 terms | 11 |
| 3.1.4 Terms and definitions from ISO/IEC 10731 | 12 |
| 3.2 Additional terms and definitions | 12 |
| 3.3 Abbreviations and symbols | 17 |
| 3.4 Conventions | 18 |
| 3.4.1 Overview | 18 |
| 3.4.2 Conventions for class definitions | 19 |
| 3.4.3 Conventions for service definitions | 20 |
| 4 Concepts | 21 |
| 4.1 Common concepts | 21 |
| 4.2 Type specific concepts | 21 |
| 4.2.1 General | 21 |
| 4.2.2 Node type | 21 |
| 4.2.3 Basic system configuration | 22 |
| 4.2.4 Communication sequence overview | 22 |
| 4.2.5 Network initialization | 24 |
| 4.2.6 Multi control domain system | 24 |
| 4.2.7 Multiple transmission cycles | 24 |
| 4.2.8 Sync master switching | 24 |
| 4.2.9 TSN | 24 |
| 5 Data type ASE | 24 |
| 6 Communication model specifications | 25 |
| 6.1 Type specific concepts | 25 |
| 6.2 Overview | 25 |
| 6.3 FAL ASEs | 27 |
| 6.3.1 FSM ASE | 27 |
| 6.3.2 Field Device Control ASE | 60 |
| 6.3.3 Message ASE | 89 |
| 6.3.4 Event Management ASE | 103 |
| 6.4 FAL Ars | 107 |
| 6.4.1 AR model | 107 |
| 6.4.2 FSM AREP | 111 |
| 6.4.3 FDC AREP | 121 |
| 6.4.4 MSG AREP | 133 |
| Bibliography | 140 |

| | |
|---|-----|
| Figure 1 – Transmission cycle with concurrent I/O data exchange | 22 |
| Figure 2 – Transmission cycle with sequential I/O data exchange | 23 |
| Figure 3 – Control domain transmission band | 23 |
| Figure 4 – FAL ASE model of Type 27 | 27 |
| Figure 5 – CDO (Communication Data Object)..... | 30 |
| Figure 6 – AR model for field device control service..... | 110 |
| Figure 7 – AR model for message service | 110 |
| Figure 8 – MSG ARs between each APs | 111 |

| | |
|--|----|
| Table 1 – AP type definition | 26 |
| Table 2 – Support list of service for each class of FSM ASE | 29 |
| Table 3 – Overall structure of CDO | 31 |
| Table 4 – Node object categories..... | 31 |
| Table 5 – Module object category | 31 |
| Table 6 – List of node objects (object information) | 32 |
| Table 7 – List of node objects (object status) | 33 |
| Table 8 – List of node objects (control) | 34 |
| Table 9 – List of node objects (configuration)..... | 34 |
| Table 10 – List of module objects (configuration)..... | 41 |
| Table 11 – FSM-Reset | 43 |
| Table 12 – FSM-GetStatus..... | 43 |
| Table 13 – FSM-SetContext | 44 |
| Table 14 – FSM-GetContext..... | 45 |
| Table 15 – FSM-GetTopology | 46 |
| Table 16 – FSM-InformTopology | 47 |
| Table 17 – FSM-ChangeAddress | 48 |
| Table 18 – FSM-Start..... | 49 |
| Table 19 – FSMUL-RESET | 51 |
| Table 20 – FSMUL-SET-VALUE | 51 |
| Table 21 – FSMUL-GET-VALUE | 52 |
| Table 22 – FSMUL-START-NET | 53 |
| Table 23 – FSMUL-DETECT | 54 |
| Table 24 – FSMUL-RECOG | 55 |
| Table 25 – FSUMUL-SW-TRANS-MODE | 55 |
| Table 26 – FSMUL-MEAS-DELAY | 56 |
| Table 27 – FSMUL-SW-EVD | 57 |
| Table 28 – FSMUL-CONFIG | 58 |
| Table 29 – FSMUL-START-SYNC | 59 |
| Table 30 – FSMUL-CLR-ERR..... | 59 |
| Table 31 – FSMUL-EVENT | 60 |
| Table 32 – FSMUL error event primitive and parameters..... | 60 |
| Table 33 – Support list of service for each class of FDC ASE | 61 |

| | |
|---|-----|
| Table 34 – FDC-Reset for master class | 64 |
| Table 35 – FDC-Open for master class | 65 |
| Table 36 – FDC-Enable for master class | 66 |
| Table 37 – FDC-Connect for master class | 66 |
| Table 38 – FDC-SyncSet for master class | 67 |
| Table 39 – FDC-Disconnect for master class | 68 |
| Table 40 – FDC-ResumeCycle for master class | 69 |
| Table 41 – FDC-ComCycle for master class | 69 |
| Table 42 – FDC-Command for master class | 70 |
| Table 43 – FDC-DataExchange for master class | 71 |
| Table 44 – FDC-Reset for slave class | 75 |
| Table 45 – FDC-Open for slave class | 75 |
| Table 46 – FDC-Enable for slave class | 76 |
| Table 47 – FDC-Connect for slave class | 77 |
| Table 48 – FDC-SyncSet for slave class | 78 |
| Table 49 – FDC-Disconnect for slave class | 80 |
| Table 50 – FDC-ResumeCycle for slave class | 80 |
| Table 51 – FDC-ComCycle for slave class | 81 |
| Table 52 – FDC-Command for slave class | 81 |
| Table 53 – FDC-DataExchange for slave class | 83 |
| Table 54 – CTC-WRITE-DATA | 85 |
| Table 55 – CTC-READ-DATA | 86 |
| Table 56 – CTC-SDA | 87 |
| Table 57 – CTC-SDN | 88 |
| Table 58 – CTC-EVENT | 89 |
| Table 59 – Values of Event_ID for event service | 89 |
| Table 60 – Support list of service for each class of Message ASE | 90 |
| Table 61 – MSG-Reset for requester class | 91 |
| Table 62 – MSG-Open for requester class | 92 |
| Table 63 – MSG-Enable for requester class | 93 |
| Table 64 – MSG-UserMessage for requester class | 93 |
| Table 65 – MSG-OnewayMessage for requester class | 95 |
| Table 66 – MSG-AbortTransaction for requester class | 97 |
| Table 67 – MSG-Reset for responder class | 98 |
| Table 68 – MSG-Open for responder class | 99 |
| Table 69 – MSG-Enable for responder class | 99 |
| Table 70 – MSG-UserMessage for responder class | 100 |
| Table 71 – MSG-OnewayMessage for responder class | 102 |
| Table 72 – MSG-AbortTransaction for responder class | 103 |
| Table 73 – Support list of service for each class of Event Management ASE | 104 |
| Table 74 – EVM-Reset | 105 |
| Table 75 – EVM-Enable | 105 |
| Table 76 – EVM-SyncEvent | 106 |

| | |
|--|-----|
| Table 77 – EVM-ReadNetClock..... | 106 |
| Table 78 – Support list of service for each class of AR ASE..... | 108 |
| Table 79 – AR-Reset for FSM AR class | 113 |
| Table 80 – AR-Open for FSM AR class | 113 |
| Table 81 – AR-Enable for FSM AR class | 114 |
| Table 82 – AR-SendSync for FSM AR class | 115 |
| Table 83 – AR-SendToken for FSM AR class | 116 |
| Table 84 – AR-ReqSend for FSM AR class | 117 |
| Table 85 – AR-SendDelay for FSM AR class..... | 118 |
| Table 86 – AR-ReqCDO for FSM AR class | 119 |
| Table 87 – AR-WriteCDO for FSM AR class | 120 |
| Table 88 – AR-SendAsync for FSM AR class | 121 |
| Table 89 – AR-Reset for FDC Master AR class | 124 |
| Table 90 – AR-Open for FDC Master AR class..... | 124 |
| Table 91 – AR-Enable for FDC Master AR class | 125 |
| Table 92 – AR-CycleEvent for FDC Master AR class..... | 125 |
| Table 93 – AR-StartComCycle for FDC Master AR class | 126 |
| Table 94 – AR-ResetCycle for FDC Master AR class | 126 |
| Table 95 – AR-SendCommand for FDC Master AR class | 127 |
| Table 96 – AR-Reset for FDC Slave AR class | 130 |
| Table 97 – AR-Open for FDC Slave AR class..... | 130 |
| Table 98 – AR-Enable for FDC Slave AR class | 131 |
| Table 99 – AR-CycleEvent for FDC Slave AR class | 131 |
| Table 100 – AR-StartComCycle for FDC Slave AR class | 132 |
| Table 101 – AR-ResetCycle for FDC Slave AR class | 132 |
| Table 102 – AR-SendCommand for FDC Slave AR class | 133 |
| Table 103 – AR-Reset for Message AR class | 135 |
| Table 104 – AR-Open for Message AR class | 135 |
| Table 105 – AR-Enable for Message AR class | 136 |
| Table 106 – AR-SendMessage for Message AR class | 137 |
| Table 107 – AR-ReceiveMessage for Message AR class | 138 |
| Table 108 – AR-AbortMessage for Message AR class..... | 139 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 5-27: Application layer service definition –
Type 27 elements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-5-27 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|---------------|------------------|
| 65C/1205/FDIS | 65C/1234/RVD |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 61158-5-27:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/0f779387-1fdb-45e9-ac4a-eda795dca299/sist-en-iec-61158-5-27-2023>

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management can exploit.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 61158-5-27:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/0f779387-1fdb-45e9-ac4a-eda795dca299/sist-en-iec-61158-5-27-2023>