



SLOVENSKI STANDARD
oSIST prEN 17708:2023
01-maj-2023

Rastlinski biostimulanti - Priprava vzorcev za mikrobiološko analizo

Plant biostimulants - Preparation of sample for microbial analysis

Pflanzen-Biostimulanzien - Probenvorbereitung für die mikrobielle Analyse

Biostimulants des végétaux - Préparation de l'échantillon pour l'analyse microbienne

Ta slovenski standard je istoveten z: prEN 17708

<https://standards.iteh.ai/catalog/standards/sist/3619793b-9284-4386-b974-ba2b6c81fc5b/osist-pren-17708-2023>

ICS:

65.080 Gnojila Fertilizers

oSIST prEN 17708:2023 **en,fr,de**

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 17708

April 2023

ICS 65.080

Will supersede CEN/TS 17708:2022

English Version

Plant biostimulants - Preparation of sample for microbial analysis

Biostimulants des végétaux - Préparation de l'échantillon pour l'analyse microbienne

Pflanzen-Biostimulanzien - Probenvorbereitung für die mikrobielle Analyse

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 455.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
Introduction	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Principle	8
5 Diluents	8
6 Apparatus	8
7 Sampling and storage	9
8 Preparation of samples and suspensions	10
8.1 Protocol for enumeration of beneficial microorganisms	10
8.1.1 General	10
8.1.2 Liquid - water based - formulations	10
8.1.3 Liquid - oil based (emulsifiable concentrate - EC) formulations	10
8.1.4 Solid - wettable powder (WP) formulations	10
8.1.5 Solid - water dispersible granules (WDG) formulations	11
8.1.6 Solid - pellets, granules, microgranules (slow release) formulations	11
8.1.7 Solid - substrate	11
8.2 Protocol for enumeration of non-beneficial (including pathogens) microorganisms	11
8.2.1 General	11
8.2.2 Liquid - water based - formulations	11
8.2.3 Liquid - oil based (emulsifiable concentrate - EC) formulations	11
8.2.4 Solid - wettable powder (WP) formulations	11
8.2.5 Solid - water dispersible granules (WDG) formulations	12
8.2.6 Solid - pellets, granules, microgranules (slow release) formulations	12
8.2.7 Solid - substrate	12
8.3 Protocol for the determination of anaerobic plate count	12
8.3.1 General	12
8.3.2 Liquid - water based - formulations	12
8.3.3 Liquid - oil based (emulsifiable concentrate - EC) formulations	12
8.3.4 Solid - wettable powder (WP) formulations	12
8.3.5 Solid - water dispersible granules (WDG) formulations	12
8.3.6 Solid - pellets, granules, microgranules (slow release) formulations	12
8.3.7 Solid - substrate	12
8.4 Protocol for the detection of pathogenic microorganisms	13
8.4.1 General	13
8.4.2 Liquid formulations	13
8.4.3 Solid formulations	13
8.5 Further dilutions	13
8.5.1 Decimal dilution series	13
8.5.2 Other dilutions series	13
8.6 Duration of the procedure	13
Annex A (normative) Plating procedure	15

Annex B (normative) Diluents for general use.....	17
B.1 General.....	17
B.2 Peptone salt solution	17
B.2.1 Composition	17
B.2.2 Preparation	17
B.3 Buffered peptone water.....	17
B.3.1 Composition	17
B.3.2 Preparation	17
B.4 NaCl 0,9 %	18
B.4.1 Composition	18
B.4.2 Preparation	18
B.5 PBS (Phosphate Buffered Saline)	18
B.5.1 Composition	18
B.5.2 Preparation	18
Bibliography.....	19

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN 17708:2023](https://standards.iteh.ai/catalog/standards/sist/3619793b-9284-4386-b974-ba2b6c81fc5b/osist-pren-17708-2023)

<https://standards.iteh.ai/catalog/standards/sist/3619793b-9284-4386-b974-ba2b6c81fc5b/osist-pren-17708-2023>

prEN 17708:2023 (E)

European foreword

This document (prEN 17708:2023) has been prepared by Technical Committee CEN/TC 455 “Plant Biostimulants”, the secretariat of which is held by AFNOR.

This document is currently submitted to the CEN Enquiry.

This document will supersede CEN/TS 17708:2022.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/3619793b-9284-4386-b974-ba2b6c81fc5b/osist-pren-17708-2023>

Introduction

This document was prepared by the experts of CEN/TC 455 “Plant Biostimulants”. The European Committee for Standardization (CEN) was requested by the European Commission (EC) to draft European standards or European standardization deliverables to support the implementation of Regulation (EU) 2019/1009 of 5 June 2019 laying down rules on the making available on the market of EU fertilizing products (“FPR” or “Fertilising Products Regulation”).

This standardization request, presented as SR M/564 and M/564 Amd1, also contributes to the Communication on “Innovating for Sustainable Growth: A Bio economy for Europe”. The Working Group 5 “Labelling and denominations”, was created to develop a work program as part of this Request. The technical committee CEN/TC 455 “Plant Biostimulants” was established to carry out the work program that will prepare a series of standards. The interest in biostimulants has increased significantly in Europe as a valuable tool to use in agriculture. Standardization was identified as having an important role in order to promote the use of biostimulants. The work of CEN/TC 455 seeks to improve the reliability of the supply chain, thereby improving the confidence of farmers, industry, and consumers in biostimulants, and will promote and support commercialisation of the European biostimulant industry.

Biostimulants used in agriculture can be applied in multiple ways: on soil, on plant, as seed treatment, etc. A microbial plant biostimulant consists of a microorganism or a consortium of microorganisms, as referred to in Component Material Category 7 of Annex II of the EU Fertilising Products Regulation.

This document is applicable to all microbial biostimulants in agriculture.

The Table 1 below summarizes many of the agro-ecological principles and the role played by biostimulants.

Table 1 — Agro-ecological principles and the role played by biostimulants [1]

Increase biodiversity
By improving soil microorganism quality/quantity
Reinforce biological regulation and interactions
By reinforcing plant-microorganism interactions
- symbiotic exchanges i.e. <i>mycorrhizae</i>
- symbiotic exchanges i.e. <i>rhizobiaceae/fava</i>
- secretions mimicking plant hormones (i.e. <i>trichoderma</i>)
By regulating plant physiological processes
- for ex growth, metabolism, plant development...
Improve biogeochemical cycles
- improve absorption of nutritional elements
- improve bioavailability of nutritional elements in the soil
- stimulate degradation of organic matter

prEN 17708:2023 (E)

This document defines the general rules for the preparation of samples, initial suspensions and subsequent dilutions for microbiological examination of plant biostimulants.

Any special diluents or practices required in specific standard methods take priority over the general rules listed in this document.

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

IMPORTANT — It is absolutely essential that tests conducted in accordance with this document be carried out by suitably trained staff.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN 17708:2023](https://standards.iteh.ai/catalog/standards/sist/3619793b-9284-4386-b974-ba2b6c81fc5b/osist-pren-17708-2023)

<https://standards.iteh.ai/catalog/standards/sist/3619793b-9284-4386-b974-ba2b6c81fc5b/osist-pren-17708-2023>

1 Scope

This document defines general rules for the aerobic preparation of the initial suspension and of dilutions for microbiological examinations of microbial plant biostimulants.

This horizontal method might not be appropriate in very detail for certain products. In this case, different methods which are specific to these products can be used if necessary, for justified technical reasons.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 17702-1:—¹, *Plant biostimulants — Sampling and sample preparation — Part 1: Sampling*

prEN 17724:—¹, *Plant biostimulants — Terminology*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in prEN 17724:—¹ and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at <https://www.electropedia.org/>

— ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

laboratory sample

sample sent to the laboratory and intended for inspection or testing

3.2

test sample

sample prepared from the laboratory sample (3.1) according to the procedure specified in the method of test and from which test portions (3.3) are taken

3.3

test portion

measured (volume or mass) representative sample taken from the laboratory sample (3.1) for use in the preparation of the initial suspension (3.4)

3.4

initial suspension

suspension, solution or emulsion obtained after a weighed or measured quantity of the product under examination has been mixed with, normally, a nine-fold quantity of diluent, or other ratios if required for specific purposes, allowing large particles, if present, to settle

¹ Under preparation.

prEN 17708:2023 (E)**3.5****further dilution**

suspension or solution obtained by mixing a measured volume of the initial suspension (3.4) with an x -fold volume of diluent and by repeating this operation with further dilutions until a dilution series, suitable for the inoculation of culture media, is obtained

Note 1 to entry: Ten-fold dilutions are normally used to produce a decimal dilution series, but other ratios can be required for specific purposes.

3.6**specific standard**

standard or guidance document describing the examination of a specific product for the detection or enumeration of a specific microorganism

4 Principle

Preparation of initial suspension (3.4) in such a way as obtain as uniform a distribution as possible of the microorganisms contained in the test portion (3.3).

Preparation, if necessary, of further dilutions (3.5) in order to reduce the number of microorganisms per unit volume to allow, after incubation, observation of their growth or not (in case of tubes or bottles) or colony counting (in the case of plates).

5 Diluents

For the preparation of diluents follow the current laboratory practices and the manufacturer's instructions for commercial preparations.

In Annex B there are examples of general use diluents.

It is possible to add to diluents surface-active agents to improve the uniformity of the suspension while avoiding the formation of clusters of microorganisms, and verifying that at the added concentration does not alter cell viability.

6 Apparatus

Usual microbiological laboratory equipment as listed below:

- 6.1 Apparatus** for dry sterilization (oven) and wet sterilization (autoclave).
- 6.2 Protective cabinets**, for all work involving the handling of microbiological products.
- 6.3 Scales**, capable of weighing to 1 %of the mass.
- 6.4 Incubator**, capable of operating at the required temperatures of the test.
- 6.5 Total delivery pipettes**, sterile, of nominal capacity 1 ml, and graduated in divisions of 0,1 ml.
- 6.6 Water bath**, or similar apparatus, to maintain a specific temperature.
- 6.7 pH meter**, accurate to 0,1 pH units at 25 °C.
- 6.8 Bottles, flasks and tubes**, for boiling and storage of culture media, and for making of dilutions.
- 6.9 Petri dishes**, sterile, of glass or plastic, with a diameter 90 mm to 100 mm.

6.10 Optical Microscope, for bacteriological examinations, objectives with magnification from x10 (dry lens) to about x100 (oil immersion).

6.11 Spreaders, made of glass or plastic (of diameter less than 2 mm and length 80 mm). Diameter should not exceed 2 mm in order to minimize the amount of samples adhering to them at the end of the spreading procedure.

6.12 Binocular magnifier, for discriminating and differentiation colonies/cells of yeasts and moulds (magnification 6,5 to 50 times).

6.13 Refrigerator, chambers which allow maintenance of cold storage.

6.14 Centrifuge, to separate suspended particles from fluids.

For the preparation of the test sample, of the initial suspension or for the decimal dilutions series, use one or more of the common apparatus reported below:

6.15 Peristaltic blender (stomacher) with sterile bags.

6.16 Rotatory homogenizer (blender), with a sterilizable glass or metals bowls equipped with covers (speed between 8 000 r/min and 45 000 r/min).

6.17 Vibrational mixer (pulsifier) with sterile bags (usual operating time is 0,5 min to 1 min).

6.18 Ultraturrax, a dispersing tool and homogenizer instrumentation that produces homogenous, uniform sample preparations.

6.19 Ultrasonic sonicator.

6.20 Mechanical stirrer.

6.21 Magnetic stirrer.

6.22 Vortex mixer, mainly used for liquid samples and decimal dilutions preparation.

6.23 Glass beads can be used for the preparation, by shaking, of the initial suspension of certain viscous or thick products.

7 Sampling and storage

Carry out sampling in accordance with prEN 17702-1:—². It is important that the laboratory receives a sample which is representative and has not been damaged or changed during transport or storage.

The samples should be delivered to the laboratory with the original storage conditions maintained as nearly as possible.

The sample should be submitted in the original, unopened container.

Upon arrival, check the condition of the samples. Identify samples clearly and completely and record the sample information.

² Under preparation.