

SLOVENSKI STANDARD SIST EN ISO 13473-5:2025

01-maj-2025

Nadomešča:

SIST EN ISO 13473-5:2010

Karakterizacija teksture vozišča z uporabo profilov površine - 5. del: Ugotavljanje megateksture (ISO 13473-5:2025)

Characterization of pavement texture by use of surface profiles - Part 5: Determination of megatexture (ISO 13473-5:2025)

Charakterisierung der Textur von Fahrbahnbelägen unter Verwendung von Oberflächenprofilen - Teil 5: Bestimmung der Megatextur (ISO 13473-5:2025)

Caractérisation de la texture d'un revêtement de chaussée à partir de relevés de profils de la surface - Partie 5: Détermination de la mégatexture (ISO 13473-5:2025)

Ta slovenski standard je istoveten z: EN ISO 13473-5:2025

ICS:

17.140.30 Emisija hrupa transportnih Noise emitted by means of

sredstev transport

93.080.20 Materiali za gradnjo cest Road construction materials

SIST EN ISO 13473-5:2025 en,fr,de

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 13473-5:2025

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 13473-5

March 2025

ICS 17.140.30; 93.080.20

Supersedes EN ISO 13473-5:2009

English Version

Characterization of pavement texture by use of surface profiles - Part 5: Determination of megatexture (ISO 13473-5:2025)

Caractérisation de la texture d'un revêtement de chaussée à partir de relevés de profils de la surface - Partie 5: Détermination de la mégatexture (ISO 13473-5:2025)

Charakterisierung der Textur von Fahrbahnbelägen unter Verwendung von Oberflächenprofilen - Teil 5: Bestimmung der Megatextur (ISO 13473-5:2025)

This European Standard was approved by CEN on 13 March 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

ottps://standards.iten.ai/catalog/standards/sist/13001b8e-9d6e-4d81-a105-dd8e6b5fca1c/sist-en-iso-13473-5-2025



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 13473-5:2025 (E)

Contents	Page
European foreword	3

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 13473-5:2025

European foreword

This document (EN ISO 13473-5:2025) has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 227 "Road materials" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2025, and conflicting national standards shall be withdrawn at the latest by September 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 13473-5:2009.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 13473-5:2025 has been approved by CEN as EN ISO 13473-5:2025 without any modification.

https://standards.iteh.ai/catalog/standards/sist/13001b8e-9d6c-4d81-a105-dd8c6b5fca1c/sist-en-iso-13473-5-2025

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 13473-5:2025



International Standard

ISO 13473-5

Characterization of pavement texture by use of surface profiles —

Part 5:

Determination of megatexture tandar is

Caractérisation de la texture d'un revêtement de chaussée à partir de relevés de profils de la surface —

Partie 5: Détermination de la mégatexture CUMENT Preview

Second edition 2025-03

inient i i e vie v

SIST EN ISO 13473-5:2025

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 13473-5:2025

https://standards.iteh.ai/catalog/standards/sist/13001b8e-9d6c-4d81-a105-dd8c6b5fca1c/sist-en-iso-13473-5-2025



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tents		Page
Forew	ord		iv
Introd	luction		v
1	Scope		1
2	Normative references		1
3	Terms and definitions		1
	3.1 General terms		
	3.2 3.3	Ranges of texture	
4	Measurement instruments		
	4.1 Instruments in general		6
		4.1.1 General 4.1.2 Performance check	
		4.1.3 Indication of invalid readings (drop-outs)	
5	Test surface considerations		7
	5.1	General	
	5.2 Test lengths		
6	Measu 6.1	rement method General	
	6.2	Sensitivity to vertical motion of the vehicle	
	6.3	Calibration	
	6.4 6.5	Measuring speedMeasurement of the texture profile	
7		processing (https://standards.iteh.ai)	
•	7.1	General	10
	7.2 7.3	Preprocessing: drop-out rate and validity of measurements	10
	7.3 7.4	Spike identification and reshaping the profile	11
	7.5	Filtering of the profile SISTEN ISO 134/3-3:2023	11
	7.6 ds. 7.7	Calculation of RMS _{Me} Sist/13001b8e-9d6c-4d81-a105-dd8c6b5fca1c/sist-en-iso-1347. Averaging	12 12
	7.8	Longitudinal standard deviation	
	7.9	Singularities	12
8	Measu	rement uncertainty	13
9	Safety	considerations during measurements	14
10	Test r	eport	15
Annex	A (nor	mative) Spike removal procedure	17
Annex	B (info	ormative) Example of test report and graphical presentations	20
Annex	c C (info	ormative) Measurement uncertainty	25
Annex	D (info	ormative) Megatexture digital filters	28
Annex	E (info	ormative) Megatexture reference program code	30
Annex	F (info	ormative) Procedure for sampling of measurement sections if the whole area of est cannot be measured	31
Annex	G (nor	mative) Profile conditioning before filtering	34
	-	ormative) Guidelines for choosing a suitable calculation length	
	-	7	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, Acoustics, Subcommittee SC 1, Noise.

This second edition cancels and replaces the first edition (ISO 13473-5:2009), which has been technically revised.

The main changes are as follows:

- default measure RMS_{Me} in mm instead of L_{Me} in dB;
- use the same pre-processing procedures as in ISO 13473-1 (drop-out and spikes);
- use digital filters to calculate megatexture, earlier done by spectral analysis;
- improvements of the uncertainty description of megatexture calculations;
- informative annex with reference program and reference calculations, available at the www.erpug.org homepage.

A list of all parts in the ISO 13473 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Pavement surface texture largely influences factors such as noise emission caused by tyre/road interaction (see Reference [1]), tyre/pavement friction (see Reference [2]), and comfort, as well as rolling resistance (see Reference [3]) and wear of tyres. Reliable methods of measuring and characterizing texture are therefore essential. Texture is subdivided into micro-, macro- and megatexture according to ISO 13473-2. A method for measurement and calculation of a macrotexture indicator based on a profile measurement is specified in ISO 13473-1[4]. A procedure for measuring macrotexture by the volumetric patch method is described in EN 13036-1[5]. Currently, no reliable and practical method of measuring pavement microtexture in situ is available. This document aims to provide means of measuring and calculating a megatexture indicator useful for pavement surface characterization.

Megatexture is an important texture range lying between macrotexture and unevenness. This type of texture has wavelengths of the same order of magnitude as a tyre/road interface and is often a result of potholes or 'washboarding'. Some common types of singularities, such as a single depressed (e.g. a pothole) or protruding (e.g. caused by tree roots) spot on the pavement, will also show up in a texture profile spectrum as megatexture. Although some pavements, such as paving stones, possess an intrinsic megatexture, it is usually an unwanted characteristic resulting from defects in the surface. Megatexture is an undesirable feature, the higher the value, the worse the road is perceived: megatexture is known to increase tyre/road noise by inducing tyre vibrations. At the same time, these tyre vibrations cause energy dissipation in the tyre. The rolling resistance increases and this leads to highly unwanted fuel consumption and CO_2 emission (see also 3.2).

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 13473-5:2025

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 13473-5:2025

Characterization of pavement texture by use of surface profiles —

Part 5:

Determination of megatexture

1 Scope

This document specifies a procedure for determining the magnitude of pavement surface megatexture by measuring the surface profile and calculating a megatexture descriptor from this profile. The technique is designed to give meaningful and accurate measurements and descriptions of pavement megatexture for various purposes, such as for the prediction of the acoustic quality of the pavement or the assessment of the rolling resistance.

Since there is an overlap between megatexture and the surrounding ranges, megatexture descriptors unavoidably have a certain correlation with corresponding measures in those ranges. This document specifies measurements and procedures which are in relevant parts compatible with those in ISO 13473-1 $^{[4]}$, ISO 8608 $^{[6]}$ and EN 13036-5 $^{[7]}$.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 13473-2, Characterization of pavement texture by use of surface profiles — Part 2: Terminology and basic requirements related to pavement texture profile analysis

ISO 13473-3, Characterization of pavement texture by use of surface profiles — Part 3: Specification and classification of profilometers

ISO/PAS 13473-6, Characterization of pavement texture by use of surface profiles — Part 6: Verification of the performance of laser profilometers used for pavement texture measurements

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 13473-2 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1 General terms

3.1.1

texture wavelength

λ

quantity describing the horizontal dimension of the irregularities of a texture profile (3.1.3)

Note 1 to entry: Texture wavelength is normally expressed in metres (m) or millimetres (mm).

Note 2 to entry: Texture wavelength is a descriptor of the wavelength components of the profile and is related to the concept of the Fourier Transform of a series regularly sampled measurement points along a spatial axis. Vertical displacement (height) has an arbitrary reference.

3.1.2

pavement texture

texture

deviation of a payement surface from a true planar surface, with a texture wavelength (3.1.1) less than 0.5 m

Note 1 to entry: It is divided into micro-, macro- and megatexture according to 3.2.

3.1.3

surface profile

texture profile


upper contour of a vertical cross-section through a pavement

Note 1 to entry: The surface profile (texture profile) is further indicated with its mathematical descriptor Z(X).

Note 2 to entry: A typical profile recording of a pavement surface is illustrated in <u>Figure 1</u> (vertical scale exaggerated), including the terms profile, distance, vertical displacement and wavelength. "Wavelength" in the figure is an illustration of a component of the profile related to the wavelength concept but it is not correct from a strictly mathematical point of view. Furthermore, the reference (bottom) line is arbitrary.

Note 3 to entry: The profile of the surface is described by two coordinates: one in the surface plane, called distance (the abscissa), and the other in a direction normal to the surface plane, called vertical displacement (the ordinate). An example is given in Figure 1. The distance may be in the longitudinal or lateral (transverse) directions in relation to the travel direction on a pavement, or in a circle or any other direction between these extremes.

Note 4 to entry: Texture profile is similar to surface profile but limited to the texture range.



Key

- X distance
- Z vertical displacement
- 1 surface profile
- 2 texture wavelength

Figure 1 — Illustration of some basic terms describing pavement surface texture

3.1.4

drop-out

data in the measured texture profile indicated by the sensor as invalid

3.1.5

spike

unusually high and sharply defined peak in the measured texture profile, which is not part of the true texture profile and is not indicated as invalid by the sensor

Note 1 to entry: See Annex A for a quantitative definition of a spike.