
**Plain bearings — Tolerances —
Part 2:
Tolerances on form and position and
surface roughness for shafts and
thrust collars**

iTeh STANDARD PREVIEW

*Paliers lisses — Tolérances —
Partie 2: Tolérances de forme et de position et rugosité de surface des
arbres et collets de butée*

[ISO 12129-2:2019](https://standards.iteh.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019)

<https://standards.iteh.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 12129-2:2019

<https://standards.iteh.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General	1
5 Dimensions	1
6 Design	4
7 Testing	4
8 Designation	4
Bibliography	5

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 12129-2:2019

<https://standards.iteh.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 123, *Plain bearings*, Subcommittee SC 3, *Dimensions, tolerances and construction details*. <https://standards.iteh.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-198f94917d99>

This second edition cancels and replaces the first edition (ISO 12129-2:1995), which has been technically revised. The main changes compared to the previous edition are as follows:

- the title has been improved;
- normative references have been updated;
- the limitation to thick-wall bearings has been removed;
- the limitation to ISO 7902 for calculation of minimum lubricant film thickness has been removed;
- the case of different accuracy grades of journal and thrust collar has been explicitly added.

A list of all parts in the ISO 12129 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Plain bearings — Tolerances —

Part 2:

Tolerances on form and position and surface roughness for shafts and thrust collars

1 Scope

This document specifies tolerances on form and position as well as the surface roughness of shafts, flanges and thrust collars as used in plain bearing units. It is applicable to journal or thrust plain bearing units or to a combination of both, installed either horizontally or vertically.

This document is not applicable to crankshaft bearing units in combustion engines.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 12301, *Plain bearings — Quality control techniques and inspection of geometrical and material quality characteristics*

ISO 12129-2:2019

3 Terms and definitions

<https://standards.itech.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019>

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 General

The reliability of a plain bearing is not only a function of the proper selection of material and fit but depends in particular on the quality of the shafts and thrust collars used in the plain bearing unit.

The spread of the accuracy grade is based on the minimum lubricant film thickness, h_{\min} , in micrometres, calculated for each particular application in accordance with ISO 7902-1, ISO 7902-2 and ISO 7902-3 or another appropriate calculation method. If the calculated lubricant film thicknesses for the journal bearing and thrust bearing are significantly different, then different accuracy grades can be specified for the journal (parameters t_1 , t_2 , t_3 and journal surface roughness) and thrust collar (parameters t_4 , t_5 and thrust collar surface roughness).

5 Dimensions

See [Figure 1](#) to [Figure 4](#) and [Table 1](#).

The illustrations show plain bearings in the horizontal position.






Figure 1 — Shaft for journal bearings — A



Key

 not concave

Figure 2 — Shaft with two thrust collars for journal thrust bearings, capable of carrying load on both sides — B



Key


① not concave

iTeh STANDARD PREVIEW

Figure 3 — Shaft with thrust collar for journal thrust bearings, capable of carrying load on both sides — C

ISO 12129-2:2019

<https://standards.iteh.ai/catalog/standards/sist/b16b0476-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019>



Key

① not concave

Figure 4 — Shaft with thrust collar for journal thrust bearings, capable of carrying load on one side — D

Table 1 — Tolerances on form and position and surface roughness for shafts and thrust collars

Feature/parameter on drawing		Accuracy grade				
		5	10	20	30	
Lubricating film thickness	h_{\min} μm	$5 \leq h_{\min} < 10$	$10 \leq h_{\min} < 20$	$20 \leq h_{\min} < 30$	$h_{\min} \geq 30$	
Cylindrical forma	Roundness tolerance	t_1 mm	0,004	0,006	0,01	0,015
	Straightness tolerance	t_2 mm	0,005	0,01	0,015	0,02
	Parallelism tolerance	t_3 mm	0,015	0,02	0,03	0,04
Runout tolerance	t_4 mm	0,006	0,008	0,012	0,018	
Flatness tolerance ^b	t_5 mm	0,006	0,008	0,012	0,018	
Concentricity tolerance	t_6 mm	c	c	c	c	
Surface roughness ^d	Ra μm	0,4	0,4	0,63	0,8	
	Rz μm	2,5	4	5	6,3	

^a For reasons of measurement techniques and economic considerations, the cylindrical form has been tolerated for characteristics of roundness, straightness and parallelism.

^b The restrictive specification “not concave” on Figures 2 to 4 shall be observed.

^c The concentricity tolerance is a function of the specific operating conditions and thus is subject to agreement.

^d The specification of the surface roughness shall be based on Ra or Rz , subject to agreement.

6 Design

For reasons of production engineering, the curved transition on the shaft between the radial part and the axial part can also be made as an undercut.

Given the great number of possible bearing seals, no details can be indicated with regard to the area of the sealing zone. The geometry and surface finish of the shafts and thrust collars shall be specified as a function of the bearing seal selected.

7 Testing

Testing of the quality characteristics shall be carried out in accordance with ISO 12301.

8 Designation

Designation of the tolerances on form and position as well as of the surface roughness of a shaft with two thrust collars at the position of a journal thrust bearing capable of carrying load on both sides (B) (see Figure 2), accuracy grade 20, shall be as follows:

Plain bearing ISO 12129-2 — B20

If different accuracy grades are specified for the journal and thrust collar, the designation shall include them both in the order journal/thrust collar:

Plain bearing ISO 12129-2 — B10/20

Bibliography

- [1] ISO 7902-1, *Hydrodynamic plain journal bearings under steady-state conditions — Circular cylindrical bearings — Part 1: Calculation procedure*
- [2] ISO 7902-2, *Hydrodynamic plain journal bearings under steady-state conditions — Circular cylindrical bearings — Part 2: Functions used in the calculation procedure*
- [3] ISO 7902-3, *Hydrodynamic plain journal bearings under steady-state conditions — Circular cylindrical bearings — Part 3: Permissible operational parameters*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 12129-2:2019](https://standards.iteh.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019)

<https://standards.iteh.ai/catalog/standards/sist/b16b0434-876a-4ba7-9af7-9f48949177ce/iso-12129-2-2019>