



SLOVENSKI STANDARD
oSIST prEN ISO 17573-3:2022

01-december-2022

**Elektronsko pobiranje pristojbin - Sistemska arhitektura za cestninjenje vozil - 3.
del: Podatkovni slovar (ISO/DIS 17573-3:2022)**

Electronic fee collection - System architecture for vehicle-related tolling - Part 3: Data dictionary (ISO/DIS 17573-3:2022)

Elektronische Gebührenerhebung - Systemarchitektur für fahrzeugbezogene Maut - Teil 3: Datendefinition (ISO/DIS 17573-3:2022)

Perception du télépéage Architecture de systèmes pour le péage lié aux véhicules
Partie 3: Dictionnaire de données (ISO/DIS 17573-3:2022)

Ta slovenski standard je istoveten z: prEN ISO 17573-3

ICS:

03.220.20	Cestni transport	Road transport
35.240.60	Uporabniške rešitve IT v prometu	IT applications in transport

oSIST prEN ISO 17573-3:2022

en,fr,de

DRAFT INTERNATIONAL STANDARD

ISO/DIS 17573-3

ISO/TC 204

Secretariat: ANSI

Voting begins on:
2022-09-27Voting terminates on:
2022-12-20

Electronic fee collection — System architecture for vehicle related tolling —

Part 3: Data dictionary

*Perception du télépéage — Architecture de systèmes pour le péage lié aux véhicules —
Partie 3: Dictionnaire de données*

ICS: 35.240.60; 03.220.20

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO 17573-3:2022](https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022)

<https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022>

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/DIS 17573-3:2022(E)

© ISO 2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 17573-3:2022](https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022)
<https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	vi
Introduction.....	vii
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Abbreviated terms.....	4
5 EFC common data object definitions.....	5
5.1 General.....	5
5.2 Subtypes of simple data types.....	5
5.2.1 AccountStatus.....	5
5.2.2 ActualNumberOfPassengers.....	5
5.2.3 Altitude.....	6
5.2.4 Axles.....	6
5.2.5 CabType.....	6
5.2.6 ChassisType.....	6
5.2.7 Co2EmissionClass.....	7
5.2.8 Co2EmissionValue.....	7
5.2.9 Co2EmissionValueLoad.....	8
5.2.10 Co2Scheme.....	8
5.2.11 ContractAuthenticator.....	8
5.2.12 ContractSerialNumber.....	8
5.2.13 CopValue.....	9
5.2.14 CountryCode.....	9
5.2.15 DetectionMode.....	9
5.2.16 DescriptiveCharacteristics.....	10
5.2.17 EmissionUnit.....	10
5.2.18 EngineCharacteristics.....	10
5.2.19 EquipmentIccId.....	12
5.2.20 EquipmentObuId.....	13
5.2.21 EquipmentStatus.....	13
5.2.22 EuroValue.....	13
5.2.23 DistanceUnit.....	14
5.2.24 IssuerIdentifier.....	14
5.2.25 Latitude.....	14
5.2.26 LocalVehicleClassId.....	15
5.2.27 LocationClassId.....	15
5.2.28 Longitude.....	15
5.2.29 PaymentSecurityData.....	15
5.2.30 PayUnit.....	15
5.2.31 PersonalAccountNumber.....	16
5.2.32 RearWheelsSteeringType.....	17
5.2.33 ReceiptAuthenticator.....	17
5.2.34 ReceiptDistance.....	18
5.2.35 ResultFin.....	18
5.2.36 ReceiptIccId.....	18
5.2.37 ReceiptObuId.....	19
5.2.38 ResultOp.....	19
5.2.39 ReceiptServiceSerialNumber.....	21
5.2.40 ReceiptText.....	21
5.2.41 StationType.....	21
5.2.42 SuspensionType.....	21
5.2.43 TariffClassId.....	22

ISO/DIS 17573-3:2022(E)

5.2.44	Time	22
5.2.45	TimeClassId	22
5.2.46	TimeUnit	22
5.2.47	TrailerType	23
5.2.48	TyreConfiguration	23
5.2.49	UserClassId	23
5.2.50	VehicleAuthenticator	23
5.2.51	VehicleClass	24
5.2.52	VehicleCurrentMaxTrainWeight	24
5.2.53	VehicleTechnicalPermissibleMaxLadenMass	24
5.2.54	VehicleTotalDistance	24
5.2.55	VehicleWeightLaden	25
5.2.56	WeekDay	25
5.3	Single level data types	25
5.3.1	AbsolutePosition2d	25
5.3.2	AbsolutePosition3d	26
5.3.3	AxleWeightLimit	26
5.3.4	AxleWeightLimits	26
5.3.5	DateCompact	27
5.3.6	DieselEmissionValues	27
5.3.7	DriverCharacteristics	27
5.3.8	Distance	27
5.3.9	Duration	28
5.3.10	EngineDetails	28
5.3.11	EuVehicleGroup	28
5.3.12	ExhaustEmissionValues	28
5.3.13	FutureCharacteristics	29
5.3.14	NumberOfAxles	29
5.3.15	Obeld	29
5.3.16	Particulate	30
5.3.17	PassengerCapacity	30
5.3.18	PaymentFee	30
5.3.19	Period	30
5.3.20	Provider	31
5.3.21	RelativePosition3d	31
5.3.22	SessionClass	31
5.3.23	SessionLocation	32
5.3.24	SignedValue	32
5.3.25	SoundLevel	32
5.3.26	TariffClassDescription	32
5.3.27	TimeCompact	33
5.3.28	TrailerDetails	33
5.3.29	WheelsConfiguration	33
5.4	Two-level data types	33
5.4.1	AxlesWeightLimits	33
5.4.2	ChargeObjectId	34
5.4.3	ContractValidity	34
5.4.4	DateAndTime	34
5.4.5	EnvironmentalCharacteristics	34
5.4.6	InitialVehicleRegistrationDate	35
5.4.7	Lpn	35
5.4.8	PaymentMeans	36
5.4.9	PaymentMeansBalance	37
5.4.10	Point	37
5.4.11	PurseBalance	37
5.4.12	TrailerCharacteristics	37
5.4.13	ValidityOfContract	38
5.4.14	VehicleAxlesNumber	38

5.4.15	VehicleDimensions	38
5.4.16	VehicleIdentificationNumber	38
5.4.17	VehicleWeightLimits	39
5.5	Three-level data types	39
5.5.1	EfcContextMark	39
5.5.2	ReceiptContract	39
5.5.3	ReceiptData	40
5.5.4	ReceiptFinancialPart	41
5.5.5	ReceiptServicePart	41
5.5.6	UserId	42
5.5.7	VehicleAxles	42
5.5.8	VehicleSpecificCharacteristics	42
5.6	Complex data types	43
5.6.1	AggregatedSingleTariffClassSession	43
5.6.2	DetectedChargeObject	43
5.6.3	VehicleDescription	44
Annex A (normative) EFC common data type definitions		46
Bibliography		47

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 17573-3:2022](https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022)

<https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022>

ISO/DIS 17573-3:2022(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, *Intelligent transport systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This version cancels and replaces ISO/TS 17573-3, which has been technically revised. The main changes are as follows:

- addition of the CO₂ emission class data types to underpin the revised Directive 1999/62/EC^[19] (i.e. Eurovignette directive regarding the charging of vehicles for the use of certain infrastructure) updated by Directive (EU) 2022/362^[24];
- addition of a second level of version identifier (i.e. minor version) of the abstract syntax notation one (ASN.1) module to provide enhanced support to standards that import data types from this document.

A list of all parts in the ISO 17573 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is a part of the ISO 17573 series that defines the system architecture for vehicle-related tolling. ISO 17573-1 gives a reference model for the system architecture. ISO/TS 17573-2 provides a collection of terms and definitions within the field of electronic fee collection (EFC) and road user charging that are used in the different documents published in ISO and CEN under the general title, *Electronic fee collection*.

This document (ISO 17573-3) provides a data dictionary that contains the definitions of ASN.1 (data) types and the associated semantics.

The document is intended to be used as a reference by editors of ISO and CEN documents in EFC and in related areas of standardization (such as Intelligent Transport Systems, ITS).

It is foreseen that the library of ASN.1 (data) types contained in this document will be augmented with additional definitions as these become available.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO 17573-3:2022](https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022)

<https://standards.iteh.ai/catalog/standards/sist/a2c24730-0d1e-4626-b617-3c3dfb14981c/osist-pren-iso-17573-3-2022>

Electronic fee collection — System architecture for vehicle related tolling —

Part 3: Data dictionary

1 Scope

This document specifies the syntax and semantics of data objects in the field of electronic fee collection (EFC). The definitions of data types and assignment of semantics are provided in accordance with the abstract syntax notation one (ASN.1) technique, as specified in ISO/IEC 8824-1. This document defines:

- ASN.1 (data) types within the fields of EFC;
- ASN.1 (data) types of a more general use that are used more specifically in standards related to EFC.

This document does not seek to define ASN.1 (data) types that are primarily related to other fields that operate in conjunction with EFC, such as cooperative intelligent transport systems (C-ITS), the financial sector, etc.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 612, *Road vehicles — Dimensions of motor vehicles and towed vehicles — Terms and definitions*

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions — Part 1: Country code*

ISO 3779, *Road vehicles — Vehicle identification number (VIN) — Content and structure*

ISO 4217, *Codes for the representation of currencies*

ISO 1176, *Road vehicles — Masses — Vocabulary and codes*

ISO/IEC 7812-1, *Identification cards — Identification of issuers — Part 1: Numbering system*

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1) — Part 1: Specification of basic notation*

ISO/IEC 8859-1, *Information technology — 8-bit single-byte coded graphic character sets — Part 1: Latin alphabet No. 1*

ISO/IEC 8859-2, *Information technology — 8-bit single-byte coded graphic character sets — Part 2: Latin alphabet No. 2*

ISO/IEC 8859-3, *Information technology — 8-bit single-byte coded graphic character sets — Part 3: Latin alphabet No. 3*

ISO/IEC 8859-4, *Information technology — 8-bit single-byte coded graphic character sets — Part 4: Latin alphabet No. 4*

ISO/DIS 17573-3:2022(E)

ISO/IEC 8859-5, *Information technology — 8-bit single-byte coded graphic character sets — Part 5: Latin/Cyrillic alphabet*

ISO/IEC 8859-6, *Information technology — 8-bit single-byte coded graphic character sets — Part 6: Latin/Arabic alphabet*

ISO/IEC 8859-7, *Information technology — 8-bit single-byte coded graphic character sets — Part 7: Latin/Greek alphabet*

ISO/IEC 8859-8, *Information technology — 8-bit single-byte coded graphic character sets — Part 8: Latin/Hebrew alphabet*

ISO/IEC 8859-9, *Information technology — 8-bit single-byte coded graphic character sets — Part 9: Latin alphabet No. 5*

ISO/IEC 8859-10, *Information technology — 8-bit single-byte coded graphic character sets — Part 10: Latin alphabet No. 6*

ISO 14816, *Road transport and traffic telematics — Automatic vehicle and equipment identification — Numbering and data structure*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TS 17573-2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1
BITSTRING type
simple type (3.14) whose distinguished values are an ordered sequence of zero, one or more bits

[SOURCE: ISO/IEC 8824-1:2021, 3.8.7]

3.2
CHOICE type

type defined by referencing a list of distinct types; each value of the choice type is derived from the value of one of the *component types* (3.4)

Note 1 to entry: Each value of the choice type is derived from the value of one of the component types.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.14 — modified, Note 1 to entry added.]

3.3
complex data type

one type that has more than *three levels* (3.17)

3.4
component type

one of the types referenced when defining a *CHOICE* (3.2), *SET* (3.12), *SEQUENCE* (3.10), *SET OF* (3.13), or *SEQUENCE OF* (3.11).

[SOURCE: ISO/IEC 8824-1:2021, 3.8.15]

3.5**data type**

categorization of an abstract set of possible values, characteristics, and set of operations for an attribute

[SOURCE: ISO/IEC 25012:2008, 4.7 — modified, NOTE removed.]

3.6**INTEGER type**

simple type (3.14) with distinguished values which are the positive and negative whole numbers, including zero (as a single value)

[SOURCE: ISO/IEC 8824-1:2021, 3.8.48]

3.7**object**

well-defined piece of information, definition, or specification which requires a name in order to identify its use in an instance of communication

[SOURCE: ISO/IEC 8824-1:2021, 3.8.52]

3.8**OCTET STRING type**

simple type (3.14) whose distinguished values are an ordered sequence of zero, one or more octets, each octet being an ordered sequence of eight bits

[SOURCE: ISO/IEC 8824-1:2021, 3.8.55]

3.9**parent type**

type that is being constrained when defining a *subtype* (3.16), and which governs the subtype notation

[SOURCE: ISO/IEC 8824-1:2021, 3.8.58]

3.10**SEQUENCE type**

type defined by referencing a fixed, ordered list of types (some of which can be declared to be optional)

Note 1 to entry: Each value of the sequence type is an ordered list of values, one from each *component type* (3.4).

[SOURCE: ISO/IEC 8824-1:2021, 3.8.67 — modified, new Note 1 to entry added.]

3.11**SEQUENCE-OF type**

type defined by referencing a single *component type* (3.4)

Note 1 to entry: Each value in the sequence-of type is an ordered list of zero, one or more values of the component type.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.68 — modified, Note 1 to entry added.]

3.12**SET type**

type defined by referencing a fixed, unordered, list of types (some of which may be declared to be optional); each value in the set type is an unordered list of values, one from each *component type* (3.4)

Note 1 to entry: Where a component type is declared to be optional, a value of the set type need not contain a value of that component type.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.72]

ISO/DIS 17573-3:2022(E)

3.13

SET-OF type

types defined by referencing a single *component type* (3.4); each value in the set-of type is an unordered list of zero, one or more values of the component type.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.73]

3.14

simple type

type defined by directly specifying the set of their values

[SOURCE: ISO/IEC 8824-1:2021, 3.8.74]

3.15

single-level data type

data type (3.5) which is a *sequence* (3.10) or *sequence-of type* (3.11) defined by referencing a *simple type* (3.14) or a *subtype* (3.16) of a simple type

3.16

subtype (of a parent type)

type whose values are a subset (or the complete set) of the values of some other type (the *parent type*) (3.9)

[SOURCE: ISO/IEC 8824-1:2021, 3.8.76]

3.17

three-level data type

data type (3.5) which is a *choice* (3.2), *sequence* (3.10) or *sequence-of type* (3.11) defined by referencing a *two-level data type* (3.18)

3.18

two-level data type

data type (3.5) which is a *choice* (3.2), *sequence* (3.10) or *sequence-of type* (3.11) defined by referencing a *single-level data type* (3.15)

4 Abbreviated terms

ASN.1	abstract syntax notation one
BCD	binary coded decimal
CO	carbon monoxide
CO ₂	carbon dioxide
EFC	electronic fee collection
GNSS	global navigation satellite system
HC	hydrocarbon
ICC	integrated circuit(s) card
LAC	localisation augmentation communication
NO _x	nitrogen oxides
OBU	On-board unit
VAT	value-added tax

5 EFC common data object definitions

5.1 General

In this clause, the structure of all EFC common data objects is described. This is formally defined in [Annex A](#) in terms of data type definitions. In addition to the structure description, each data object is also given a semantics.

Each one of the common data types defined herein is used by more than one standard in the suite of EFC standards. These standards may also define their own data types when no one of the common data types defined herein satisfies their need.

The definitions of the EFC common data types are ordered according to their data type level:

- first subtypes based on simple data types (e.g. INTEGER or OCTET STRING),
- then two-level data types,
- then three-level data types,
- then complex data types.

Data types are ordered alphabetically inside each level.

5.2 Subtypes of simple data types

5.2.1 AccountStatus

The data type `AccountStatus` shall be of the simple type as specified in [Table 1](#).

Table 1 — AccountStatus

Subtype	Parent type	Semantics
-	INTEGER	<p><code>AccountStatus</code> provides the status of the user's account. The following semantics are assigned:</p> <ul style="list-style-type: none"> — ok: The account has a correct status; — low: The amount stored in the account has fallen below a predefined threshold; — empty: The amount stored in the account has fallen to zero; — negative: The amount stored in the account has fallen below zero.

5.2.2 ActualNumberOfPassengers

The data type `ActualNumberOfPassengers` shall be of the subtype as specified in [Table 2](#).

Table 2 — ActualNumberOfPassengers

Subtype	Parent type	Semantics
<code>Int1Unsigned</code>		<p><code>ActualNumberOfPassengers</code> represents the actual number of passengers (i.e. human beings) present in the vehicle, incl. the driver.</p> <p>This information can affect the applicability of tolls or the value of the tariff to be applied, e.g. in High Occupancy Tolling or High Occupancy Vehicle lanes.</p>