## INTERNATIONAL STANDARD

First edition 2006-07-01 **AMENDMENT 2** 2020-09

## Environmental management — Life cycle assessment — Requirements and guidelines

**AMENDMENT 2** 

Management environnemental — Analyse du cycle de vie **iTeh STANDE**  *AMENDEMENT 2* **(standards.iteh.ai)** 

ISO 14044:2006/Amd 2:2020 https://standards.iteh.ai/catalog/standards/sist/b6a6e548-dbc1-46a4-a52ca2587a2d2c4b/iso-14044-2006-amd-2-2020



Reference number ISO 14044:2006/Amd.2:2020(E)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 14044:2006/Amd 2:2020</u> https://standards.iteh.ai/catalog/standards/sist/b6a6e548-dbc1-46a4-a52ca2587a2d2c4b/iso-14044-2006-amd-2-2020



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 207, *Environmental management*, Subcommittee SC 5, *Life cycle assessment*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/SS S26, *Environmental management*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 14044:2006/Amd 2:2020</u> https://standards.iteh.ai/catalog/standards/sist/b6a6e548-dbc1-46a4-a52ca2587a2d2c4b/iso-14044-2006-amd-2-2020

## Environmental management — Life cycle assessment — **Requirements and guidelines**

## **AMENDMENT 2**

#### Clause 3, Terms and definitions

Replace the following definitions:

#### 3.1

#### life cycle

consecutive and interlinked stages of a product system, from raw material acquisition or generation from natural resources to final disposal

#### 3.32

#### system boundary

set of criteria specifying which unit processes are part of a product system

Note 1 to entry The term "system boundary" is not used in this International Standard in relation to LCIA. iTeh STANDARD PREVIEW

#### 3.41 completeness check

completeness check (standards.iteh.ai) process of verifying whether information from the phases of a life cycle assessment is sufficient for reaching conclusions in accordance with the goal and scope definition

#### 3.42

### https://standards.iteh.ai/catalog/standards/sist/b6a6e548-dbc1-46a4-a52c-

consistency check a2587a2d2c4b/iso-14044-2006-amd-2-2020

process of verifying that the assumptions, methods and data are consistently applied throughout the study and are in accordance with the goal and scope definition performed before conclusions are reached

#### 3.43

#### sensitivity check

process of verifying that the information obtained from a sensitivity analysis is relevant for reaching the conclusions and for giving recommendations

With the following definitions:

#### 3.1

#### life cycle

consecutive and interlinked stages, from raw material acquisition or generation from natural resources to final disposal

#### 3.32

#### system boundary

boundary based on a set of criteria specifying which unit processes are part of the system under study

Note 1 to entry: In this document, "system under study" refers to product system.

#### 3.41

#### completeness check

process to determine whether information from the phases of a life cycle assessment is sufficient for reaching conclusions in accordance with the goal and scope definition

#### 3.42

#### consistency check

process to determine whether the assumptions, methods and data are consistently applied throughout the study and are in accordance with the goal and scope definition

#### 3.43

#### sensitivity check

process to determine whether the information obtained from a sensitivity analysis is relevant for reaching the conclusions and for giving recommendations

#### 4.2.3.5, second paragraph

Replace the text with the following:

Inputs can include, but are not limited to, the use of resources (e.g. water, biomass, metals from ores, recycled materials), services such as transportation or energy supply, and ancillary materials such as lubricants or fertilisers.

4.3.4.2, last paragraph

Add the following sentence:

Additional information on allocation is given in Annex **RD PREVIEW** 

## (standards.iteh.ai)

Annex B, Tables B.1, B.2, B.3, B.7 and B.8

<u>ISO 14044:2006/Amd 2:2020</u> Change the heading of the <u>Ath column in the tables from SUse phases</u>" to "Use stage". a2587a2d2c4b/iso-14044-2006-amd-2-2020

Annex D

Add the following text as a new Annex D.

# **Annex D** (informative)

## **Allocation procedures**

### D.1 General

Allocation refers to the partitioning of the inputs or outputs of a process or product system between the product system under study and one or more other product systems.

A stepwise allocation procedure is described in 4.3.4.2 and several examples of the procedure are presented in ISO/TR 14049:2012, Clauses 6, 7 and 8.

This annex provides additional information to assist understanding of the subject for situations where it is not possible to apply 4.3.4.2, step 1, option 1.

Allocation methods reflect value choices, intentionally or unintentionally. Such value choices can influence LCA results and the conclusions of LCA studies.

In addition, data needs can vary among methods, which can have an influence on the applicability of the method. **Teh STANDARD PREVIEW** 

# D.2 Expanding the product system

## ISO 14044:2006/Amd 2:2020

D.2.1 General https://standards.iteh.ai/catalog/standards/sist/b6a6e548-dbc1-46a4-a52c-

Expanding the product system to include additional functions related to the co-products (see 4.3.4.2, step 1, option 2) can be a means of avoiding allocation.

NOTE 1 The concept of expanding the product system to include additional functions related to the coproducts can also be referred to as system expansion or expanding the system boundary.

Therefore, the product system that is substituted by the co-product is integrated in the product system under study. In practice, the co-products are compared to other substitutable products, and the environmental burdens associated with the substituted product(s) are subtracted from the product system under study (see Figure 1). The identification of this substituted system is done in the same way as the identification of the upstream system for intermediate product inputs. See also ISO/TR 14049:2012, 6.4.

The application of system expansion involves an understanding of the market for the co-products. Decisions about system expansion can be improved through understanding the way co-products compete with other products, as well as the effects of any product substitution upon production practices in the industries impacted by the co-products.

Important considerations relating to the identification of product systems substituted by co-products include whether:

- specific markets and technologies are affected;
- the production volume of the studied product systems fluctuates in time;
- a specific unit process is affected directly.

#### ISO 14044:2006/Amd.2:2020(E)

If applicable, when the inputs are delivered through a market, it is also important to know:

- whether any of the processes or technologies supplying the market are constrained, in which case their output does not change in spite of changes in demand;
- which of the unconstrained suppliers/technologies has the highest or lowest production costs and, therefore, is the supplier/technology affected when the demand for the supplementary product is generally decreasing or increasing, respectively.

EXAMPLE A fuel combustion process produces co-products of heat that is used for district heating as well as electricity. The inventory, i.e. inputs and outputs, of the avoided electricity can be subtracted from the inventory of the fuel combustion process to determine the inventory of the heat.

System expansion avoids allocation by integrating a functionally equivalent product system, that is assumed to be substituted by the co-product (product B), within the system boundary. The inputs and outputs associated with the substituted product system are assumed to be avoided by the production of the co-product (product B), as illustrated by the example in Figure D.1.

Since the substituted system has a negative sign, the addition of this system is mathematically the same as a subtraction. There is an additional example of this in ISO/TR 14049:2012, Figures 15 and 16.



Figure D.1 — Example of avoiding allocation by expanding the system boundary

NOTE 2 Figure D.1 shows how to avoid allocation when the investigated product system has two products: product A (the product system under study) and product B (here, an energy product).

In the case of recycling, one way to avoid allocation can be by calculating a recycling credit based on the technical substitutability of the secondary material(s), i.e. taking into account any changes to the inherent properties and quality of the secondary material versus the substituted primary material. If the secondary material X from the product system under study substitutes a primary material Y, then the recycling credit corresponds to subtracting the inventory associated with the acquisition of the primary material Y from the inventory calculated for the product system under study. If an input to a product system is a recycled material that has previously implied a credit to the product system that the recycled material comes from, such recycled material carries the credit as a potential environmental impact to the product system that it enters.

#### **D.2.2 Strengths**

System expansion can be based on natural science. The justification of the choice of system expansion can be based on technical considerations. System expansion can often be a straightforward choice for energy products.

System expansion can reflect the physical and economic implications of the production of the coproduct(s) and can maintain mass balances of all unit processes and product systems.

#### **D.2.3** Weaknesses and difficulties

Where system expansion models are complex, the data requirements can be onerous and the different modelling choices can lead to a low level of transparency. Where there are multiple industrial pathways for co-products, the model results can have high variability. If there are different possibilities of system expansion, it can lead to significantly different results.

It is not always straightforward to identify the products that are assumed to be substituted by the co-products of the multifunctional process. If there are no alternative production processes for a coproduct, then system expansion is difficult to treat the multifunctional process.

In addition, some substituted products are themselves co-products of other industrial processes meaning that the system expansion is further perpetuated.

Since it is difficult to forecast long-term processes and performances, special limitations can apply to prospective studies.

#### D.3 Allocation that reflects the underlying physical relationships

#### D.3.1 General

Physical allocation can be applied when a physical, i.e. causal, relationship can be identified between the inputs, outputs and co-products of the multifunctional process. Such a relationship exists when the amounts of the co-products can be independently varied. How the amounts of inputs and outputs (emissions and waste) change following such a variation can be used to allocate the inputs and outputs to the varied co-product.

(standards.iteh.ai) This allocation procedure (step 2, 4.3.4.2) is applicable when: a) the relative production of co-products can be independently varied through process management, and b) this has causal implications for the inputs required, emissions released or waste produced. 16e548-dbc1-46a4-a52c-

EXAMPLE 1 When aqueous animonia (NH) reacts with rethylene oxide ( $C_2H_4O$ ), three co-products are produced: monoethanolamine (H2NCH2CH2OH), diethanolamine (HN(CH2CH2OH)2) and triethanolamine  $(N(CH_2CH_2OH)_3)$ . The relative production volume of the three co-products can be controlled by changing the proportion of the reactants in the solution, which means the amounts of the co-products can be varied independently, and all products are therefore determining products, independently of each other. Therefore, this combined production can be described for each product separately based on the stoichiometric requirements of each product, with the limiting group being hydroxyl (OH). To make 1 kg monoethanolamine, 0,279 kg ammonia and 0,721 kg ethylene oxide are needed. To identify these masses, the following formula is used:

 $m = n \times M$ 

where

- mass (in kg); m
- amount of substance (in mol); n
- molar mass (in kg/mol). М

ISO/TR 14049:2012, 7.3.1, provides another example where transportation fuel consumption is EXAMPLE 2 allocated between a packaging material and a commodity based on the proportion of payload used.

#### **D.3.2 Strengths**

Physical allocation is based on natural science. Allocation factors are relatively stable.