



SLOVENSKI STANDARD
oSIST prEN ISO/IEC 29146:2023
01-februar-2023

**Informacijska tehnologija - Varnostne tehnike - Ogrodje za upravljanje dostopa
(ISO/IEC 29146:2016)**

Information technology - Security techniques - A framework for access management
(ISO/IEC 29146:2016)

Informationstechnologie - Sicherheitstechniken - Ein Rahmen für die Zugangsverwaltung
(ISO/IEC 29146:2016)

Technologies de l'information - Techniques de sécurité - Cadre pour gestion d'accès
(ISO/IEC 29146:2016)

Ta slovenski standard je istoveten z: prEN ISO/IEC 29146

ICS:

35.030 Informacijska varnost IT Security

oSIST prEN ISO/IEC 29146:2023 en,fr,de

INTERNATIONAL
STANDARD

ISO/IEC
29146

First edition
2016-06-01

**Information technology — Security
techniques — A framework for access
management**

*Technologies de l'information — Techniques de sécurité — Cadre
pour gestion d'accès*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO/IEC 29146:2023](https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023)

<https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023>



Reference number
ISO/IEC 29146:2016(E)

© ISO/IEC 2016

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO/IEC 29146:2023](https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023)

<https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	4
5 Concepts	5
5.1 A model for controlling access to resources.....	5
5.1.1 Overview.....	5
5.1.2 Relationship between identity management system and access management system.....	6
5.1.3 Security characteristics of the access method.....	7
5.2 Relationships between logical and physical access control.....	8
5.3 Access management system functions and processes.....	8
5.3.1 Overview.....	8
5.3.2 Access control policy.....	9
5.3.3 Privilege management.....	10
5.3.4 Policy-related attribute information management.....	11
5.3.5 Authorization.....	12
5.3.6 Monitoring management.....	12
5.3.7 Alarm management.....	13
5.3.8 Federated access control.....	13
6 Reference architecture	14
6.1 Overview.....	14
6.2 Basic components of an access management system.....	15
6.2.1 Authentication endpoint.....	15
6.2.2 Policy decision point (PDP).....	15
6.2.3 Policy information point (PIP).....	15
6.2.4 Policy administration point (PAP).....	15
6.2.5 Policy enforcement point (PEP).....	16
6.3 Additional service components.....	16
6.3.1 General.....	16
6.3.2 Subject centric implementation.....	16
6.3.3 Enterprise centric implementation.....	18
7 Additional requirements and concerns	19
7.1 Access to administrative information.....	19
7.2 AMS models and policy issues.....	19
7.2.1 Access control models.....	19
7.2.2 Policies in access management.....	20
7.3 Legal and regulatory requirements.....	20
8 Practice	20
8.1 Processes.....	20
8.1.1 Authorization process.....	20
8.1.2 Privilege management process.....	21
8.2 Threats.....	21
8.3 Control objectives.....	22
8.3.1 General.....	22
8.3.2 Validating the access management framework.....	22
8.3.3 Validating the access management system.....	25
8.3.4 Validating the maintenance of an implemented AMS.....	29
Annex A (informative) Current access models	31

ISO/IEC 29146:2016(E)

Bibliography35

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN ISO/IEC 29146:2023](https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023)

<https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, Subcommittee SC 27, *IT Security techniques*.

[oSIST prEN ISO/IEC 29146:2023](https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023)

<https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023>

ISO/IEC 29146:2016(E)

Introduction

Management of information security is a complex task that is based primarily on risk-based approach and that is supported by several security techniques. The complexity is handled by several supporting systems that can automatically apply a set of rules or policies consistently.

Within the management of information security, access management plays a key role in the administration of the relationships between the accessing party (subjects that can be human or non-human entities) and the information technology resources. With the development of the Internet, information technology resources can be located over distributed networks and the access to them needs to be managed in conformity under a policy and is expected to have common terms and models as a framework on access management.

Identity management is also an important part of access management. Access management is mediated through the identification and authentication of subjects that seek to access information technology resources. This International Standard depends on the existence of an underlying identity management system or an identity management infrastructure (see references in [Clause 2](#)).

The framework for access management is one part of an overall identity and access management framework. The other part is the framework for identity management, which is defined in ISO/IEC 24760.

This International Standard describes the concepts, actors, components, reference architecture, functional requirements and practices for access control. Example access control models are included.

It focuses mainly on access control for a single organization, but adds other considerations for access control in collaborative arrangements across multiple organizations.

INTERNATIONAL STANDARD IN REVIEW
(standards.iteh.ai)

[oSIST prEN ISO/IEC 29146:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/8b1136dc-fcc5-4eac-9b00-65c6e8c645eb/osist-pren-iso-iec-29146-2023>

Information technology — Security techniques — A framework for access management

1 Scope

This International Standard defines and establishes a framework for access management (AM) and the secure management of the process to access information and Information and Communications Technologies (ICT) resources, associated with the accountability of a subject within some context.

This International Standard provides concepts, terms and definitions applicable to distributed access management techniques in network environments.

This International Standard also provides explanations about related architecture, components and management functions.

The subjects involved in access management might be uniquely recognized to access information systems, as defined in ISO/IEC 24760.

The nature and qualities of physical access control involved in access management systems are outside the scope of this International Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 24760-1:2011, *Information technology — Security techniques — A framework for identity management — Part 1: Terminology and concepts*

ISO/IEC 24760-2:2015, *Information technology — Security techniques — A framework for identity management — Part 2: Reference architecture and requirements*

ISO/IEC 29115:2013, *Information technology — Security techniques — Entity authentication assurance framework*

ISO/IEC 27002:2013, *Information technology — Security techniques — Code of practice for information security controls*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 24760-1, ISO/IEC 29115, and the following apply.

3.1

access control

granting or denying an operation to be performed on a *resource* (3.14)

Note 1 to entry: A primary purpose of access control is to prevent unauthorized access to information or use of ICT resources based on the business and security requirements; that is, the application of authorization policies to particular access requests.

Note 2 to entry: When an authenticated *subject* (3.15) makes a request, the resource owner will authorize (or not) access in accordance with access policy and subject privileges.

ISO/IEC 29146:2016(E)

3.2

access management

set of processes to manage *access control* (3.1) for a set of *resources* (3.14)

3.3

access token

trusted object encapsulating the authority for a *subject* (3.15) to access a *resource* (3.14)

Note 1 to entry: An access token is issued by the policy decision point (PDP) and consumed by the policy enforcement point (PEP) for the resource.

Note 2 to entry: An access token may contain access permission information for a subject to access the resource and identifying information for the authority of the authorization decision.

Note 3 to entry: An access token may contain information that enables its integrity to be validated.

Note 4 to entry: An access token may take a physical or a virtual form.

3.4

attribute

characteristic or property used to describe and to control access to a *resource* (3.14)

Note 1 to entry: The rules for accessing a resource are defined in an *access control* (3.1) policy which specifies the attributes required for the granting of access by a *subject* (3.15) to a resource for a specific operation.

Note 2 to entry: Attributes can include subject attributes, resource attributes, environmental attributes and other attributes used to control access as specified in the access control policy.

3.5

endpoint

location in an *access management* (3.2) system where an *access control* (3.1) function is performed

Note 1 to entry: There can be the following different types of endpoints:

- authentication endpoint, where *subject* (3.15) authentication is performed;
- authorization endpoint, where subject authorization is performed;
- endpoint discovery service, that searches for and locates endpoints;
- initial endpoint discovery service, used at the start of subject interactions with an access management system.

Note 2 to entry: Endpoint discovery services are commonly used in distributed and networked systems.

3.6

enterprise centric implementation

access management (3.2) conducted under the control of a policy decision point

3.7

need-to-know

security objective of keeping the *subject's* (3.15) access to data *resources* (3.14) to the minimum necessary for a requesting user to perform their functions

Note 1 to entry: Need-to-know is authorized at the discretion of the resource owner.

Note 2 to entry: Need-to-have is the security objective of the requester for the fulfilment of specific tasks that may be limited at the resource owner's discretion.

3.8 privilege access right permission

authorization to a *subject* (3.15) to access a *resource* (3.14)

Note 1 to entry: Privilege is a necessary but not sufficient condition for access. Access occurs when the access request is granted according to its access control policy. The access control policy is based on privileges and may include other environmental factors (e.g. time-of-day, location, etc.)

Note 2 to entry: Privileges take the form of data presented by a subject or obtained for a subject that is used by a Policy Decision Point in order to grant or deny an operation that a subject is willing to perform on a resource.

Note 3 to entry: A resource may have multiple distinct privileges associated with it which correspond to various defined levels of access. For example, a data resource could have read, write, execute and delete privileges available for assignment to subjects. A request by a subject for access to the resource might be allowed for some levels of access request but disallowed for other levels depending on the level of access requested and the resource privileges that have been assigned to the subject.

3.9 role

name given to a defined set of system functions that may be performed by multiple entities

Note 1 to entry: The name is usually descriptive of the functionality.

Note 2 to entry: Entities can be but are not necessarily human subjects.

Note 3 to entry: Roles are implemented by a set of *privilege* (3.8) attributes to provide the necessary access to data resources or objects.

Note 4 to entry: Subjects assigned to a role inherit the access privileges associated with the role. In operational use, subjects will need to be authenticated as members of the role group before being allowed to perform the functions of the role.

3.10 policy decision point PDP

service that implements an access control policy to adjudicate requests from entities to access *resources* (3.14) and provide authorization decisions for use by a *policy enforcement point* (3.11)

Note 1 to entry: Authorization decisions are used by a policy enforcement point to control access to a resource. An authorization decision may be communicated through the use of an *access token* (3.3).

Note 2 to entry: PDP also audits the decisions in an audit trail and is able to trigger alarms.

Note 3 to entry: The term corresponds to Access Decision Function (ADF) in ISO 10181-3. It is presumed that this function is located over a network from the *subject* (3.15), and may be located over a network from the corresponding *PEP* (3.11).

3.11 policy enforcement point PEP

service that enforces the access decision by the *policy decision point* (3.10)

Note 1 to entry: The PEP receives authorization decisions made by the PDP and implements them in order to control access by entities to *resources* (3.14). An authorization decision may be received in the form of an *access token* (3.3) presented by a *subject* (3.15) when an access request is made.

Note 2 to entry: The term corresponds to Access Enforcement Function (AEF) in ISO 10181-3. It is presumed that this function is located over a network from the subject and may be located over a network from the corresponding *PDP* (3.10).

ISO/IEC 29146:2016(E)

3.12

policy administration point

PAP

service that administers access authorization policy

3.13

policy information point

PIP

service that acts as the source of *attributes* (3.4) that are used by a *policy decision point* (3.10) to make authorization decisions

Note 1 to entry: Attributes can include *resource* (3.14), *subject* (3.15) and environment *privileges* (3.8)/permissions.

3.14

resource

object

physical, network, or any information asset that can be accessed for use by a *subject* (3.15)

3.15

subject

entity requesting access to a *resource* (3.14) controlled by an *access control* (3.1) system

3.16

security token service

STS

service that builds, signs, exchanges and issues *access tokens* (3.3) based on decision made by a *policy decision point* (3.10)

Note 1 to entry: This service may be split into separate components.

3.17

subject centric implementation

access management (3.2) implemented as component services that are called by a *subject* (3.15) to acquire the means recognized by the *policy enforcement point* (3.11) for accessing a *resource* (3.14)

Note 1 to entry: Component services may include policy decision point service, policy enforcement point service and associated discovery services that enable the subject to locate and contact the *access control* (3.1) services.

4 Abbreviated terms

AA	attribute authority
ABAC	attribute-based access control
ACL	access control list
AM	access management
AMS	access management system
CBAC	capabilities-based access control
DAC	discretionary access control
IBAC	identity-based access control
ICT	information and communication technology
IMS	identity management system

IT	information technology
MAC	mandatory access control
PBAC	pseudonym-based access control
PAP	policy administration point
PEP	policy enforcement point
PDP	policy decision point
PII	personally identifiable information
PIP	policy information point
RBAC	role-based access control
REDS	resource endpoint discovery service
STS	security token service
TLS	transport layer security
XACML	extensible access control markup language

5 Concepts

5.1 A model for controlling access to resources

5.1.1 Overview

The conceptual sequence in giving access to a resource is as follows.

- Subject authentication is needed before giving access to a resource. However, authentication is a separate function that is typically implemented on a session basis rather than for each access request.
- Authorization decision to allow or deny access to the resource is made based on a policy, and an access token is issued to convey the result of the decision.
- Authorization enforcement is conducted on the resource based on the decision result and resource access will be given.

[Figure 1](#) shows this decision sequence.




Figure 1 — Access control model sequence

Subject and resource are depicted as balloons while conceptual functions are depicted as rectangles.