



SLOVENSKI STANDARD
oSIST prEN IEC 63380-1:2024
01-januar-2024

Sistemi za upravljanje lokalnih polnilnih postaj in lokalni sistemi za upravljanje z energijo za povezovanje v omrežje in izmenjavo informacij - 1. del: Splošne zahteve, primeri uporabe in abstraktna sporočila

Local charging station management systems and local energy management systems network connectivity and information exchange - Part 1: General requirements, use cases and abstract messages

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

Ta slovenski standard je istoveten z: prEN IEC 63380-1:2023

[oSIST prEN IEC 63380-1:2024](https://standards.iteh.ai/catalog/standards/sist/fb9aa566-993b-4178-ab54-97410bfde9d7/osist-pr-en-iec-63380-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/fb9aa566-993b-4178-ab54-97410bfde9d7/osist-pr-en-iec-63380-1-2024>

ICS:

29.240.99	Druga oprema v zvezi z omrežji za prenos in distribucijo električne energije	Other equipment related to power transmission and distribution networks
43.120	Električna cestna vozila	Electric road vehicles

oSIST prEN IEC 63380-1:2024

en



69/913/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 63380-1 ED1

DATE OF CIRCULATION:

2023-11-03

CLOSING DATE FOR VOTING:

2024-01-26

SUPERSEDES DOCUMENTS:

69/751/RVN, 69/911/CC

IEC TC 69 : ELECTRICAL POWER/ENERGY TRANSFER SYSTEMS FOR ELECTRICALLY PROPELLED ROAD VEHICLES AND INDUSTRIAL TRUCKS	
SECRETARIAT: Belgium	SECRETARY: Mr Peter Van den Bossche
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: <input checked="" type="checkbox"/> Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Local Charging station management systems and Local Energy Management Systems network connectivity and information exchange - Part -1 General Requirements, Use Cases and abstract Messages

PROPOSED STABILITY DATE: 2025

NOTE FROM TC/SC OFFICERS:

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN IEC 63380-1:2024](https://standards.iteh.ai/catalog/standards/sist/fbaaa566-993b-4178-ab54-97410bfde9d7/osist-pren-iec-63380-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/fbaaa566-993b-4178-ab54-97410bfde9d7/osist-pren-iec-63380-1-2024>

1	CONTENTS	
2		
3	FOREWORD.....	14
4	INTRODUCTION.....	16
5	1 Scope.....	17
6	2 Normative references	17
7	3 Terms, definitions, and abbreviated terms	18
8	3.1 Terms and definitions.....	18
9	3.2 Abbreviated terms.....	19
10	4 Scenarios and User Stories	19
11	4.1 Introduction.....	19
12	4.2 User Stories.....	20
13	4.3 Stakeholders.....	22
14	4.4 Use Case Actors	22
15	4.4.1 Charging Station.....	22
16	4.4.2 Energy Management System (EMS)	22
17	4.4.3 Electric Vehicle (EV).....	23
18	4.5 Mapping of User Stories to Use Cases	24
19	5 Technical Use Cases.....	24
20	5.1 Reader's guide.....	24
21	5.1.1 General	24
22	5.1.2 Requirements wording.....	24
23	5.1.3 Reading the graphics.....	25
24	5.2 Charging Station Commissioning and Configuration	25
25	5.2.1 Introduction	25
26	5.2.2 Scenario Overview.....	25
27	5.2.3 Scenario Support Requirements	26
28	5.2.4 Scenario flow.....	26
29	5.2.5 Scenario Details	26
30	5.2.6 Scenarios and Use Case Functions	27
31	5.2.7 Dependencies to other Use Cases	28
32	5.2.8 Additional Information	28
33	5.3 Coordinated EV Charging	28
34	5.3.1 Introduction	28
35	5.3.2 Scenario Overview.....	30
36	5.3.3 Scenario support requirements	30
37	5.3.4 Scenario flow.....	32
38	5.3.5 Scenario details.....	33
39	5.3.6 Scenarios and Use Case Functions	41
40	5.3.7 Dependencies to other Use Cases	41
41	5.3.8 Additional Information	42
42	5.4 EV Charging Electricity Measurement	42
43	5.4.1 Introduction	42
44	5.4.2 Scenario Overview.....	43
45	5.4.3 Scenario Support Requirements	43
46	5.4.4 Scenario flow.....	43
47	5.4.5 Scenario Details	43

48	5.4.6	Scenarios and Use Case Functions	45
49	5.4.7	Dependencies to other Use Cases	45
50	5.4.8	Additional Information	46
51	5.5	EV Charging Summary	46
52	5.5.1	Introduction	46
53	5.5.2	Scenario Overview	46
54	5.5.3	Scenario Support Requirements	47
55	5.5.4	Scenario flow	47
56	5.5.5	Scenario Details	47
57	5.5.6	Scenarios and Use Case Functions	48
58	5.5.7	Dependencies to other Use Cases	48
59	5.5.8	Additional Information	48
60	5.6	EV Commissioning and Configuration	48
61	5.6.1	Introduction	48
62	5.6.2	Scenario Overview	50
63	5.6.3	Scenario Support Requirements	50
64	5.6.4	Scenario flow	51
65	5.6.5	Scenario Details	51
66	5.6.6	Scenarios and Use Case Functions	56
67	5.6.7	Dependencies to other Use Cases	56
68	5.6.8	Additional Information	56
69	5.7	EV State of Charge	57
70	5.7.1	Introduction	57
71	5.7.2	Scenario Overview	57
72	5.7.3	Scenario Support Requirements	57
73	5.7.4	Scenario flow	57
74	5.7.5	Scenario Details	57
75	5.7.6	Scenarios and Use Case Functions	58
76	5.7.7	Dependencies to other Use Cases	58
77	5.7.8	Additional Information	58
78	5.8	Limitation of Active Power Consumption	58
79	5.8.1	Introduction	58
80	5.8.2	Detailed background information and rules	59
81	5.8.3	State machine	62
82	5.8.4	Scenario Overview	65
83	5.8.5	Scenario Support Requirements	65
84	5.8.6	Scenario flow	65
85	5.8.7	Scenario Details	65
86	5.8.8	Scenarios and Use Case Functions	69
87	5.8.9	Dependencies to other Use Cases	69
88	5.8.10	Further information and rules	70
89	5.8.11	Additional Information	70
90	5.9	Monitoring of Active Power Consumption	70
91	5.9.1	Introduction	70
92	5.9.2	Scenario Overview	71
93	5.9.3	Scenario Support Requirements	71
94	5.9.4	Scenario flow	72
95	5.9.5	Scenario Details	72
96	5.9.6	Scenarios and Use Case Functions	75

97	5.9.7	Dependencies to other Use Cases	75
98	5.9.8	Additional Information	75
99	5.10	Optimization of Self-Consumption during EV Charging	75
100	5.10.1	Introduction	75
101	5.10.2	Scenario Overview	76
102	5.10.3	Scenario Support Requirements	76
103	5.10.4	Scenario flow	76
104	5.10.5	Scenario Details	76
105	5.10.6	Dependencies to other Use Cases	78
106	5.10.7	Additional Information	79
107	5.11	Overload Protection by EV Charging Current Curtailment	79
108	5.11.1	Introduction	79
109	5.11.2	Derivation of the time limits for the involved units:	80
110	5.11.3	Further Information:	80
111	5.11.4	Scenario Overview	81
112	5.11.5	Scenario Support Requirements	81
113	5.11.6	Scenario flow	81
114	5.11.7	Scenario Details	81
115	5.11.8	Scenarios and Use Case Functions	84
116	5.11.9	Dependencies to other Use Cases	84
117	5.11.10	Additional Information	85
118	5.12	Basic EV Charging/Discharging	85
119	5.12.1	Introduction	85
120	5.12.2	Scenario Overview	85
121	5.12.3	Scenario Support Requirements	86
122	5.12.4	Scenario flow	86
123	5.12.5	Scenario Details	86
124	5.12.6	Scenarios and Use Case Functions	89
125	5.12.7	Dependencies to other Use Cases	90
126	5.12.8	Additional Information	90
127	5.13	Dynamic Bidirectional EV Charging	90
128	5.13.1	Introduction	90
129	5.13.2	Dynamic mode	91
130	5.13.3	Scenario Overview	92
131	5.13.4	Scenario Support Requirements	92
132	5.13.5	Scenario flow	92
133	5.13.6	Scenarios and Use Case Functions	93
134	5.13.7	Scenarios and Use Case Functions	97
135	5.13.8	Dependencies to other Use Cases	97
136	5.13.9	Further information and rules	98
137	5.13.10	Additional Information	98
138	6	Generic Use Case Functions (UCF)	98
139	6.1	Concepts	98
140	6.2	UCF_AC_Measurement	99
141	6.2.1	Generic Description	99
142	6.2.2	Additional Information	113
143	6.3	UCF_Characteristics	113
144	6.3.1	Generic Description	113
145	6.4	UCF_Charging_Power_Limits	115

146	6.4.1	Generic Description	115
147	6.4.2	Additional Information	116
148	6.5	UCF_Consumption_Curve	116
149	6.5.1	Generic Description	116
150	6.5.2	Additional Information	123
151	6.6	UCF_Device_Configuration	123
152	6.6.1	Generic Description	123
153	6.6.2	Additional information	126
154	6.7	UCF_Device_State	126
155	6.7.1	Generic Description	126
156	6.7.2	Additional Information	128
157	6.8	UCF_EV_Connected	128
158	6.8.1	Generic Description	128
159	6.8.2	Additional Information	129
160	6.9	UCF_Heartbeat	129
161	6.9.1	Generic Description	129
162	6.9.2	Additional Information	130
163	6.10	UCF_Identification	130
164	6.10.1	Generic Description	130
165	6.10.2	Additional Information	131
166	6.11	UCF_Incentive_Table	131
167	6.11.1	Generic Description	131
168	6.11.2	Additional Information	143
169	6.12	UCF_Load_Control	144
170	6.12.1	Generic Description	144
171	6.12.2	Additional Information	147
172	6.13	UCF_Manufacturer_Information	147
173	6.13.1	Generic Description	147
174	6.13.2	Additional Information	149
175	6.14	UCF_Maximum_Power_Limitation_Curve	149
176	6.14.1	Generic Description	149
177	6.14.2	Additional Information	153
178	6.15	UCF_Measurement	153
179	6.15.1	Generic Description	153
180	6.15.2	Additional Information	156
181	6.16	UCF_Power_Limit	156
182	6.16.1	Generic Description	156
183	6.16.2	Additional Information	158
184	6.17	UCF_Operation_Mode	159
185	6.17.1	Generic Description	159
186	6.17.2	Additional information	160
187	6.18	UCF_Session_Summary	160
188	6.18.1	Generic Description	160
189	6.18.2	Additional Information	165
190	6.19	UCF_Setpoint	165
191	6.19.1	Generic Description	165
192	6.19.2	Additional information	166
193	Bibliography		167

195	Figure 1 – Overview of the IEC 63380 series	20
196	Figure 2 – Communication scope of IEC 63380.....	20
197	Figure 3 – Sources of information for an EMS.....	23
198	Figure 4 – Charging Station Commissioning and Configuration – High-Level Use Case	
199	functionality overview.....	25
200	Figure 5 – Charging Station Commissioning and Configuration – Scenario overview.....	25
201	Figure 6 – Charging Station Commissioning and Configuration – Scenario 1 overview.....	26
202	Figure 7 – Charging Station Commissioning and Configuration – Scenario 2 overview.....	27
203	Figure 8 – Coordinated EV Charging – High-Level Use Case functionality overview.....	28
204	Figure 9 – Charging session example	29
205	Figure 10 – Coordinated EV Charging – Scenario overview	30
206	Figure 11 – Coordinated EV Charging – Scenario flow.....	32
207	Figure 12 – Energy demand example.....	33
208	Figure 13 – Maximum power limitation curve example.....	34
209	Figure 14 – Incentive table example with consideration of the P_{max} curve from	
210	Scenario 2	36
211	Figure 15 – Incentive Table example (single incentive slot) for different tiers	37
212	Figure 16 – Charging plan curve example	38
213	Figure 17 – EV Charging Electricity Measurement – High-Level Use Case functionality	
214	overview	42
215	Figure 18 – EV Charging Electricity Measurement – Scenario overview	43
216	Figure 19 – EV Charging Current overview	44
217	Figure 20 – EV Charging Power overview	44
218	Figure 21 – EV Charged Energy overview.....	45
219	Figure 22 – EV Charging Summary – High-Level Use Case functionality overview	46
220	Figure 23 – EV Charging Summary – Scenario overview.....	46
221	Figure 24 – Charging Session Summary	47
222	Figure 25 – EV Commissioning and Configuration – High-Level Use Case functionality	
223	overview	49
224	Figure 26 – EV Commissioning and Configuration – Scenario overview	50
225	Figure 27 – EV Commissioning and Configuration – Scenario 1 overview	51
226	Figure 28 – EV Commissioning and Configuration – Scenario 2 overview	51
227	Figure 29 – EV Commissioning and Configuration – Scenario 3 overview	52
228	Figure 30 – EV Commissioning and Configuration – Scenario 4 overview	53
229	Figure 31 – EV Commissioning and Configuration – Scenario 5 overview	54
230	Figure 32 – EV Commissioning and Configuration – Scenario 6 overview	55
231	Figure 33 – EV Commissioning and Configuration – Scenario 7 overview	55
232	Figure 34 – EV Commissioning and Configuration – Scenario 8 overview	56
233	Figure 35 – EV State of Charge – High-Level Use Case functionality overview	57
234	Figure 36 – EV State of Charge – Scenario overview	57
235	Figure 37 – Monitor EV's state of charge	58
236	Figure 38 – Limitation of Active Power Consumption – High-Level Use Case	
237	functionality overview.....	59
238	Figure 39 – LPC state machine after connection establishment.....	63

239	Figure 40 – Limitation of Active Power Consumption – Scenario overview	65
240	Figure 41 – Monitoring of Active Power Consumption – High-Level Use Case	
241	functionality overview	71
242	Figure 42 – Monitoring of active power consumption – Scenario overview	71
243	Figure 43 – Optimization of self-consumption during EV charging – High-Level Use	
244	Case functionality overview	76
245	Figure 44 – Optimization of Self-Consumption during EV Charging – Scenario overview	76
246	Figure 45 – Optimization of self-consumption during EV charging – Scenario 1	
247	overview	77
248	Figure 46 – Overload Protection by EV Charging Current Curtailment – High-Level Use	
249	Case functionality overview	80
250	Figure 47 – Overload Protection by EV Charging Current Curtailment – Scenario	
251	overview	81
252	Figure 48 – Overload Protection by EV Charging Current Curtailment – Scenario 1	
253	overview	82
254	Figure 49 – Example for asymmetric vs. symmetric charging curtailment	82
255	Figure 50 – Basic EV Charging/Discharging– High-Level Use Case functionality	
256	overview	85
257	Figure 51 – Basic EV Charging/Discharging – Scenario overview	86
258	Figure 52 – Basic EV Charging/Discharging – Scenario 1 overview	87
259	Figure 53 – EMS monitors EV's state of charge – Scenario 2 overview	87
260	Figure 54 – Basic EV Charging/Discharging – Scenario 3 overview	88
261	Figure 55 – Basic EV Charging/Discharging – Scenario 4 overview	88
262	Figure 56 – Basic EV Charging/Discharging – Scenario 5 overview	89
263	Figure 57 – Dynamic Bidirectional EV Charging – High-Level Use Case functionality	
264	overview	92
265	Figure 58 – Dynamic Bidirectional EV Charging – Scenario overview	92
266	Figure 59 – Example of energy request dependencies	95
267	http://standards.iteh.ai/catalog/standards/sist/fbaaa566-993b-4178-ab54-97410bfde9d7/osist-pren-iec-63380-1-2024	
268	Table 1 – User Stories	21
269	Table 2 – Mapping of User Stories to Use Cases	24
270	Table 3 – Presence indication description	25
271	Table 4 – Charging Station Commissioning and Configuration – Scenario	
272	implementation requirements for Actors	26
273	Table 5 –Charging Station Commissioning and Configuration – Scenarios and primary	
274	Use Case Functions (UCFs).....	28
275	Table 6 – Coordinated EV Charging – Scenario implementation requirements for	
276	Actors	30
277	Table 7 – Coordinated EV Charging – Scenarios and primary Use Case Functions	
278	(UCFs).....	41
279	Table 8 – EV Charging Electricity Measurement – Scenario implementation	
280	requirements for Actors.....	43
281	Table 9 – EV Charging Electricity Measurement – Scenarios and primary Use Case	
282	Functions (UCFs).....	45
283	Table 10 – EV Charging Summary – Scenario implementation requirements for Actors.....	47
284	Table 11 – EV Charging Summary – Scenarios and primary Use Case Functions	
285	(UCFs).....	48

286	Table 12 – EV Commissioning and Configuration – Scenario implementation	
287	requirements for Actors.....	50
288	Table 13 – EV Commissioning and Configuration – Scenarios and primary Use Case	
289	Functions (UCFs).....	56
290	Table 14 – EV State of Charge – Scenario implementation requirements for Actors	57
291	Table 15 – EV State of Charge – Scenarios and primary Use Case Functions (UCFs)	58
292	Table 16 – Charging station power limitation behaviour	59
293	Table 17 – Limitation of Active Power Consumption – Scenario implementation	
294	requirements for Actors.....	65
295	Table 18 – Scenario 1 – Control active power consumption limit – Data point list.....	66
296	Table 19 – Scenario 2 – Failsafe values – Data point list	67
297	Table 20 – Scenario 3 – Heartbeat – Data point list	68
298	Table 21 – Scenario 4 – Constraints – Data point list.....	69
299	Table 22 – Limitation of Active Power Consumption– Scenarios and primary Use Case	
300	Functions (UCFs).....	69
301	Table 23 – Monitoring of Active Power Consumption – Scenario implementation	
302	requirements for Actors.....	71
303	Table 24 – Scenario 1 – Monitor power consumption – Data point list.....	72
304	Table 25 – Scenario 2 – Monitor consumed energy – Data point list	73
305	Table 26 – Scenario 3 – Monitor current – Data point list.....	73
306	Table 27 – Scenario 4 – Monitor voltage – Data point list.....	74
307	Table 28 – Scenario 5 – Monitor frequency – Data point list.....	75
308	Table 29 – Monitoring of active power consumption – Scenarios and primary Use Case	
309	Functions (UCFs).....	75
310	Table 30 – Optimization of Self-Consumption during EV Charging – Scenario	
311	implementation requirements for Actors	76
312	Table 31 – Optimization of Self-Consumption during EV Charging – Scenarios and	
313	primary Use Case Functions (UCFs)	78
314	Table 32 – Overload Protection by EV Charging Current Curtailment – Scenario	
315	implementation requirements for Actors	81
316	Table 33 – Overload Protection by EV Charging Current Curtailment – Scenarios and	
317	primary Use Case Functions (UCFs)	84
318	Table 34 – Basic EV Charging/Discharging – Scenario implementation requirements	
319	for Actors.....	86
320	Table 35 – Basic EV Charging/Discharging – Scenarios and primary Use Case	
321	Functions (UCFs).....	89
322	Table 36 – Dynamic Bidirectional EV Charging – Scenario implementation	
323	requirements for Actors.....	92
324	Table 37 – Scenario 1 – Control active power setpoint – Data point list	93
325	Table 38 – Scenario 2 – Monitor energy requests – Data point list	96
326	Table 39 – Scenario 3 – Monitor constraints – Data point list	96
327	Table 40 – Scenario 4 – Configuration parameters – Data point list	97
328	Table 41 – Dynamic Bidirectional EV Charging – Scenarios and primary Use Case	
329	Functions (UCFs).....	97
330	Table 42 – Information content for Measurement Description at Actor charging station	
331	for Power (Use Case “Monitoring of active Power Consumption”).....	100
332	Table 43 – Information content for Measurement Description at Actor charging station	
333	for Power (Use Case “EV Charging Electricity Measurement”)	101

334	Table 44 – Information content for Measurement Constraints at Actor charging station	
335	for Power (Use Cases “Monitoring of active Power Consumption” and “EV Charging	
336	Electricity Measurement”)	101
337	Table 45 – Information content for Measurement Data at Actor charging station for	
338	Power (Use Case “Monitoring of active Power Consumption”)	101
339	Table 46 – Information content for Measurement Data at Actor charging station for	
340	Power (Use Case “EV Charging Electricity Measurement”)	101
341	Table 47 – Information content for Measurement Description at Actor charging station	
342	for Energy (Use Case “Monitoring of active Power Consumption”)	102
343	Table 48 – Information content for Measurement Description at Actor charging station	
344	for Energy (Use Case “EV Charging Electricity Measurement”)	103
345	Table 49 – Information content for Measurement Constraints at Actor charging station	
346	for Energy (Use Cases “Monitoring of active Power Consumption” and “EV Charging	
347	Electricity Measurement”)	103
348	Table 50 – Information content for Measurement Data at Actor charging station for	
349	Energy (Use Case “Monitoring of active Power Consumption”).....	103
350	Table 51 – Information content for Measurement Data at Actor charging station for	
351	Energy (Use Case “EV Charging Electricity Measurement”)	104
352	Table 52 – Information content for Measurement Description at Actor charging station	
353	for Current (Use Cases “Monitoring of active Power Consumption” and “EV Charging	
354	Electricity Measurement”)	104
355	Table 53 – Information content for Measurement Constraints at Actor charging station	
356	for Current (Use Cases “Monitoring of active Power Consumption” and “EV Charging	
357	Electricity Measurement”)	105
358	Table 54 – Information content for Measurement Data at Actor charging station for	
359	Current (Use Case “Monitoring of active Power Consumption”)	105
360	Table 55 – Information content for Measurement Data at Actor charging station for	
361	Power (Use Case “EV Charging Electricity Measurement”)	105
362	Table 56 – Information content for Measurement Description at Actor charging station	
363	for Current (Use Case “Monitoring of active Power Consumption”)	106
364	Table 57 – Information content for Measurement Constraints at Actor charging station	
365	for Current (Use Case “Monitoring of active Power Consumption”)	106
366	Table 58 – Information content for Measurement Data at Actor charging station for	
367	Current (Use Case “Monitoring of active Power Consumption”)	106
368	Table 59 – Information content for Measurement Description at Actor charging station	
369	for Frequency (Use Case “Monitoring of active Power Consumption”)	107
370	Table 60 – Information content for Measurement Constraints at Actor charging station	
371	for Frequency (Use Case “Monitoring of active Power Consumption”)	107
372	Table 61 – Information content for Measurement Data at Actor charging station for	
373	Frequency (Use Case “Monitoring of active Power Consumption”)	107
374	Table 62 – Information content for Electrical Connection Description at Actor charging	
375	station for Power (Use Cases “Monitoring of active Power Consumption” and “EV	
376	Charging Electricity Measurement”)	108
377	Table 63 – Information content for Electrical Connection Parameters at Actor charging	
378	station for Power (Use Case “Monitoring of active Power Consumption”) – phase	
379	specific	108
380	Table 64 – Information content for Electrical Connection Parameters at Actor charging	
381	station for Power (Use Case “Monitoring of active Power Consumption”) – non phase	
382	specific	109
383	Table 65 – Information content for Electrical Connection Parameters at Actor charging	
384	station for Power (Use Case “EV Charging Electricity Measurement”) – phase specific	109

385	Table 66 – Information content for Electrical Connection Description at Actor charging station for Energy (Use Cases “Monitoring of active Power Consumption” and “EV Charging Electricity Measurement”)	110
386		
387		
388	Table 67 – Information content for Electrical Connection Parameters at Actor charging station for Energy (Use Case “Monitoring of active Power Consumption”)	110
389		
390	Table 68 – Information content for Electrical Connection Parameters at Actor charging station for Energy (Use Case “EV Charging Electricity Measurement”)	110
391		
392	Table 69 – Information content for Electrical Connection Description at Actor charging station for Current (Use Cases “Monitoring of active Power Consumption” and “EV Charging Electricity Measurement”)	110
393		
394		
395	Table 70 – Information content for Electrical Connection Parameters at Actor charging station for Current (Use Case “Monitoring of active Power Consumption”)	111
396		
397	Table 71 – Information content for Electrical Connection Parameters at Actor charging station for Current (Use Case “EV Charging Electricity Measurement”)	111
398		
399	Table 72 – Information content for Electrical Connection Description at Actor charging station for Voltage (Use Case “Monitoring of active Power Consumption”)	112
400		
401	Table 73 – Information content for Electrical Connection Parameters at Actor charging station for Current (Use Case “Monitoring of active Power Consumption”)	112
402		
403	Table 74 – Information content for Electrical Connection Description at Actor charging station for Frequency (Use Case “Monitoring of active Power Consumption”)	112
404		
405	Table 75 – Information content for Electrical Connection Parameters at Actor charging station for Frequency (Use Case “Monitoring of active Power Consumption”)	113
406		
407	Table 76 – Information content for Characteristics at Actor charging station (“Use Case Limitation of Active Power Consumption”, Scenario 4) and (Use Case “Dynamic Bidirectional EV Charging”, Scenario 3)	114
408		
409		
410	Table 77 – Information content for Electrical Connection Parameters at Actor charging station (“Use Case EV Commissioning and Configuration”, Scenario 6)	115
411		
412	Table 78 – Information content for Electrical Connection Permitted Values at Actor charging station (“Use Case EV Commissioning and Configuration”, Scenario 6)	116
413		
414	Table 79 – Information content for Time Series Description at Actor charging station (Use Case “Coordinated EV Charging”, Scenario 1) and (Use Case “Dynamic Bidirectional EV Charging”, Scenario 2)	118
415		
416		
417	Table 80 – Information content for Time Series Description at Actor charging station (Use Case “Coordinated EV Charging”, Scenario 4)	118
418		
419	Table 81 – Information content for Time Series Constraints at Actor charging station (Use Case “Coordinated EV Charging”, Scenario 1,4)	119
420		
421	Table 82 – Information content for Time Series Data at Actor charging station (Use Case “Coordinated EV Charging”, Scenario 1)	119
422		
423	Table 83 – Information content for Time Series Data at Actor charging station (Use Case “Coordinated EV Charging”, Scenario 4)	121
424		
425	Table 84 – Information content for Time Series Data at Actor charging station (Use Case “Dynamic Bidirectional EV Charging”, Scenario 2)	122
426		
427	Table 85 – Information content for Key Value Description at Actor charging station (Use Case “EV Commissioning and Configuration” Scenario 2, and 3)	124
428		
429	Table 86 – Information content for Key Value Description at Actor charging station (Use Case “Limitation of active power consumption” Scenario 2)	124
430		
431	Table 87 – Information content for Key Value Description at Actor charging station (Use Case “Dynamic Bidirectional EV Charging” Scenario 4)	124
432		
433	Table 88 – Information content for Device Configuration at Actor charging station (Use Case “Limitation of active power consumption”)	125
434		
435	Table 89 – Information content for Device Configuration at Actor Charging (Use Case “Dynamic Bidirectional EV Charging” Scenario 4)	125
436		

437	Table 90 – Information content for Device Configuration at Actor charging station (Use Case “EV Commissioning and Configuration” Scenario 2)	125
438		
439	Table 91 – Information content for Device Configuration at Actor charging station (Use Case “EV Commissioning and Configuration” Scenario 3)	125
440		
441	Table 92 – Information content for Key Value Description at Actor EMS (Scenario 2, Failsafe Consumption Active Power Limit)	126
442		
443	Table 93 – Information content for Key Value Description at Actor EMS (Scenario 2, Failsafe Duration Minimum)	126
444		
445	Table 94 – Information content for Device State at Actor EMS (Use Cases "Overload Protection by EV Charging Current Curtailment", "Charging Station Commissioning and Configuration" and "Optimization of Self-Consumption during EV Charging")	127
446		
447		
448	Table 95 – Information content for Device State at Actor EMS (Use Cases "Coordinated EV Charging", Scenario 7,8)	128
449		
450	Table 96 – Information content for Device State at Actor charging station (Use Case "EV Commissioning and Configuration")	128
451		
452	Table 97 – Information content for Device State at Actor charging station (Use Case "Basic EV Charging/Discharging")	128
453		
454	Table 98 – Information content for Heartbeat at Actor EMS	130
455	Table 99 – Information content for Identification at Actor charging station (Use Case "EV Commissioning and Configuration")	131
456		
457	Table 100 – Information content for Incentive Table Description at Actor charging station (Use Case "Coordinated EV Charging")	133
458		
459	Table 101 – Information content for Incentive Table Constraints at Actor charging station (Use Case "Coordinated EV Charging")	136
460		
461	Table 102 – Information content for Incentive Table Data at Actor charging station (Use Case "Coordinated EV Charging")	137
462		
463	Table 103 – Information content for Incentive Table Description at Actor EMS (Use Case "Coordinated EV Charging")	139
464		
465	Table 104 – Information content for Incentive Table Data at Actor EMS (Use Case "Coordinated EV Charging")	141
466		
467	Table 105 – Information content for Load Control Limit Description at Actor charging station (Use Case "Overload Protection during EV Charging")	145
468		
469	Table 106 – Information content for Load Control Limit Description at Actor charging station (Use Case "Optimization of Self-Consumption during EV Charging")	145
470		
471	Table 107 – Information content for Load Power Limit Data at Actor charging station	146
472	Table 108 – Information content for Electrical Connection Description at Actor charging station	146
473		
474	Table 109 – Information content for Electrical Connection Permitted Values at Actor charging station	146
475		
476	Table 110 – Information content for Load Power Limit Data at Actor EMS	147
477	Table 111 – Information content for Manufacturer Data at Actor charging station (Use Case "EV Commissioning and Configuration", Use Case "Charging Station Commissioning and Configuration")	148
478		
479		
480	Table 112 – Information content for Time Series Description at Actor charging station	151
481	Table 113 – Information content for Time Series Constraints at Actor charging station	151
482	Table 114 – Information content for Time Series Data at Actor charging station	152
483	Table 115 – Information content for Time Series Data at Actor EMS	153
484	Table 116 – Information content for Measurement Description at Actor charging station (Use Case "EV State of Charge") – State of Charge	155
485		