SLOVENSKI STANDARD
oSIST prEN ISO 17201-2:2024

01-september-2024

Akustika - Hrup strelskih poligonov - 2. del: Izračun potisnega poka (ISO/DIS 17201 -2:2024)

Acoustics - Noise from shooting ranges - Part 2: Calculation of muzzle blast (ISO/DIS 17201-2:2024)

Akustik - Geräusche von Schießplätzen - Teil 2: Berechnung des Mündungsknalls (ISO/DIS 17201-2:2024)

Acoustique - Bruit des stands de tir - Partie 2: Calcul de la détonation à la bouche (ISO/DIS 17201-2:2024)

Ta slovenski standard je istoveten z: **prEN ISO 17201-2**

ICS:

17.140.20	Emisija hrupa naprav in opreme	Noise emitted by machines and equipment
95.020	Vojaštvo na splošno	Military in general
97.220.10	Športni objekti	Sports facilities

oSIST prEN ISO 17201-2:2024 **en,fr,de**

DRAFT International Standard

ISO/DIS 17201-2

Acoustics — Noise from shooting ranges —

Part 2: Calculation of muzzle blast

ICS: 97.220.10; 95.020; 17.140.20

ISO/TC **43**/SC **1**

Secretariat: **DIN**

Voting begins on:
2024-06-17

Voting terminates on:
2024-09-09

Reference number
ISO/DIS 17201-2:2024(en)

COPYRIGHT PROTECTED DOCUMENT

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 211, *Acoustics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 17201-2:2006), which has been technically revised.

The main changes are as follows:

— deletion of Clause 5 and 6, and Annex D which were moved to ISO 17201-4

— revision of Clause 7 and Annex C

— addition of Clause 6

— editorial revision of the document

A list of all parts in the ISO 17201 series can be found on the ISO website.

The initiative to prepare a standard on impulse noise from shooting ranges was taken by AFEMS, the Association of European Manufacturers of Sporting Ammunition, in April 1996, by the submission of a formal proposal to CEN. After consultation in CEN in 1998, CEN/TC 211, *Acoustics*, asked ISO/TC 43/SC 1, *Noise*, to prepare the ISO 17201 series.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

There are two basic sources that dominate the shooting sound from firearms: the muzzle blast and the projectile sound. These two sources are basically different. The explosion blast from devices can be treated as muzzle blast. This document describes the calculation of muzzle blast. The calculation of projectile sound is described in part 4 of the ISO 17201 series.

The muzzle blast is caused by the expanding gases of the propellant at the muzzle. The muzzle blast can be modelled approximately based on a spherical volume of these gases at that moment when the expansion speed becomes subsonic.

In general, the procedures for estimating the muzzle blast rely on the estimation of energies that are involved in the related processes. The procedures give estimates for the fraction of these energies that transforms into acoustic energy. The results of the estimation are acoustical source data with respect to energy, direction and frequency content.

Acoustics — Noise from shooting ranges —

Part 2: Calculation of muzzle blast

1 Scope

This document specifies a computational method (in line with ISO 17201-4) for estimating the acoustic source data of muzzle blast and explosions on the basis of non-acoustic data for firearms with calibres less than 20 mm and explosions less than 50 g TNT equivalent.

This document addresses those cases where no source measurements exist. This document can also be used as an interpolation method between measurements of muzzle blast.

Source data are given in terms of spectral angular source energy covering the frequency range from 12,5 Hz to 10 kHz and can be used as data input for sound propagation calculation.

This document is not applicable to the prediction of sound levels for the assessment of hearing damage; neither can it be used to predict sound pressure levels nor sound exposure levels at distances where linear acoustics do not apply.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 17201-1, *Acoustics — Noise from shooting ranges — Part 1: Determination of muzzle blast by measurement*

ISO 17201-4, *Acoustics — Noise from shooting ranges — Part 4: Calculation of projectile sound*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 17201-1 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1 General

3.1.1
air density
ρ
density of air for the estimation conditions

Note 1 to entry: The air density is expressed in kilograms per cubic metre (kg/m^3).

3.1.2
angular frequency
ω
frequency multiplied by 2π

Note 1 to entry: The angular frequency is expressed in radians per second (rad/s) in all formulae.

3.1.3
coordinate system (x, y)
plane coordinate system describing geometry, where the x-axis denotes the line of fire with $x = 0$ at the muzzle, and the y-axis measures the perpendicular distance from the line of fire in any plane around the line of fire

Note 1 to entry: The sound field of projectile sound is rotationally symmetric around the line of fire.

Note 2 to entry: The coordinates are given in metres (m).

3.1.4
cosine-coefficients
$c_{1,2...N}$
coefficients of the cosine-transform used to describe the directivity of the angular source energy

3.1.5
specific chemical energy
u
specific chemical energy content of the propellant

Note 1 to entry: The specific chemical energy is usually expressed in joules per kilogram (J/kg).

3.1.6
sound exposure
E
time integral of frequency-weighted squared instantaneous sound pressure over the event duration time

$$E = \int_T p^2(t)\,\mathrm{d}t$$

Note 1 to entry: The sound exposure is expressed in pascal-squared seconds ($Pa^2 \cdot s$).

3.1.7
sound exposure level
L_E
ten times the logarithm to the base 10 of the ratio of the sound exposure, E, to the reference sound exposure

Note 1 to entry: The sound exposure level is expressed in decibels.

Note 2 to entry: See also ISO 1996-1 [1].

Note 3 to entry: The sound exposure level of a single burst of sound or transient sound with duration time T is given by the formula

$$L_E = 10\lg\left[\int_T \frac{p^2(t)}{p_0^2 T_0}\,\mathrm{d}t\right] \text{ dB}$$

where

$p(t)$ is the instantaneous sound pressure as a function of time;

$p_0^2 T_0$ is the reference value [$(20\ \mu Pa)^2 \times 1\ s$].