TECHNICAL SPECIFICATION

ISO/IEC TS 23619

First edition

Information technology — C++ Extensions for reflection

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC PRF TS 23619
https://standards.iteh.ai/catalog/standards/sist/00b300af-2ce5-4442-8ad5-1aab4b5b6172/iso-iec-prf-ts-23619

PROOF/ÉPREUVE



Reference number ISO/IEC TS 23619:2021(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC PRF TS 23619
https://standards.iteh.ai/catalog/standards/sist/00b300af-2ce5-4442-8ad5-1aab4b5b6172/iso-iec-prf-ts-23619



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents

Fo	preword	v			
1	Scope				
2	Normative references				
3	Terms and definitions				
4	General4.1Implementation compliance4.2Namespaces and headers4.3Feature-testing recommendations	4 4 4 4			
5	Lexical conventions 5.12 Keywords	5			
	Basic concepts 6.2 One definition rule	6 6			
7	Standard conversions the STANDARD PREVIEW	7			
8 9	Expressions (standards.iteh.ai) 8.1 Primary expressions	8 8 8			
10	Declarations 10.1 Specifiers	10 10			
11	Declarators 11.1 Type names	14 14			
12	Classes	15			
13	Derived classes	16			
14	14 Member access control				
15 Special member functions					
16	16 Overloading				
17	17 Templates 17.6 Name resolution				
18	8 Exception handling				
19	19 Preprocessing directives				
	©ISO/IEC 2021 – All rights reserved	iii			

ISO/IEC 23619:2021(E)

20	Library introduction		
	20.6	Library-wide requirements	23
2 1	O	uage support library Static reflection	24 24
	-	patibility C++ extensions for Concepts with Reflection and ISO/IEC 14882:2020	45
In	dex		46

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC PRF TS 23619

Foreword

[foreword]

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards (12)

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, Information technology, Subcommittee SC 22, Programming languages, their environments and system software interfaces.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

1 Scope [scope]

- ¹ This document describes extensions to the C++ Programming Language (Clause 2) that enable operations on source code. These extensions include new syntactic forms and modifications to existing language semantics, as well as changes and additions to the existing library facilities.
- ² Instructions to modify or add paragraphs are written as explicit instructions. Modifications made directly to existing text from ISO/IEC 14882:2020 use <u>underlining</u> to represent added text and strikethrough to represent deleted text.

iTeh STANDARD PREVIEW (standards.iteh.ai)

2 Normative references

[refs]

- ¹ The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.
- (1.1) ISO/IEC 14882:2020, Programming Languages C++
- (1.2) ISO/IEC TS 19217:2015, C++ Extensions for Concepts

iTeh STANDARD PREVIEW (standards.iteh.ai)

3 Terms and definitions

[defs]

- ¹ No terms and definitions are listed in this document. ISO and IEC maintain terminological databases for use in standardization at the following addresses:
- (1.1) IEC Electropedia: available at https://www.electropedia.org/
- (1.2) ISO Online browsing platform: available at https://www.iso.org/obp

iTeh STANDARD PREVIEW (standards.iteh.ai)

4 General [general]

4.1 Implementation compliance

[general.compliance]

¹ Conformance requirements for this document are those defined in ISO/IEC 14882:2020, 4.1. Similarly, all references to ISO/IEC 14882:2020 in the resulting document shall be taken as referring to the resulting document itself. [Note: Conformance is defined in terms of the behavior of programs. — end note]

4.2 Namespaces and headers

[general.namespaces]

Whenever a name x declared in subclause 21.11 at namespace scope is mentioned, the name x is assumed to be fully qualified as ::std::experimental::reflect::v1::x, unless otherwise specified. The header described in this document (see Table 1) shall import the contents of ::std::experimental::reflect::v1 into ::std::experimental::reflect as if by:

```
namespace std::experimental::reflect {
  inline namespace v1 {}
}
```

Whenever a name **x** declared in the standard library at namespace scope is mentioned, the name **x** is assumed to be fully qualified as ::std::x, unless otherwise specified.

Table 1 — Reflection library headers

iTeh S (experimental/reflect) VIEW

4.3 Feature-testing recommendations rds. iteh.ai)

[general.features]

Table 2 — Feature-test macros

Macro name	Value	Header
cpp_reflection	201902	none
cpp_lib_reflection	201902	<pre><experimental reflect=""></experimental></pre>

5 Lexical conventions

[lex]

5.12 Keywords [lex.key]

¹ In ISO/IEC 14882:2020 [lex.key], add the keyword <u>reflexpr</u> to the list of keywords in Table 4. Refer to Annex A for compatibility with the original features of ISO/IEC 14882:2020.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC PRF TS 23619

6 Basic concepts

[basic]

- The set of changes proposed in this document, as applied to the specification of ISO/IEC 14882:2020, shall be as per C++ Extensions for Concepts, ISO/IEC TS 19217:2015.
- ² In ISO/IEC 14882:2020 [basic], add the following last paragraph:

An alias is a name introduced by a typedef declaration, an alias-declaration, or a using-declaration.

6.2 One definition rule

[basic.def.odr]

¹ In ISO/IEC 14882:2020 [basic.def.odr], insert a new paragraph after the existing paragraph 3:

A function or variable of static storage duration reflected by T (10.1.6.5) is odr-used by the specialization std::experimental::reflect::get_pointer<T> (21.11.4.9, 21.11.4.17), as if by taking the address of an *id-expression* nominating the function or variable.

² In ISO/IEC 14882:2020 [basic.def.odr], apply the following changes to the second bullet within paragraph 6:

and the object has the same value in all definitions of D, or a type implementing std::experimental::reflect::Object (21.11.3.1), as long as all operations (21.11.4) on this type yield the same constant expression results; and

6.9 Types [basic.types]

6.9.1 Fundamental types STANDARD PREVIEW[basic.fundamental]

In ISO/IEC 14882:2020 [basic.fundamental], apply the following change to paragraph 9:

An expression of type void shall be used only as an expression statement (6.2), as an operand of a comma expression (5.18), as a second or third operand of ?: (5.16), as the operand of typeid, noexcept, reflexpr, or decltype, as the expression in a return statement (6.6.3) for a function with the return type void, or as the operand of an explicit conversion to type cv void.

| 10.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1

7 Standard conversions

[conv]

For Standard conversions, ISO/IEC 14882:2020, Clause 7 shall be used.

iTeh STANDARD PREVIEW (standards.iteh.ai)

8 Expressions

[expr]

8.1 Primary expressions

[expr.prim]

8.1.2 Lambda expressions

[expr.prim.lambda]

- ¹ In ISO/IEC 14882:2020 [expr.prim.lambda], apply the following change to the second bullet in paragraph 12:
 - names the entity in a potentially-evaluated expression (3.2) where the enclosing full-expression depends on a generic lambda parameter declared within the reaching scope of the *lambda-expression*.;

where, for the process of this determination, reflexpr operands are not considered to be unevaluated operands.

Also apply the following change to paragraph 18:

Every *id-expression* within the *compound-statement* of a *lambda-expression* that is an odruse (6.2) of an entity captured by copy, as well as every use of an entity captured by copy in a *reflexpr-operand*, is transformed into an access to the corresponding unnamed data member of the closure type.

8.2 Postfix expressions

[expr.post]

¹ In ISO/IEC 14882:2020 [expr.post], apply the following change:

```
postfix-expression:
       primary-expression TANDARD PREVIEW postfix-expression [expression]
       postfix-expression [braced-init-list] siteh.ai)
postfix-expression (expression-listopt)
       function-call-expression
       simple-type-specifier ( expression-listor )S 23619
       typename/specifies (cerpression/listspan)s/sist/00b300af-2ce5-4442-8ad5-
       simple-type-specifier braced init list iso-iec-prf-ts-23619
       typename-specifier braced-init-list
       functional-type-conv-expression
       postfix\text{-}expression . template _{opt} id\text{-}expression
       postfix\text{-}expression 	ext{ -> template } opt id\text{-}expression
       post \textit{fix-expression} \ . \ pseudo-destructor-name
       postfix-expression -> pseudo-destructor-name
       postfix-expression ++
       postfix-expression --
       dynamic_cast < type-id > ( expression )
       static_cast < type-id > ( expression )
       reinterpret_cast < type-id > ( expression )
       const_cast < type-id > ( expression )
       typeid (expression)
       typeid (type-id)
function-call-expression:
       postfix-expression ( expression-list_{opt} )
functional\mbox{-}type\mbox{-}conv\mbox{-}expression:
       simple-type-specifier ( expression-list_{opt} )
       typename-specifier ( expression-list_{opt} )
       simple-type-specifier\ braced-init-list
       typename\text{-}specifier\ braced\text{-}init\text{-}list
expression-list:
       initializer-list
```

9 Statements

[stmt.stmt]

For Statements, ISO/IEC 14882:2020, Clause 9 shall be used.

iTeh STANDARD PREVIEW (standards.iteh.ai)

10 Declarations

[dcl.dcl]

```
10.1
          Specifiers
                                                                                                    [dcl.spec]
  10.1.6 Type specifiers
                                                                                                    [dcl.type]
  10.1.6.2 Simple type specifiers
                                                                                            [dcl.type.simple]
<sup>1</sup> In ISO/IEC 14882:2020 [dcl.type.simple], apply the following change:
        The simple type specifiers are
              simple-type-specifier:
                    nested\text{-}name\text{-}specifier_{opt}\ type\text{-}name
                    nested-name-specifier template simple-template-id
                     char16_t
                     char32_t
                    wchar_t
                    bool
                     short
                    int
                    long
                    signed
                    unsigned
                    float
                    double iTeh STANDARD PREVIEW
                    void
                     auto
                                      (standards.iteh.ai)
                     decltype\text{-}specifier
                    reflex pr-specifier
                                              ISO/IEC PRF TS 23619
               type\text{-}name:
                    class+mam/etandards.iteh.ai/catalog/standards/sist/00b300af-2ce5-4442-8ad5-
                     enum-name
                                         1aab4b5b6172/iso-iec-prf-ts-23619
                    typedef-name
                    simple-template-id
               decltype-specifier:
                     decltype ( expression )
                     decltype ( auto )
              reflexpr-specifier:
                     reflexpr ( reflexpr-operand )
              reflex pr-oper and:
                     ::
                     type\text{-}id
                     nested-name-specifier_{opt} namespace-name
                     id\text{-}expression
                     ( expression )
                     function-call-expression
                     functional-type-conv-expression
```

The other *simple-type-specifiers* specify either a previously-declared type, a type determined from an expression, <u>a reflection meta-object type (10.1.6.5)</u>, or one of the fundamental types (6.9.1).

² Append the following row to Table 10:

reflexpr (reflexpr-operand) the type as defined below