
**Safety and control devices for gas
burners and gas-burning appliances —
Particular requirements —**

Part 12:
**Multifunctional controls with integral
overpressure protection safety
function (OPSF) for use with butane
gas cartridges used in portable gas
appliances**

*Dispositifs de commande et de sécurité pour brûleurs à gaz et
appareils à gaz — Exigences particulières —*

*Partie 12: Équipements multifonctionnels avec fonction de sécurité
contre la surpression (OPSF) intégrée pour utilisation avec les
cartouches à gaz butane utilisées dans les appareils à gaz portables*



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 23551-12:2023](https://standards.iteh.ai/catalog/standards/sist/48097830-8a15-41de-a630-416979be0fc3/iso-23551-12-2023)

<https://standards.iteh.ai/catalog/standards/sist/48097830-8a15-41de-a630-416979be0fc3/iso-23551-12-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Classification.....	3
4.1 Classes of controls.....	3
4.2 Group of controls.....	4
4.3 Types of direct current (DC) supplied controls.....	4
4.4 Classes of control functions.....	4
5 Test conditions and tolerances.....	4
6 Construction.....	4
6.1 General.....	4
6.1.1 Controls based on combination of functions.....	4
6.1.2 Interaction between controls.....	4
6.2 Construction requirements.....	5
6.2.1 Appearance.....	5
6.2.2 Holes.....	5
6.2.3 Breather holes.....	5
6.2.4 Vent limiters.....	5
6.2.5 Screwed fastenings.....	5
6.2.6 Moving parts.....	5
6.2.7 Sealing caps.....	5
6.2.8 Disassembling and assembling for servicing and/or adjustment.....	5
6.2.9 Auxiliary channels and orifices.....	5
6.2.10 Pre-setting device.....	5
6.2.11 Adjustments.....	5
6.2.12 Resistance to pressure.....	5
6.2.13 Signal tube connections.....	6
6.2.14 Operating parts of manual gas valves.....	6
6.2.15 Seating force.....	6
6.2.16 Tapered plug cavity.....	6
6.2.17 Pressure-limiting device.....	6
6.3 Materials.....	6
6.3.1 General material requirements.....	6
6.3.2 Housing.....	6
6.3.3 Springs providing closing force and sealing force.....	7
6.3.4 Resistance to corrosion and surface protection.....	7
6.3.5 Impregnation.....	8
6.3.6 Seals for glands for moving parts.....	8
6.3.7 Jointing.....	8
6.3.8 Closure members.....	8
6.3.9 Packing.....	8
6.3.10 Sealing materials.....	8
6.3.11 Grease.....	9
6.4 Connections.....	9
6.5 Gas controls employing with electrical components in the gas way.....	9
6.6 Component parts.....	9
6.7 Appliance connector valves.....	9
6.8 Connection to cartridge.....	9
6.8.1 Requirement.....	10
6.8.2 Test.....	10

7	Performance	10
7.1	General	10
7.2	Leak-tightness	10
7.2.1	General	10
7.2.2	Requirement	10
7.2.3	Test	11
7.3	Torsion and bending	11
7.4	Rated flow rate	11
7.4.1	General	11
7.4.2	Requirements	11
7.5	Durability	12
7.6	Functional requirements	12
7.6.1	General	12
7.6.2	Operation force of gas valve	12
7.6.3	Operation of the OPSF	12
7.6.4	Abnormal operation of the OPSF	12
7.6.5	Adjustment pressure of pressure regulator	13
7.6.6	Interlock (of thermoelectric flame supervision device)	13
7.6.7	Sealing force (of thermoelectric flame supervision device)	13
7.6.8	Closing current (of thermoelectric flame supervision device)	13
7.7	Endurance	13
7.7.1	Requirement	13
7.7.2	Test	14
7.8	Vibration test	15
7.9	Cold resistance	15
7.9.1	Requirement	15
7.9.2	Test	15
7.10	Heat resistance	15
7.10.1	Requirement	15
7.10.2	Test	15
7.11	Thermal shock resistance	15
7.11.1	Requirement	15
7.11.2	Test	15
7.12	Operation of OPSF after corrosion resistance test	15
7.12.1	Requirement	16
7.12.2	Test	16
8	Electrical equipment	16
9	Electromagnetic compatibility (EMC)	16
10	Marking, installation and operating instructions	16
10.1	Marking	16
10.2	Installation and operating instructions	16
10.3	Warning notice	16
	Annex A (informative) Leak-tightness test — Volumetric method	17
	Annex B (informative) Leak-tightness test — Pressure-loss method	18
	Annex C (normative) Conversion of pressure loss into leakage rate	19
	Annex D (normative) Gas quick connector (GQC)	20
	Annex E (normative) Elastomers/requirements resistance to lubricants and gas	21
	Annex F (normative) Specific regional requirements in European countries	22
	Annex G (normative) Specific regional requirements in Canada and USA	23
	Annex H (normative) Specific regional requirements in Japan	24
	Annex I (normative) Specific regional requirements in China	26
	Bibliography	27

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 161, *Controls and protective devices for gaseous and liquid fuels*.

A list of all parts in the ISO 23551 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is designed to be used in combination with ISO 23550. Together, they establish the full requirements applicable to the product such as the multifunctional controls mounted on portable gas appliances (cookers, space heaters, etc.) covered by this document.

Where needed, this document adapts ISO 23550 by stating the corresponding clause number and adding:

- “with the following modification”;
- “with the following addition”;
- “is replaced by the following”; or
- “is not applicable”.

In order to identify specific requirements that are particular to this document and that are not already covered by ISO 23550, this document contains certain clauses or subclauses that are additional to the structure of ISO 23550. These subclauses are indicated by the introductory sentence: “Subclause (or Annex) specific to this document.”

To ensure the global relevance of this document, the differing requirements resulting from practical experience and installation practices in various regions of the world have been taken into account. The variations in basic infrastructure associated with gas controls and appliances have also been recognized, some of which are addressed in [Annexes F, G](#) and [H](#). This document intends to provide a basic framework of requirements that recognize these differences.

(<https://standards.iteh.ai>)
Document Preview

[ISO 23551-12:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/48097830-8a15-41de-a630-416979be0fc3/iso-23551-12-2023>

Safety and control devices for gas burners and gas-burning appliances — Particular requirements —

Part 12:

Multifunctional controls with integral overpressure protection safety function (OPSF) for use with butane gas cartridges used in portable gas appliances

1 Scope

This document specifies safety, construction, performance and testing requirements for multifunctional controls with integral overpressure protection safety function (OPSF) intended for use with portable gas appliances.

This document is applicable to:

- multifunctional controls which consist of a pressure-limiting device and at least one or more controls, including but not limited to a manual gas valve, a pressure regulator and a thermoelectric flame supervision device; and
- multifunctional controls with declared maximum operating pressures in normal use, up to and including 500 kPa for use with a butane gas cartridge specified by ISO/TS 21985.

This document does not apply to multifunctional controls with OPSF having thread connections for mounting butane gas cartridges.

This document covers type testing only.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 301, *Zinc alloy ingots intended for castings*

ISO 9227:2022, *Corrosion tests in artificial atmospheres — Salt spray tests*

ISO 23550:2018, *Safety and control devices for gas and/or oil burners and appliances — General requirements*

ISO 23551-5:2023, *Safety and control devices for gas burners and gas-burning appliances — Particular requirements — Part 5: Manual gas valves*

ISO 23551-6:2021, *Safety and control devices for gas burners and gas-burning appliances — Particular requirements — Part 6: Thermoelectric flame supervision controls*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 23550 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 portable gas appliance

portable appliance using vaporized butane from a replaceable, non-refillable, horizontally-mounted, butane gas cartridge specified by ISO/TS 21985 as the primary fuel source

3.2 pressure regulator

device that maintains the outlet pressure constant within given limits, independently of the variations in inlet pressure and/or flow rate

[SOURCE: ISO 23551-2:2018, 3.1.1]


3.3 pressure limiting device

device having overpressure safety function (OPSF) as a function

3.4 overpressure safety function OPSF

safety function for portable gas appliances which shuts off gas supply to the burner when the supply pressure from the butane gas cartridge reaches the declared pressure range of the OPSF either by shutting off the gas passage or by releasing the cartridge


Note 1 to entry: Examples are shown in [Figure 1](#) and [Figure 2](#).



Key

- | | |
|---|----------------------|
| 1 butane gas cartridge | 3 pressure regulator |
| 2 pressure limiting device | 4 manual gas valve |
| a Gas passage which is shut off by the shut-off valve mounted on the pressure limiting device when the pressure of the cartridge increases. | |

Figure 1 — Multifunctional control with gas passage shut-off function

**Key**

1	butane gas cartridge	4	pressure regulator
2	magnet	5	manual gas valve
3	pressure limiting device	6	component for cartridge disengagement

NOTE When the pressure of cartridge increases to the operation pressure of OPSF, OPSF operates and disengages the butane gas cartridge from multifunctional control by a force stronger than the force joining the magnet and the cartridge shuts off the gas supply.

Figure 2 — Multifunctional control with cartridge-release function (top view)

ISO 23551-12:2023

3.5 gas passage shut-off function

function which shuts off the gas flow of the gas passage in controls

Note 1 to entry: An example is shown in [Figure 1](#).

3.6 cartridge-release function

function which detaches the cartridge from the control by mechanical means

Note 1 to entry: An example is shown in [Figure 2](#).

3.7 applicable butane gas cartridge

cartridge specified by manufacturer and ISO/TS 21985 intended for use with multifunctional controls using gas with no less than 95 % of butane

Note 1 to entry: The cartridge is classified as UN 2037 as specified in the scope of ISO/TS 21985.

4 Classification

4.1 Classes of controls

Shall be according to ISO 23550:2018, 4.1.

4.2 Group of controls

ISO 23550:2018, 4.2 is not applicable.

4.3 Types of direct current (DC) supplied controls

ISO 23550:2018, 4.3 is not applicable.

4.4 Classes of control functions

ISO 23550:2018, 4.4 is not applicable.

5 Test conditions and tolerances

Shall be according to ISO 23550:2018, Clause 5.

6 Construction

6.1 General

ISO 23550:2018, 6.1 is applicable with the following additions:

This document covers requirements for the safety related interactions between the different functions of the controls (see [6.1.2](#)).

Where there are no requirements for these interactions between two or more functions, a risk assessment shall be performed.

6.1.1 Controls based on combination of functions

6.1.1.1 General

Controls consist of OPSF and a combination of the functions provided by the controls as given by the following list:

- Pressure regulators according to ISO 23551-2;
- Manual gas valves according to ISO 23551-5;
- Thermoelectric flame supervision devices according to ISO 23551-6.

6.1.2 Interaction between controls

6.1.2.1 Closing mechanism for closure member

Each valve shall consist of a separate, independent closing mechanism controlling only one closure member. Verification of internal leak-tightness shall be possible on each of the valves. If two or more closure members are controlled by one closing mechanism, the valve is considered as one valve.

6.1.2.2 Interactions between functions

The interactions between the functions of the controls shall not interfere with the safety of the individual functions.

6.2 Construction requirements

6.2.1 Appearance

Shall be according to ISO 23550:2018, 6.2.1.

6.2.2 Holes

Shall be according to ISO 23550:2018, 6.2.2.

6.2.3 Breather holes

Shall be according to ISO 23550:2018, 6.2.3.

6.2.4 Vent limiters

ISO 23550:2018, 6.2.4 is not applicable.

6.2.5 Screwed fastenings

Shall be according to ISO 23550:2018, 6.2.5.

6.2.6 Moving parts

Shall be according to ISO 23550:2018, 6.2.6.

6.2.7 Sealing caps

Shall be according to ISO 23550:2018, 6.2.7.

6.2.8 Disassembling and assembling for servicing and/or adjustment

ISO 23550:2018, 6.2.8 is not applicable. <https://standards.iteh.ai/ISO-23551-12-2023>

NOTE Controls have no means to adjust.

6.2.9 Auxiliary channels and orifices

Shall be according to ISO 23550:2018, 6.2.9.

6.2.10 Pre-setting device

Shall be according to ISO 23550:2018, 6.2.10.

6.2.11 Adjustments

ISO 23551-2:2018, 6.2.11 is not applicable.

NOTE Controls have no means to adjust.

6.2.12 Resistance to pressure

Subclause specific to this document.

Parts of the pressure regulator that are subjected to inlet pressure under normal operating conditions, or that could be subjected to inlet pressure in the event of a failure, shall resist a pressure equal to the withstand pressure.