INTERNATIONAL STANDARD

ISO 22553-9

First edition 2020-04

Paints and varnishes — Electrodeposition coatings —

Part 9: **Stoving loss**

Peintures et vernis — Peintures d'électrodéposition — Partie 9: Perte par d'étuvage

(https://standards.iteh.ai) **Document Preview**

ISO 22553-9:2020



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 22553-9:2020

https://standards.iteh.ai/catalog/standards/iso/8aa134f9-5623-462c-bfa6-e9a5e30bb7ce/iso-22553-9-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents Foreword Introduction		Page
2	Normative references	1
3	Terms and definitions	1
4	Principle	1
5	Apparatus and materials	1
6	Test panels	
7	Number of determinations	3
8	Procedure	3
9	Evaluation	4
10	Precision	4
11	Test report	4
Anne	ex A (informative) Calculation of the relative mass loss factors, the relative reaction loss factor and the relative total stoving loss factor	5

ISO 22553-9:2020

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

A list of all parts in the ISO 22553 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The stoving loss of an electro-deposition coating is not an absolute parameter but instead depends on the temperature used during testing and the test duration. As a result, relative values alone and not the true values for the stoving loss are obtained when using this method.

The relative mass loss factor, the relative reaction loss factor, and the relative total stoving loss factor can be calculated relative to the coated and vented, pre-dried and stoved test panel. The calculation is specified in $\underbrace{Annex\ A}$.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 22553-9:2020

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 22553-9:2020