



SLOVENSKI STANDARD
oSIST prEN ISO 13585:2023
01-januar-2023

Trdo spajkanje - Preskušanje usposobljenosti spajkalcev in upravljavcev (ISO 13585:2021)

Brazing - Qualification testing of brazers and brazing operators (ISO 13585:2021)

Hartlöten - Prüfung von Hartlötern und Bedienern von Hartlöteinrichtungen (ISO 13585:2021)

Brasage fort - Essais de qualification des braseurs et des opérateurs braseurs en brasage fort (ISO 13585:2021)

Ta slovenski standard je istoveten z: prEN ISO 13585

ICS:

03.100.30	Vodenje ljudi	Management of human resources
25.160.50	Trdo in mehko lotanje	Brazing and soldering

oSIST prEN ISO 13585:2023

en,fr,de

INTERNATIONAL
STANDARD

ISO
13585

Second edition
2021-12

**Brazing — Qualification testing of
brazers and brazing operators**

*Brasage fort — Essais de qualification des braseurs et des opérateurs
braseurs en brasage fort*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[kSIST prEN ISO 13585:2023](https://standards.iteh.ai/catalog/standards/sist/84a150fe-712b-4db2-823e-a4515bf44a55/ksist-pren-iso-13585-2023)

<https://standards.iteh.ai/catalog/standards/sist/84a150fe-712b-4db2-823e-a4515bf44a55/ksist-pren-iso-13585-2023>



Reference number
ISO 13585:2021(E)

© ISO 2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

[kSIST prEN ISO 13585:2023](https://standards.iteh.ai/catalog/standards/sist/84a150fe-712b-4db2-823e-a4515bf44a55/ksist-pren-iso-13585-2023)

<https://standards.iteh.ai/catalog/standards/sist/84a150fe-712b-4db2-823e-a4515bf44a55/ksist-pren-iso-13585-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and abbreviated terms	3
5 Essential variables and range of qualification	4
5.1 General.....	4
5.2 Brazing process.....	5
5.3 Brazer qualification.....	5
5.3.1 Product type.....	5
5.3.2 Type of joint.....	5
5.3.3 Parent material group(s).....	5
5.3.4 Filler metals and brazing filler application.....	6
5.3.5 Dimensions.....	6
5.3.6 Filler metal flow direction.....	7
5.4 Brazing operator qualification.....	7
5.4.1 Type of equipment.....	7
5.4.2 Filler metals and brazing filler application.....	7
6 Examination and testing	7
6.1 Supervision.....	7
6.2 Brazing conditions.....	8
6.3 Test piece.....	8
6.4 Assessment of work pieces.....	8
6.5 Extent of testing.....	8
6.6 Visual testing.....	8
6.7 Non-destructive testing.....	9
6.8 Destructive testing.....	9
6.9 Additional examination and testing.....	9
7 Acceptance requirements for test pieces	9
8 Re-tests	9
9 Period of validity	10
9.1 Initial qualification.....	10
9.2 Prolongation.....	10
10 Certificate	10
11 Designation	11
Annex A (informative) Quality requirements for brazing	12
Annex B (informative) Brazer qualification test certificate	13
Annex C (informative) Brazing operator qualification test certificate	15
Annex D (informative) Other non-essential variables	16
Annex E (normative) Material grouping system	17
Annex F (informative) Examples of test pieces	19
Bibliography	21

ISO 13585:2021(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 44, *Welding and allied processes* Subcommittee SC 11, *Qualification requirements for welding and allied processes personnel*.

This second edition cancels and replaces the first edition (ISO 13585:2012), which has been technically revised.

The main changes compared to the previous edition are as follows:

- brazing processes, in accordance with ISO 4063:2009, covered by this document, have been moved to the scope;
- [Clause 3](#) has been updated and additional terms have been defined;
- additional symbols and abbreviated terms have been added to [Clause 4](#);
- [Clause 5](#) has been significantly revised and updated including clarifications on brazing operator qualification;
- material grouping has been moved to new [Annex E](#);
- [Clause 6](#) has been updated to refer to ISO or technically equivalent standards;
- the period of validity and prolongation of qualifications has been revised to 5 years in [Clause 9](#).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Official interpretations of ISO/TC 44 documents, where they exist, are available from this page: <https://committee.iso.org/sites/tc44/home/interpretation.html>.

Brazing — Qualification testing of brazers and brazing operators

1 Scope

This document specifies requirements for qualification testing of brazers and brazing operators for metallic materials.

This document gives general provisions on quality requirements for brazing (see [Annex A](#)).

This document applies to the following brazing processes according to ISO 857-2 and ISO 4063:2009 with local and global heating:

- 911 Infrared brazing;
- 912 Flame brazing, torch brazing;
- 913 Laser beam brazing;
- 914 Electron beam brazing;
- 916 Induction brazing;
- 918 Resistance brazing;
- 919 Diffusion brazing;
- 921 Furnace brazing;
- 922 Vacuum brazing;
- 923 Dip-bath brazing;
- 924 Salt-bath brazing;
- 925 Flux bath brazing;
- 926 Immersion brazing;
- 972 Arc weld brazing.

This document is not applicable to personnel operating brazing equipment who do not have any direct influence on the quality of the brazed joint, for example, personnel performing exclusively loading/unloading the brazing unit or just initiating the brazing cycle in automatic brazing.

The principles of this document can be applied to other brazing processes and brazing of materials not listed.

This document does not apply to brazing for aerospace applications covered by ISO 11745.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 857-2, *Welding and allied processes — Vocabulary — Part 2: Soldering and brazing processes and related terms*

ISO 13585:2021(E)

ISO 4063:2009, *Welding and allied processes — Nomenclature of processes and reference numbers*

ISO 17672, *Brazing — Filler metals*

ISO 17779, *Brazing — Specification and qualification of brazing procedures for metallic materials*

ISO 18279:2003, *Brazing — Imperfections in brazed joints*

ISO/TR 25901-1, *Welding and allied processes — Vocabulary — Part 1: General terms*

EN 12797, *Brazing — Destructive tests of brazed joints*

EN 12799, *Brazing — Non-destructive examination of brazed joints*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 857-2, ISO/TR 25901-1 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

brazing

joining process using *filler metal* (3.12) with a liquidus temperature above 450 °C

[SOURCE: ISO 857-2:2005, 3.1.2.]

3.2

brazer

person who holds and manipulates the device for heating the brazing area by hand

Note 1 to entry: The brazer verifies compliance with the pBPS or BPS prior to and during brazing.

3.3

brazing operator

person who controls or adjusts brazing parameters for *mechanized brazing* (3.5) or sets up brazing parameters for *automatic brazing* (3.6)

Note 1 to entry: The brazing operator verifies compliance with the pBPS or BPS prior to and during the brazing cycle.

3.4

manual brazing

brazing (3.1) where the required brazing conditions are maintained by hand

3.5

mechanized brazing

brazing (3.1) where the required brazing conditions are maintained by mechanical or electronic means but can be manually varied during the process

3.6

automatic brazing

brazing (3.1) in which all operations are performed without *brazing operator* (3.3) intervention during the process

Note 1 to entry: Manual adjustment of brazing variables by the brazing operator during brazing is not possible.

3.7**brazing procedure specification****BPS**

document that has been qualified and provides the required variables of the brazing procedure to ensure repeatability during production brazing

3.8**preliminary brazing procedure specification****pBPS**

document containing the required variables of the brazing procedure which is not yet qualified

3.9**manufacturer**

workshop or site (or both) which is (are) under the same technical and quality management

3.10**examiner**

person who has been appointed to verify compliance with the applicable standard

Note 1 to entry: In certain cases, an external independent examiner can be required.

[SOURCE: ISO/TR 25901-1:2016, 2.5.29]

3.11**examining body**

organization that has been appointed to verify compliance with the applicable standard

Note 1 to entry: In certain cases, an external independent examining body can be required.

[SOURCE: ISO/TR 25901-1:2016, 2.5.30]

3.12**filler metal**

added metal applied to brazed joints

Note 1 to entry: Filler metal can be in the form of wire, inserts, powder, pastes, foil, etc.

3.13**flux**

non-metallic material which, when molten, promotes wetting by removing existing oxide or other detrimental films from the surfaces to be joined and prevents their re-formation during the joining operation

[SOURCE: ISO 857-2:2005, 3.2.2]

3.14**test piece**

brazed assembly which is used for testing purposes

3.15**test specimen**

part or portion cut from the *test piece* (3.14) in order to perform specified destructive testing

[SOURCE: ISO/TR 25901-1:2016, 2.2.1.6]

4 Symbols and abbreviated terms

t material thickness

L overlap length

ISO 13585:2021(E)

<i>D</i>	outside pipe diameter
<i>T</i>	product type pipe
<i>P</i>	product type plate
<i>BJ</i>	butt joint
<i>LJ</i>	lap joint
<i>TJ</i>	T-joint
<i>FF</i>	face fed
<i>PP</i>	pre-placed
<i>H</i>	horizontal flow
<i>VU</i>	vertical up flow
<i>VD</i>	vertical down flow

Where the full wording is not used, the symbols listed above and brazing process reference numbers in [Clause 1](#) shall be used when completing the qualification test certificate (see [Annexes B](#) and [C](#)).

5 Essential variables and range of qualification**5.1 General**

The qualification of brazers, (see [5.3](#)) and brazing operators, (see [5.4](#)) is based on essential variables in accordance with [Table 1](#). For each essential variable, a range of qualification is defined and brazing outside that range of qualification requires a new qualification test.

Table 1 — Essential variables for brazer and brazing operator qualification

Essential variable	Brazer	Brazing operator
Brazing process number in accordance with ISO 4063:2009	X	X
Product type: T or P	X	—
Type of joint: BJ, LJ or TJ	X	—
Parent material group(s) in accordance with Annex E	X	—
Brazing filler metal classification in accordance with ISO 17672	X	—
Brazing filler application, FF or PP	X	X
Dimensions: <i>t</i> , <i>D</i> , <i>L</i>	X	—
Filler metal flow direction: H, VU or VD	X	—
Type of equipment	—	X

NOTE There can be other variables that the manufacturer deems to be essential in certain applications, e.g. constraint on access for the torch, purging gas, etc., which need separate qualification (see [Annex D](#)).

The brazer or brazing operator who undertakes the brazing procedure test satisfactorily in accordance with this document is qualified provided that the relevant testing requirements of this document are met.

5.2 Brazing process

Each qualification test qualifies only one brazing process (see [Clause 1](#)). A change of brazing process requires a new qualification test.

When applicable, the furnace atmosphere is limited to the same type of atmosphere, e.g. reducing or inert, carburizing or decarburizing, and hydrogen or disassociated ammonia, as used in the test.

For brazing processes where fuel gases apply, the qualification is limited to the same type of fuel gas and flame as used in the test.

5.3 Brazer qualification

5.3.1 Product type

Manual brazing of one product type qualifies for other product types in accordance with [Table 2](#).

Table 2 — Range of qualification for product type

Dimensions in millimetres

Product type for test piece	Range of qualification
Plate	Plate and pipe
Pipe $D \leq 100$	Pipe
Pipe $D > 100$	Pipe and plate

5.3.2 Type of joint

Range of qualification for type of joint is given by [Table 3](#).

Table 3 — Range of qualification for type of joint

Type of joint in test piece	Range of qualification
Butt joint	Butt joint
Lap joint	Lap joint
T-joint	T-joint

5.3.3 Parent material group(s)

In order to minimize the number of brazer qualification tests, parent materials are assigned to M-number groupings (see [Annex E](#)).

The parent material used in the brazer qualification test qualifies the brazer for brazing of all other parent materials within the same M-number grouping (see [Table 4](#)).

Parent materials that do not appear in [Annex E](#), require separate qualification and only qualify that material.