

FINAL DRAFT Technical Report

ISO/DTR 23689

Space environment (natural and artificial) — Space weather information for use in space systems operations

Document Preview

ISO/TC 20/SC 14

Secretariat: ANSI

Voting begins on: 2024-03-27

Voting terminates on: 2024-05-22

https://standards.iteh.ai/catalog/standards/iso/4e87fb3e-c6e5-4b84-81e0-6d2a2ae1a6a5/iso-dtr-23689

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNO-LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/DTR 23689

https://standards.iteh.ai/catalog/standards/iso/4e87fb3e-c6e5-4b84-81e0-6d2a2ae1a6a5/iso-dtr-23689



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org

Website: <u>www.iso.org</u> Published in Switzerland

Co	ntent	S	Page
For	reword		v
Int	roductio	n	vi
1	Scop	e	1
2	•	native references	
3		is and definitions	
4	Spac 4.1	e weatherOrigin of space weather concept	
	4.2	Concept of space weather	
	4.3	Space weather factors	3
	4.4	Space weather impacts on the near-Earth space	
	4.5	Space weather domains	3
	4.6	Space weather information	
	4.7	Space weather operational models	
	4.8	Space weather time frames	
_		•	
5		frames for space weather information	
	5.1	Historical	
	5.2	Current epoch (Nowcast)	
	5.3	Forecast	4
6		ctic cosmic rays	
7	Solar	r environment within the heliosphere Solar dynamo	4
•	7.1	Solar dynamo	4
	7.12	7.1.1 Phenomenology	4
	7.2	Solar environment	4
	7.2	7.2.1 Phenomenology	
		7.2.2 Effects	6
	7.3	Sunspots	
	710	7.3.1 Phenomenology	
		7.3.2 History of discovery, long-term record	
			97
		7.3.4 Effects	
	7.4	Solar shorter wavelength electromagnetic radiation	
		7.4.1 Phenomenology	
		7.4.2 Ranges of electromagnetic radiation with the shortest wavelength	8
		7.4.3 Effects	
	7.5	Solar longer wavelength electromagnetic radiation	
		7.5.1 Phenomenology	
		7.5.2 Ranges of short-wave electromagnetic radiation in the longer wavelength range	
		7.5.3 Effects	
	7.6	Solar energetic particles	9
		7.6.1 Phenomenology	
		7.6.2 Solar particle events	
		7.6.3 Effects	9
8	Solar	event effects on the near-Earth environment	q
U	8.1	Magnetosphere	
	0.1	8.1.1 Phenomenology	
		8.1.2 Magnetospheric magnetic field	
		8.1.3 Trapping	
		8.1.4 Geomagnetic storms	
		8.1.5 Magnetospheric substorms	
		8.1.6 Effects	
	8.2	Plasmasphere	
	0.2	8.2.1 Phenomenology	11

Bibli	ograp]	hy	28
Anne	x B (ir	nformative) Online space weather glossaries	27
Anne	x A (ir	nformative) Space weather indices	19
	10.3		
	10.2		
	10.1	100/01/12000	
10	Micr	rometeoroid and debris environment	
		9.2.4 Effects	17
		9.2.3 Ionospheric storm	
		9.2.2 Ionospheric layers	
		9.2.1 Phenomenology	16
	9.2	Ionosphere	16
		9.1.3 Effects Tab Standarda	16
		9.1.2 Atmospheric layers	
	/12	9.1.1 Phenomenology	
-	9.1	Neutral atmosphere	
9	Terr	restrial environment	15
		8.5.3 Effects	
		8.5.2 Cut-off rigidity	
	0.0	8.5.1 Phenomenology	
	8.5	Geomagnetic cut-off	
		8.4.5 Effects	
		8.4.4 Field aligned currents and auroral electrojets	
		8.4.3 Polar cap	
		8.4.1 Phenomenology 8.4.2 Auroral oval	
	8.4	Polar region and high-latitude magnetosphere	
	0.4	8.3.7 Effects	
		8.3.6 South Atlantic Anomaly	
		8.3.5 Other radiation belt variability	
		8.3.4 Ring current	
		8.3.3 Inner radiation belt	
		8.3.2 Outer radiation belt	
		8.3.1 Phenomenology	
	8.3	Van Allen radiation belts	
		8.2.4 Effects	
		8.2.3 Dynamics	
		8.2.2 Geo corona	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/DTR 23689

https://standards.iteh.ai/catalog/standards/iso/4e87fb3e-c6e5-4b84-81e0-6d2a2ae1a6a5/iso-dtr-23689

Introduction

This document describes the dynamic variability of the environment, i.e. space weather, and identifies the tools and parameters needed for space systems operations. This document is important for satellite operators who are not be familiar with space weather. For example, when Satellite operators arrive on shift, they are often briefed about terrestrial weather, geomagnetic storms, and collision reports. This provides insight into any possible collisions that their system can have with debris or other satellites. In addition, others who participate in space systems operations can benefit from this document. For example, designers, manufacturers, and launchers of space systems require real-time, operational space weather parameters that can be measured, monitored, or built into automated systems. Users of these systems include developers of software systems that provide LEO satellite orbit determination, radio communication availability for scintillation events (GEO-to-ground L- and UHF-bands), GPS uncertainties, and the radiation environment from ground-to-space for commercial space tourism. These groups require recent historical data, current epoch specification, and forecast of space weather phenomena for their automated or manual systems. National government agencies often rely on space weather data provided by their national organizations, such as those represented in the International Space Environment Service (ISES) group of 14 national agencies, and this document identifies key descriptors provided by those agencies.

This document identifies the phenomena of space weather as a dynamic component of the space environment that affects the technology of space systems. Annexes A and B describe expanded material including guidelines on how to use the document, how to obtain specific space weather parameters, and short but detailed descriptions of parameters. Annexes A and B enable easy updates for this document because new advances in scientific and engineering understanding provide new tools for characterizing the domain of space weather. Table 1 gives an overview of existing ISO documents related to the space environment.

Table 1 — Terrestrial and lunar environment documents

	LEO	PEO PEO	MEO	GEO	>GEO
Testing/analysis/ framework	ISO 15856, ISO 17851, ISO 21980, ISO/TS 22295, (AUL)	ISO 15856, ISO 17851, ISO 21980, ISO/TS 22295, (AUL)	ISO 15856, ISO 17851, ISO/TS 22295, (AUL)	ISO 15856, ISO 17851, ISO/TS 22295, (AUL)	ISO 15856, ISO 17851, (AUL)
Cosmic rays ndards.	ISO 15390, ISO 17520, ISO/TR 23689	ISO 15390, ISO 17520, ISO/TR 23689			
Solar photons	ISO 21348, ISO/TR 23689	ISO 21348, ISO/TR 23689	ISO 21348, ISO/TR 23689	ISO 21348, ISO/TR 23689	ISO 21348, ISO/TR 23689
Solar particles	ISO 16698, ISO 17520, ISO/TR 18147, (solar wind), ISO/TR 23689	ISO 16698, ISO 17520, ISO/TR 18147, (solar wind), ISO/TR 23689	ISO 16698, ISO 17520, ISO/TR 18147, (solar wind), ISO/TR 23689	ISO 12208, ISO 16698, ISO 17520, ISO/TR 18147, (solar wind), ISO/TR 23689	ISO 16698, ISO 17520, ISO/TR 18147, (solar wind), ISO/TR 23689
Solar fields	ISO 16689, (solar wind), ISO/TR 23689	ISO 16689, (solar wind), ISO/TR 23689			
Main magnetic field	ISO 16695, ISO 16698, ISO/TR 23689	ISO 16695, ISO 16698, ISO/TR 23689			

Kev

AUL application utility level

IRENE International Radiation Environment Near Earth

AO atomic oxygen

 Table 1 (continued)

	LEO	PEO	MEO	GEO	>GEO
Magnetosphere	ISO 16695, ISO 16698, ISO 19923, ISO/TR 23689, (PC-index)	ISO 16695, ISO 16698, ISO 19923, ISO/TR 23689	ISO 16695, ISO 16698, ISO 22009, ISO 19923, ISO/TR 23689	ISO 12208, ISO 16695, ISO 16698, ISO 22009, ISO 19923, ISO/TR 23689	ISO 16695, ISO 16698, ISO 22009, ISO 19923, ISO/TR 23689
Radiation belts	ISO 17761, ISO 17520, ISO/TS 21979, (IRENE, internal charge), ISO/TR 23689	ISO 17761, ISO 17520, ISO/TS 21979, (IRENE, internal charge), ISO/TR 23689	ISO 17520, ISO/TS 21979, (IRENE, internal charge), ISO/TR 23689	ISO 17520, ISO/TS 21979, (IRENE, internal charge), ISO/TR 23689	ISO 17520, ISO/TS 21979, (IRENE, internal charge), ISO/TR 23689
Plasmasphere	ISO 16457, ISO/TR 23689	ISO 16457, ISO 19923, ISO/TR 23689	ISO 16457, ISO 19923, ISO/TR 23689	ISO 16457, ISO 19923, ISO/TR 23689	ISO 16457, ISO 19923, ISO/TR 23689
Ionosphere	ISO 16457, ISO 16698, ISO/TR 23689	ISO 16457, ISO 16698, ISO/TR 23689	(topside)		
Neutral atmos- phere	ISO 14222, ISO/TR 11225, ISO 16698, (AO, satellite drag), ISO/TR 23689	ISO 14222, ISO/TR 11225, ISO 16698, (AO, satellite drag), ISO/TR 23689	(He, H)	(He, H)	(He, H)
Micrometeoroids	ISO 14200	ISO 14200	ISO 14200	ISO 14200	ISO 14200
Debris	ISO 14200, (radiation debris)	ISO 14200, (radiation debris)	ISO 14200	ISO 14200	ISO 14200
Lunar	D	ocument	Preview	V	ISO 10788

Key

AUL application utility level

IRENE International Radiation Environment Near Earth

AO atomic oxygen

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/DTR 23689

https://standards.iteh.ai/catalog/standards/iso/4e87fb3e-c6e5-4b84-81e0-6d2a2ae1a6a5/iso-dtr-23689

Space environment (natural and artificial) — Space weather information for use in space systems operations

1 Scope

This document contains internationally accepted descriptions of the main phenomena of space weather, including its sources and effects upon space systems.

This document is applicable for a variety of engineering and scientific domains. It is applicable to space system operations include ground-based, on-orbit, and deep space automated satellite operations. It can be applied by developers of software systems for space systems, designers of space systems, and launchers of space systems.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

aerodynamic drag teh.ai/catalog/standards/iso/4e87fb3e-c6e5-4b84-81e0-6d2a2ae1a6a5/iso-dtr-23689

force derived from the kinetic energy of an orbiting object encountering an *atmosphere* (3.2) as a result of the work done against the object by the atmosphere

3.2

atmosphere

layer of gases surrounding a planet, moon, asteroid, or comet with species composition and temperature often described by altitude

3.3

deep space

region of space beyond the Earth's atmosphere (3.2) and magnetosphere and especially beyond the Moon's orbit

3.4

geomagnetically induced current

GIC

induced magnetic field variation caused by geomagnetic disturbances such as CMEs upon the Earth's magnetic field

3.5

geostationary Earth orbit

Earth orbit having zero inclination, zero eccentricity, and an orbital period equal to the Earth's sidereal rotation period

Note 1 to entry: This orbit allows a satellite to remain continuously over approximately the same point on the Earth's surface.

[SOURCE: ISO 24113:2023, 3.11, modified — The abbreviated term "GEO" has been removed; note 1 to entry has been added.]

3.6

geosynchronous Earth orbit

orbit with an orbital period equal to the Earth's sidereal rotation period

3.7

heliosphere

region surrounding the Sun where the emanating solar wind dominates the interstellar medium

Note 1 to entry: It is the magnetosphere and outermost atmospheric layer of the Sun, taking the shape of a vast, bubble-like region of space, i.e. a plasma cavity formed by the Sun in the surrounding interstellar medium where the strength of the solar, interplanetary magnetic field is greater than that of the local galactic magnetic field.

[SOURCE: ISO 15856:2010, 3.1.8, modified — The word "emanating" has been added; the original note 1 to entry has been replaced by a new one.]

3.8

low Earth orbit

Earth orbit with an apogee altitude that does not exceed 2 000 km

3.9

MEO

medium Earth orbit

mid-Earth's orbit

Earth orbit with apogee an altitude that is greater than 2 000 km but does not exceed 36 000 km

3.10

space environment

surrounding, aggregated conditions and influences of photons, particles, and fields outside of planetary atmospheres (3.2)

3.11

space weather

dynamic variability in the transfer of energy via photons, particles, and fields from the Galaxy and Sun to the *heliosphere* (3.7), including planetary bodies, other objects, and their environs

3.12

suborbital flight

flight at an altitude and velocity that would result in a trajectory incapable of circling the Earth at least once

3.13

sunspot number

R

daily index of sunspot activity defined as k (10 g + s) where s is the number of individual spots, g is the number of sunspot groups, and k is an observatory factor

[SOURCE: ISO 16457:2022, 3.6, modified — Notes to entry have been removed.]

4 Space weather

4.1 Origin of space weather concept

The space weather concept originated in the mid-1990's within the space physics community and their attempt to understand the temporal, non-climatological variations in the space environment along with the effects at Earth.

4.2 Concept of space weather

Space weather primarily includes energetic processes that originate on the Sun but can include energy transfer from galactic sources outside the heliosphere. Space weather can affect natural environments and human technology starting at and below the surface of the Earth through the outer reaches of the Earth's magnetosphere. It can also affect the environments around other bodies in the solar system.

4.3 Space weather factors

Solar wind plasma, cosmic rays, solar energetic particles and solar electromagnetic and particle ionizing radiation are the main space weather factors. All space factors either originate from the Sun or are modulated by solar activity. Variations of space weather factors influence interplanetary space and planetary (terrestrial) environments.

4.4 Space weather impacts on the near-Earth space

Space weather factors influence space and terrestrial environments. The main space weather manifestations occur following solar flares and coronal mass ejections that produce magnetic storms and magnetospheric substorms, solar proton events, ionospheric disturbances, changes in thermosphere densities, variability in the radiation environment at aircraft altitudes, as well as variations of ground currents at and below the Earth's surface.

4.5 Space weather domains

Solar-terrestrial coupling plays the key role in the development of space weather events. Physical conditions in the Sun, in the heliosphere and in the Earth's magnetosphere are susceptible to space weather factors and impact the terrestrial environment. In various space domains different processes are coupled with solar irradiation, both electromagnetic and particulate, and can influence space weather factors. Solar-terrestrial coupling is produced by the chain of the interconnections between processes in the Sun's environment, in the heliosphere and in near-Earth space. Measurements of the physical conditions in different regions of space can be used to estimate the intensity of space weather factors and their possible impact on planetary environments, including the Earth.

4.6 Space weather information

Space weather information is obtained from satellite, air, and ground-based measurements as well as from space weather models, the combination of which can be used to determine the state of the space environment. Information is collected by governmental, academic, and industrial space weather data centres and processed by operational IT-services that can give a reliable release of space weather conditions.

4.7 Space weather operational models

The models of physical parameters for the space environment depend on measurements and often work automatically in real-time mode. Operational models typically originate from scientific models that are modified to run automatically using observational data input. The process of conversion of scientific models to operational ones is called R2O (research to operations). Operational models testing is called V&M (validation and metrics). The process of using the results of operational models to understand shortcomings for further scientific research is called O2R (operations to research).

4.8 Space weather time frames

Space weather information in different time frames can be used to validate space weather models (e.g. historical data), for verification diagnostics of current space environment conditions (current data), and for space weather predictions (forecast data).