# FINAL DRAFT

# INTERNATIONAL ISO/FDIS STANDARD 80601-2-13

ISO/TC 121/SC 1

Secretariat: **DIN** 

Voting begins on: **2021-12-10** 

Voting terminates on: 2022-02-04

# Medical electrical equipment —

Part 2-13: Particular requirements for basic safety and essential performance of an anaesthetic workstation

# iTeh STAppareils électromédicaux - VIEW

Partie 2-13: Exigences particulières de sécurité de base et de performances essentielles pour les postes de travail d'anesthésie

<u>ISO/FDIS 80601-2-13</u> https://standards.iteh.ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13

Member bodies are requested to consult relevant national interests in IEC/SC 62D before casting their ballot to the e-Balloting application.

# **ISO/CEN PARALLEL PROCESSING**

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNO-LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STAN-DARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 80601-2-13:2021(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/FDIS 80601-2-13</u> https://standards.iteh.ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13



## **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

# Contents

Forew	/ord	v
Introd	luction	vii
201.1	Scope, object and related standards	9
201.2	Normative references	11
201.3	Terms and definitions	12
201.4	General requirements	18
201.5	General requirements for testing <i>ME equipment</i>	19
201.6	Classification of <i>ME equipment</i> or <i>ME systems</i>	20
201.7	ME equipment identification, marking and documents	20
201.8	Protection against electrical hazards from ME equipment	25
201.9	Protection against mechanical hazards of ME equipment and ME systems	26
201.1	0 Protection against unwanted and excessive radiation <i>hazards</i>	27
201.1	1 Protection against excessive temperatures and other <i>hazards</i>	27
201.1	2 Accuracy of controls and instruments and protection against hazardous outputs	30
	3 Hazardous situations and fault conditions PREVIEW	
201.1	4Programmable electrical medical systems (PEMS)h.ai)	36
201.1	5 Construction of <i>ME equipment</i> <u>ISO/FDIS 80601-2-13</u> 6 <i>ME systems</i> https://standards.itek.ai/cotalog/standards/sist/21083d1d-eb-19-4550-9606	37
201.1	150/FDIS 80601-2-15 6 ME systemshttps://standards.itok.ai/catalog/standards/sist/21083d1d-eb19-4550-9606	37
201.1	7Electromagnetic compatibility of <i>ME equipment</i> and <i>ME systems</i>	39
201.1	01 Additional requirements for <i>anaesthetic gas delivery systems</i>	39
201.1	02 Additional requirements for an <i>anaesthetic breathing system</i>	45
201.1	03 Additional requirements for an <i>AGSS</i>	56
201.1	04 Additional requirements for interchangeable and non- <i>interchangeable anaesthetic vapour delivery systems</i>	61
201.1	05 Additional requirements for an <i>anaesthetic ventilator</i>	66
201.1	06 Display of pressure-volume loops	72
201.1	07 Clinical evaluation	72
202	Electromagnetic disturbances — Requirements and tests	73
203	General requirements for radiation protection in diagnostic X-ray equipment	73
206	Usability	73
208	General requirements, tests and guidance for <i>alarm systems</i> in <i>medical electrical equipment</i> and <i>medical electrical systems</i>	74
209	Requirements for environmentally conscious design	74
210	Process requirements for the development of physiologic closed-loop controllers	75
211	Requirements for <i>medical electrical equipment</i> and <i>medical electrical systems</i> used in the home healthcare environment	75

212	Requirements for <i>medical electrical equipment</i> and <i>medical electrical systems</i> intended for use in the <i>emergency medical services environment</i>	75
Annex	C (informative) Guide to marking and labelling requirements for <i>ME equipment</i> and <i>ME systems</i> or their parts	
Annex	D (informative) Symbols on marking	. 86
Annex	AA (informative) Particular guidance and rationale	. 88
Annex	BB (normative) Test for flammability of anaesthetic agent	105
Annex	CC (informative) Terminology — alphabetized index of defined terms	106
Annex	ZA (informative) Error! Bookmark not defin	ned.
Bibliog	graphy	110

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 80601-2-13 https://standards.iteh.ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <u>www.iso.org/directives</u> or <u>www.iec.ch/members\_experts/refdocs</u>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <u>www.iso.org/patents</u>) or the IEC list of patent declarations received.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement. **CANDARD PREVIEW** 

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the UTechnical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared jointly by Technical Committee ISO/TC 121, *Anaesthetic and respiratory equipment*, Subcommittee SC 1, *Breathing attachments and anaesthetic machines*, and Technical Committee IEC/TC 62 *Electrical equipment in medical practice*, Subcommittee SC D *Electromedical equipment*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 215, *Respiratory and anaesthetic equipment*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 80601-2-13:2011), which has been technically revised. It also incorporates the Amendments ISO 80601-2-13:2011/Amd 1:2015 and ISO 80601-2-13:2011/Amd 2:2018.

The main changes are as follows:

- update of normative references;
- update of terms and definitions;
- consideration of *anaesthetic workstations* using Oxygen 93;
- addition of requirements for *expected service life*;
- amendment of the requirements on test equipment;
- amendment of the requirements on warning and safety notices, on the instructions for use and on the technical description as well as design documentation;

- addition of marking requirements regarding the suitability of *anaesthetic workstations* and its components for use in a magnetic resonance environment;
- amendment of the requirements on compatibility with substances used with the *anaesthetic workstation* and its components;
- amendment of the requirements on *internal electrical power source*;
- amendment of the requirements on the exhaled volume *monitoring equipment*;
- amendment of the requirements on detachable, flow-direction-sensitive parts and accessories;
- amendment of the requirements on *multiple socket-outlets*;
- amendment of the requirements and recommendations for signal input/signal output part;
- amendment of the requirements on the flow-rate adjustment control;
- amendment of the requirements on the *maximum limited pressure protection device*;
- amendment of the requirements on the reservoir bag port connection port connector;
- amendment of the requirements on the inspiratory and expiratory pressure/flow rate characteristics
- amendment of the requirements on *breathing tubes* and *breathing tube* sets;
  - (standards.iteh.ai)
- amendment of the requirements on circle absorber assemblies;
  - ISO/FDIS 80601-2-13
- addition of requirements on ventilation modes and sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13
- amendment of the requirements on *anaesthetic gas scavenging systems* by differentiation between active and non-active systems;
- amendment of the requirements on *anaesthetic ventilators* in case of interruption of the electrical or pneumatic *power supply*.

A list of all parts in the ISO 80601 and the IEC 80601 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u> and <u>www.iec.ch/national-committees</u>.

## Introduction

In this document, the following print types are used:

- Requirements and definitions: roman type.
- Terms defined in Clause 3 of the general standard, in this particular standard and test specifications: italic type.
- Informative material appearing outside of tables, such as notes, examples and references: in smaller type. Normative text of tables is also in a smaller type.

In referring to the structure of this document, the term

- "clause" means one of the eight numbered divisions within the table of contents, inclusive of all subdivisions (e.g. Clause 201 includes subclauses 201.7, 201.8 etc.);
- "subclause" means a numbered subdivision of a clause (e.g. 201.7, 201.8 and 201.12 are all subclauses of Clause 201.7).

References to clauses within this document are preceded by the term "Clause" followed by the clause number. References to subclauses within this document are by number only.

In this document, the conjunctive "or" is used as an "inclusive or" so a statement is true if any combination of the conditions is true. (standards.iteh.ai)

For the purposes of this document, the auxiliary verb: ISO/FDIS 80601-2-13

- "shall" means that conformance with a requirement of a test is mandatory for conformity with this document;
   87b4bf8979f6/iso-fdis-80601-2-13
- "should" means that conformance with a requirement or a test is recommended but is not mandatory for conformance with this document;
- "may" is used to describe permission (e. g. a permissible way to achieve conformance with a requirement or test);
- "can" is used to describe a possibility or capability; and
- "must" is used to express an external constraint.

An asterisk (\*) as the first character of a title or at the beginning of a paragraph or table title indicates that there is guidance or rationale related to that item in Annex AA.

This document considers both an *anaesthetic workstation* supplied complete and its individual components in combination with its *accessories*. It has been structured to allow *responsible organizations* to configure an *anaesthetic workstation* from individual components in conformance with professional guidelines and to meet the needs of their clinical practice. In order to achieve this aim, this document identifies particular requirements pertinent to specific *anaesthetic workstation* components, including associated *monitoring equipment*, *alarm system(s)* and *protection device(s)*, and defines the interfaces.

Thus this document also defines requirements for individual components that can be used to form *an anaesthetic workstation*.

The following table identifies the individual components of an *anaesthetic workstation* and provides an overview of the structure of this document.

Table 201.101 — Configuration of an <i>anaesthetic workstation</i> and corresponding organization of this
document

including associated <i>monitoring equipment,</i>	These are mandatory
monitorina equipment.	
<i>monitoring equipment,</i> <i>alarm systems</i> and <i>protection devices</i>	components; see also Table AA.1
including associated monitoring equipment, alarm systems and Neprotection devices VIF indards.iteh.ai)	These are optional components; W see also Table AA.1
	protection devices including associated monitoring equipment, alarm systems and protection devices

https://standards.iteh.ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13

# Medical electrical equipment — Part 2-13: Particular requirements for basic safety and essential performance of an anaesthetic workstation

#### 201.1 Scope, object and related standards

Clause 1 of IEC 60601-1:2005+AMD1:2012+AMD2:2020 applies, except as follows:

NOTE The general standard is IEC 60601-1:2005+AMD1:2012+AMD2:2020.

#### 201.1.1 \* Scope

Replacement:

This document is applicable to the *basic safety* and *essential performance* of an *anaesthetic workstation* for administering inhalational anaesthesia whilst continuously attended by a professional *operator*.

This document specifies particular requirements for a complete *anaesthetic workstation* and the following *anaesthetic workstation* components which, although considered as individual devices in their own right, may be utilized, in conjunction with other relevant *anaesthetic workstation* components, to form an *anaesthetic workstation* to a given specification:

(standards.iteh.ai)

- anaesthetic gas delivery system, STANDARD PREVIEW
- anaesthetic breathing system;
- anaesthetic gas scavenging system (AGSS)<sup>ISO/FDIS 80601-2-13</sup> https://standards.iteh.ar/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13
- anaesthetic vapour delivery system;
- anaesthetic ventilator;
- monitoring equipment;
- alarm system;
- protection device.

NOTE 1 *Monitoring equipment, alarm systems* and *protection devices* are summarized in Table AA.1.

An *anaesthetic workstation* supplied complete and its individual components are considered as *ME equipment* or *ME systems* with regard to the general standard.

NOTE 2 The applicability of this document is indicated in Table AA.2.

This document is also applicable to those *accessories* intended by their *manufacturer* to be connected to an *anaesthetic workstation* where the characteristics of those *accessories* can affect the *basic safety* and *essential performance* of the *anaesthetic workstation*.

If a clause or subclause is specifically intended to be applicable to *anaesthetic workstation* components or its *accessories* only, the title and content of that clause or subclause will say so. If that is not the case, the clause or subclause applies both to an *anaesthetic workstation* and its individual components including *accessories*, as relevant.

*Hazards* inherent in the intended physiological function of an *anaesthetic workstation* and its individual components including *accessories* within the scope of this document are not covered by specific requirements in this document except in IEC 60601-1:2005+AMD1:2012+AMD2:2020, 7.2.13 and 8.4.1.

NOTE 3 See also IEC 60601-1:2005+AMD1:2012+AMD2:2020, 4.2.

This document is not applicable to any *anaesthetic workstation* intended for use with flammable anaesthetic agents, as determined by Annex BB.

#### 201.1.2 Object

#### Replacement:

The object of this document is to establish particular *basic safety* and *essential performance* requirements for an *anaesthetic workstation* and its individual components designed for use in the *anaesthetic workstation* (as defined in 201.3.210) and its *accessories*.

#### 201.1.3 Collateral standards

Addition:

This document refers to those applicable collateral standards that are listed in Clause 2 of the general standard and Clause 201.2 of this document.

IEC 60601-1-3:2008+AMD1:2013 IEC 60601-1-9:2007+AMD1:2013, VEC 60601-1-11:2010+AMD1: 2018 do not apply.

# (standards.iteh.ai)

## 201.1.4 \*Particular standards

Addition: ISO/FDIS 80601-2-13 https://standards.iteh.ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13

The numbering of clauses and subclauses of this document corresponds to that of IEC 60601-1 (the general standard) with the prefix "201" (e.g. 201.1 in this document addresses the content of Clause 1 of the general standard) or applicable collateral standard with the prefix "20x" where x is the final digit(s) of the collateral standard document number (e.g. 202.4 in this document addresses the content of Clause 4 of the IEC 60601-1-2 collateral standard, 206.4 in this document addresses the content of Clause 4 of the IEC 60601-1-6 collateral standard, etc.). The changes to the text of the general standard are specified by the use of the following words:

"Replacement" means that the clause or subclause of the general standard or applicable collateral standard is replaced completely by the text of this document.

"Addition" means that the text of this document is additional to the requirements of the general standard or applicable collateral standard.

"Amendment" means that the clause or subclause of the general standard or applicable collateral standard is amended as indicated by the text of this document.

Subclauses, figures or tables which are additional to those of the general standard are numbered starting from 201.101. However, due to the fact that definitions in the general standard are numbered 3.1 to 3.154, additional definitions in this document are numbered beginning from 201.3.201. Additional annexes are lettered AA, BB, etc., and additional items aa), bb), etc.

Subclauses or figures which are additional to those of a collateral standard are numbered starting from 20x, where "x" is the number of the collateral standard, e.g. 202 for IEC 60601-1-2, 206 for IEC 60601-1-6, etc.

The term "this document" is used to make reference to the general standard, any applicable collateral standards and this particular standard taken together.

Where there is no corresponding clause or subclause in this document, the clause or subclause of the general standard or applicable collateral standard, although possibly not relevant, applies without modification; where it is intended that any part of the general standard or applicable collateral standard, although possibly relevant, is not to be applied, a statement to that effect is given in this document.

If an *anaesthetic workstation* is supplied with physiological monitoring, having more than one *applied part* on the *patient*, then IEC 80601-2-49:2018 applies. Measured parameters related to the inherent function of an *anaesthetic workstation* (i.e. *airway pressure*, ventilation volume, oxygen concentration, volatile anaesthetic agent concentration,  $CO_2/N_2O$ ), including derived and related parameters such as spontaneous ventilation volume or  $CO_2$  production, are not considered to be a *physiological monitoring unit* as per IEC 80601-2-49.

#### 201.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Clause 2 of IEC 60601-1:2005+AMD1:2012+AMD2:2020 applies, except as follows:

Addition:

# iTeh STANDARD PREVIEW

ISO 407:2004, Small medical gas cylinders Pin-index yoke-type valve connections

ISO 5145:2017, Gas cylinders — Cylinder valve Fourlets for gases and gas mixtures — Selection and https://standards.iteh.ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13

ISO 5356-1:2015, Anaesthetic and respiratory equipment — Conical connectors — Part 1: Cones and sockets

ISO 5356-2:2012+AMD1:2019, Anaesthetic and respiratory equipment — Conical connectors — Part 2: Screw-threaded weight-bearing connectors

ISO 5359:2014 +AMD1:2017, Anaesthetic and respiratory equipment — Low-pressure hose assemblies for use with medical gases

ISO 5360:2016, Anaesthetic vaporizers — Agent-specific filling systems

ISO 5367:2014, Anaesthetic and respiratory equipment — Breathing sets and connectors

ISO 7396-1:2016+AMD1:2017, Medical gas pipeline systems — Part 1: Pipeline systems for compressed medical gases and vacuum

ISO 7396-2:2007, Medical gas pipeline systems — Part 2: Anaesthetic gas scavenging disposal systems

ISO 9170-1:2017, Terminal units for medical gas pipeline systems — Part 1: Terminal units for use with compressed medical gases and vacuum

ISO 9170-2:2008, Terminal units for medical gas pipeline systems — Part 2: Terminal units for anaesthetic gas scavenging systems

#### ISO/FDIS 80601-2-13:2021(E)

ISO 10524-1:2018, Pressure regulators for use with medical gases — Part 1: Pressure regulators and pressure regulators with flow-metering devices

ISO 10993-1:2018, Biological evaluation of medical devices — Part 1: Evaluation and testing within a risk management process

ISO 18082:2014+AMD1:2017, Anaesthetic and respiratory equipment — Dimensions of noninterchangeable screw-threaded (NIST) low-pressure connectors for medical gases

ISO 18562-1:2017, Biocompatibility evaluation of breathing gas pathways in healthcare applications — Part 1: Evaluation and testing within a risk management process

ISO 80369-7:2016, Small-bore connectors for liquids and gases in healthcare applications — Part 7: Connectors for intravascular or hypodermic applications

ISO 80601-2-55:2018, Medical electrical equipment — Part 2-55: Particular requirements for the basic safety and essential performance of respiratory gas monitors

ISO/IEC 80079-20-1:2017, Explosive atmospheres — Part 20-1: Material characteristics for gas and vapour classification — Test methods and data

IEC 60601-1:2005+AMD1:2012+AMD2:2020, Medical electrical equipment — Part 1: General requirements for basic safety and essential performance

IEC 60601-1-10:2007+AMD1:2013+AMD2:2020, Medical electrical equipment — Part 1-10: General requirements for basic safety and essential performance — Collateral standard: Requirements for the development of physiologic closed-loop controllers

IEC 60601-1-12:2014+AMD1:2020, Medical electrical equipment — Part 1-12: General requirements for basic safety and essential performance — Collateral Standard: Requirements for medical electrical equipment and medical electrical systems used in the emergency medical services environment

IEC 62570:2014, Standard practice for marking medical devices and other items for safety in the magnetic resonance environment

#### 201.3 Terms and definitions

For the purposes of this document, the terms and definitions given in,IEC 60601-1:2005+AMD1:2012+AMD2:2020,IEC 60601-1-6:2010+AMD1:2013+AMD2:2020,IEC 60601-1-8:2006+AMD1:2012+AMD2:2020 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>

— IEC Electropedia: available at <u>https://www.electropedia.org/</u>

NOTE An index of defined terms is found in Annex CC.

#### 201.3.201

# active anaesthetic gas scavenging system active AGSS

AGSS in which gas flow in the disposal system results from a power device

[SOURCE: ISO 4135:—<sup>1</sup>, 3.9.1.2]

# 201.3.202

## AGSS disposal system

part of an AGSS which conveys gas from a receiving system to a point of discharge

Note 1 to entry: The point of discharge can be, for example, the exterior of a building or a non-recirculating extract ventilation system.

[SOURCE: ISO 4135:—, 3.9.1.3, modified by adding Note 1 to entry.]

#### **201.3.203 airway pressure** pressure at the *patient connection port*, relative to ambient pressure unless otherwise specified

[SOURCE: ISO 19223:2019, 3.6.1, modified by deleting the notes 1 to 7.]

#### 201.3.204

#### anaesthetic breathing system

breathing system intended for use with volatile or gaseous anaesthetic agents

[SOURCE: ISO 4135:—, 3.6.1.7]

#### 201.3.205 anaesthetic gas **iTeh STANDARD PREVIEW**

gases and, if present, vapour of a volatile anaesthetic agent, used in anaesthesia

 Note 1 to entry:
 In parts of an anaesthetic breathing system, anaesthetic gas includes gases exhaled by the patient.

 ISO/FDIS 80601-2-13

[SOURCE: ISO 4135:—, 3.1111:55]standards.iteh.ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13

#### 201.3.206

#### anaesthetic gas delivery system

*anaesthetic workstation* component that receives separate supplies of medical gases and delivers mixed gases in concentrations or individual flow rates adjustable by the *operator* 

Note 1 to entry: An *anaesthetic gas delivery system* can include a means of flow rate adjustment control, *flowmeters* or a gas mixer and *anaesthetic gas delivery system* piping but does not include vaporizers.

[SOURCE: ISO 4135:—, 3.3.2.1]

#### 201.3.207

#### anaesthetic gas scavenging system

#### AGSS

system which is connected to the *exhaust ports* of a breathing system or of other equipment for the purpose of conveying excess gases to an appropriate point of discharge

Note 1 to entry: Functionally, an *AGSS* comprises three parts: a *transfer system*, a *receiving system* and an *AGSS disposal system*. These three functionally discrete parts may be either separate or sequentially combined in part or in total. One or more parts of an *AGSS* may be combined with an *anaesthetic breathing system* component or other equipment.

Note 2 to entry: The excess gases can contain *anaesthetic gases* and vapours.

<sup>&</sup>lt;sup>1</sup> Under preparation. Stage at the time of publication: ISO/FDIS 4135:2021.

[SOURCE: ISO 4135:—, 3.9.1.1, modified by replacing "excess *anaesthetic gases* and vapours" by "excess gases" and by adding note 2 to entry.]

#### 201.3.208

#### anaesthetic vapour delivery system anaesthetic vapourizer

*anaesthetic workstation* component that provides the vapour of a volatile anaesthetic agent in a controllable concentration

[SOURCE: ISO 4135:—, 3.3.2.2, modified by replacing the term "anaesthetic vapour delivery device" by "*anaesthetic vapour delivery system*" and by adding "anaesthetic" before "agent".]

#### 201.3.209

#### anaesthetic ventilator

*anaesthetic workstation* component that is connected via the *anaesthetic breathing system* to the *patient's* airway and automatically augments or provides ventilation during anaesthesia

[SOURCE: ISO 4135:—, 3.4.1.3]

# 201.3.210 anaesthetic workstation

system for administering inhalational anaesthesia that contains an *anaesthetic gas delivery system*, an *anaesthetic breathing system* and any required *monitoring equipment, alarm systems,* and *protection devices* **iTeh STANDARD PREVIEW** 

Note 1 to entry: An anaesthetic workstation can also include but is not limited to, one or more of the following: anaesthetic vapour delivery system, anaesthetic ventilator, parts of an anaesthetic gas scavenging system, and any associated monitoring equipment, alarm systems and protection devices. ISO/FDIS 80601-2-13

[SOURCE: ISO 4135: http:3/3tan2] ds. iteh. ai/catalog/standards/sist/21083d1d-eb19-455c-9606-87b4bf8979f6/iso-fdis-80601-2-13

#### 201.3.211 breathing tube

non-rigid tube used to convey gases between parts of an *anaesthetic breathing system* 

#### 201.3.212

#### circle absorber assembly

part of a *circle breathing system* that comprises one or more carbon-dioxide-absorbent containers, *inspiratory* and *expiratory valves* or other means of ensuring unidirectional gas flow, two ports for connection to *breathing tubes*, a *fresh-gas inlet*, and a reservoir bag port or an *anaesthetic ventilator* port or both

[SOURCE: ISO 4135:—, 3.6.1.7.2]

#### 201.3.213

#### circle breathing system

anaesthetic circle breathing system

breathing system in which the direction of gas flow through inspiratory and expiratory pathways is unidirectional and in which the two pathways form a loop

Note 1 to entry: In context of anaesthesia, the breathing system is a *circle breathing system*.

[SOURCE: ISO 4135:—, 3.6.1.7.1]

#### 201.3.214

#### danger zone

any zone within and/or around an *anaesthetic workstation* in which a person is subject to a *risk* to their health or safety from the powered movement of the *anaesthetic workstation* or its components

#### 201.3.215

#### delivered volume

#### V<sub>DEL</sub>

volume of gas delivered through a patient connection port during a breath

Note 1 to entry: *Delivered volume* is also referred to as inspiratory *tidal volume* when all of the *delivered volume* enters the *patient's* respiratory tract. This is frequently not the case when there is significant tracheal tube cuff leakage (as in neonates) or in non-invasive ventilation.

#### 201.3.216 disposal flowrate

flow rate of gas from the receiving system at the entry to the AGSS disposal system

[SOURCE: ISO 4135:—, 3.9.1.3.6]

#### 201.3.217

**disposal hose** part of an *AGSS* that is intended to convey gas from the *receiving system* to the *AGSS disposal system* 

[SOURCE: ISO 4135:—, 3.9.1.3.1, modified by deleting note 1 to entry.] VIEW

#### 201.3.218

(standards.iteh.ai)

# **exhaust port** port of the medical equipment or device from which gas is discharged to the atmosphere during *normal use*, either directly or via an *andesthetic gas scovenging system* 1,21083d1d-eb19-455c-9606-

[SOURCE: ISO 19223:2019, 3.14.2]

#### 201.3.219

**exhaust valve** valve with an outlet connected to an *exhaust port* 

EXAMPLE: An adjustable pressure-limiting valve

[SOURCE: ISO 4135:—, 3.1.4.10]

## 201.3.220

**fresh gas** respirable gas delivered to a breathing system

Note 1 to entry: In a circle system, the *fresh gas* is all respirable gas delivered into the circle system (including *anaesthetic gases* and vapours).

[SOURCE: ISO 4135:—, 3.1.1.13, modified by deleting the last sentence in note 1 to entry and by deleting note 2 to entry.]

**201.3.221 fresh-gas inlet** port through which *fresh gas* enters the *anaesthetic breathing system* 

[SOURCE: ISO 4135:—, 3.1.4.18, modified by adding "anaesthetic" before "breathing system".]