# FINAL DRAFT

# INTERNATIONAL STANDARD

# ISO/FDIS 23721

ISO/TC **156** 

Secretariat: SAC

Voting begins on: 2021-12-13

Voting terminates on: 2022-02-07

Corrosion of metals and alloys — Rating method by appearance of rust and stains of atmospheric corrosion for stainless steels

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 23721 https://standards.iteh.ai/catalog/standards/sist/54162451-0ee6-405b-8cbe-0f4015e5fe70/iso-fdis-23721

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNO-LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STAN-DARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 23721:2021(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 23721 https://standards.iteh.ai/catalog/standards/sist/54162451-0ee6-405b-8cbe-0f4015e5fe70/iso-fdis-23721



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Page

# Contents

Forew	rord	iv
Introd	luction	v
1	Scope	1
2	Normative references	
3	Terms and definitions	
4	Principle   4.1 Photographic standard   4.2 Rating method	<b>1</b> 1 11
5	Expression of results	12
6	Test report	12
Annex	A (informative) Relationship between rating number and total area of rust and stains	13
Bibliography		14

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 23721 https://standards.iteh.ai/catalog/standards/sist/54162451-0ee6-405b-8cbe-0f4015e5fe70/iso-fdis-23721

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 156, Corrosion of metals and alloys.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.lismoirg/members.html.

## Introduction

Stainless steels contain at least 10,5 % Cr and are widely used in domestic electric utilities, kitchen utensils, transportation vehicles, and industrial plants. Corrosion-resistant stainless steels are also used as architectural materials, e.g. exterior parts and roofs of buildings. Furthermore, stainless steels are used as braid materials for automotive parts.

Corrosion loss and pitting depth are important factors for selecting, deciding the thickness and estimating the lifetime of materials. Aesthetic appearance is also important for stainless steels used in exterior parts. Therefore, a method for evaluating the appearance of stainless steels under atmospheric exposure is required.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 23721 https://standards.iteh.ai/catalog/standards/sist/54162451-0ee6-405b-8cbe-0f4015e5fe70/iso-fdis-23721

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 23721 https://standards.iteh.ai/catalog/standards/sist/54162451-0ee6-405b-8cbe-0f4015e5fe70/iso-fdis-23721

# Corrosion of metals and alloys — Rating method by appearance of rust and stains of atmospheric corrosion for stainless steels

## 1 Scope

This document specifies a method for evaluating the aesthetic appearance of stainless steels qualitatively by rating rust and stains formed by atmospheric corrosion. The rust and stains on stainless steels formed by atmospheric corrosion are rated by using 10 photographic standards.

This method is especially suitable for evaluating the appearance of specimens and structures made of stainless steels under atmosphere exposure.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8044, Corrosion of metals and alloys Vocabulary PREVIEW

## (standards.iteh.ai)

### 3 Terms and definitions

<u>ISO/FDIS 23721</u> For the purposes of this document, the terms and definitions given in ISO 8044 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>

— IEC Electropedia: available at <u>https://www.electropedia.org/</u>

### 3.1

### stain

visible mark of corrosion products consisting mainly of hydrated iron and chromium oxides

## 3.2 rating number

### RN

number rated according to the degree of rust and *stains* (3.1) formed by atmospheric corrosion

## 4 Principle

### 4.1 Photographic standard

Rust and stains on stainless steels formed by atmospheric corrosion shall be rated by using 10 photographic standards, in which the total area of rust and stains changes in the range of 0 % to 100 %. The photographic standards are shown in Figures 1 to 10. The specimen size in the figures is 100 mm in width and 150 mm in length.

Each of these photos is assigned a rating number (RN) of 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9. RN 0 corresponds to the total area of rust and stains of substantially 100 % and RN 9 corresponds to the total area of rust and stains of 0,01 % or less (see Table A.1).









10mm





|------| 10mm





10mm

