



**SLOVENSKI STANDARD**  
**oSIST prEN 1998-1-2:2023**  
**01-december-2023**

**Nadomešča:**  
**SIST EN 1998-1:2005**

---

**Evrokod 8: Projektiranje potresnoodpornih konstrukcij – 1. del: Stavbe**

Eurocode 8 - Design of structures for earthquake resistance - Part 1-2: Buildings

Eurocode 8 - Auslegung von Bauwerken gegen Erdbeben - Teil 1-2: Hochbauten

Eurocode 8 - Calcul des structures pour leur résistance au séisme - Partie 1-2 :  
Bâtiments

**Ta slovenski standard je istoveten z: prEN 1998-1-2**

---

[oSIST prEN 1998-1-2:2023](https://standards.iteh.ai/catalog/standards/sist/82318751-f58b-48f1-813d-4c24ec0d70a9/osist-pren-1998-1-2-2023)

<https://standards.iteh.ai/catalog/standards/sist/82318751-f58b-48f1-813d-4c24ec0d70a9/osist-pren-1998-1-2-2023>

**ICS:**

91.010.30	Tehnični vidiki	Technical aspects
91.120.25	Zaščita pred potresi in vibracijami	Seismic and vibration protection

**oSIST prEN 1998-1-2:2023**

**en,fr,de**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**DRAFT**  
**prEN 1998-1-2**

September 2023

ICS 91.120.25

Will supersede EN 1998-1:2004

English Version

## Eurocode 8 - Design of structures for earthquake resistance - Part 1-2: Buildings

Eurocode 8 - Calcul des structures pour leur résistance  
au séisme - Part 1-2: Bâtiments

Eurocode 8 - Auslegung von Bauwerken gegen  
Erdbeben - Teil 1-2: Hochbauten

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 250.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning** : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

<b>Contents</b>	<b>Page</b>
European foreword .....	13
<b>0 Introduction</b> .....	<b>14</b>
<b>1 Scope</b> .....	<b>17</b>
<b>1.1 Scope of prEN 1998-1-2</b> .....	<b>17</b>
<b>1.2 Assumptions</b> .....	<b>17</b>
<b>2 Normative references</b> .....	<b>17</b>
<b>3 Terms, definitions and symbols</b> .....	<b>17</b>
<b>3.1 Terms and definitions</b> .....	<b>17</b>
<b>3.2 Symbols and abbreviations</b> .....	<b>21</b>
<b>3.2.1 Symbols</b> .....	<b>22</b>
<b>3.2.2 Abbreviations</b> .....	<b>40</b>
<b>3.3 S.I. Units</b> .....	<b>40</b>
<b>4 Basis of design</b> .....	<b>42</b>
<b>4.1 Performance requirements</b> .....	<b>42</b>
<b>4.2 Seismic actions</b> .....	<b>42</b>
<b>4.3 Compliance criteria</b> .....	<b>43</b>
<b>4.4 Characteristics of earthquake resistant buildings</b> .....	<b>43</b>
<b>4.4.1 Conceptual design</b> .....	<b>43</b>
<b>4.4.2 Primary and secondary seismic members</b> .....	<b>44</b>
<b>4.4.3 Torsionally flexible buildings</b> .....	<b>45</b>
<b>4.4.4 Structural regularity</b> .....	<b>46</b>
<b>5 Modelling and structural analysis</b> .....	<b>47</b>
<b>5.1 Modelling</b> .....	<b>47</b>
<b>5.1.1 General</b> .....	<b>47</b>
<b>5.1.2 Masses</b> .....	<b>47</b>
<b>5.1.3 Stiffness</b> .....	<b>47</b>
<b>5.2 Minimum design eccentricity in buildings</b> .....	<b>48</b>
<b>5.3 Methods of analysis</b> .....	<b>49</b>
<b>5.3.1 General</b> .....	<b>49</b>
<b>5.3.2 Force-based approach</b> .....	<b>49</b>
<b>5.3.3 Lateral forces method of analysis</b> .....	<b>50</b>
<b>5.3.4 Response spectrum analysis</b> .....	<b>50</b>
<b>5.3.5 Non-linear static analysis</b> .....	<b>51</b>
<b>5.3.6 Response-history analysis</b> .....	<b>53</b>
<b>6 Verifications of structural members to limit states</b> .....	<b>53</b>
<b>6.1 General</b> .....	<b>53</b>
<b>6.2 Verification of Significant Damage (SD) limit state</b> .....	<b>54</b>
<b>6.2.1 General</b> .....	<b>54</b>
<b>6.2.2 Equilibrium condition</b> .....	<b>54</b>
<b>6.2.3 Resistance conditions</b> .....	<b>54</b>
<b>6.2.4 Control of second-order effects</b> .....	<b>55</b>
<b>6.2.5 Limitation of interstorey drift</b> .....	<b>55</b>
<b>6.2.6 Capacity design in DC2</b> .....	<b>56</b>
<b>6.2.7 Capacity design in DC3</b> .....	<b>57</b>

6.2.8	Resistance of horizontal diaphragms and bracings .....	57
6.2.9	Resistance of foundations.....	58
6.2.10	Seismic joint condition .....	58
6.2.11	Verification of transfer zones in DC2 and DC3 .....	58
6.2.12	Verification of underground basements.....	59
6.3	Verification to other limit states .....	60
6.3.1	Verification to Near Collapse (NC) limit state .....	60
6.3.2	Verification of Damage Limitation (DL) limit state.....	60
6.3.3	Verification of fully Operational (OP) limit state.....	61
7	Ancillary elements .....	61
7.1	General .....	61
7.2	Verification at Significant Damage (SD) limit state.....	61
7.2.1	Seismic action effects .....	61
7.2.2	Performance factors .....	63
7.3	Verification at Near Collapse (NC) limit state.....	63
7.4	Masonry infilled frames .....	63
7.4.1	General .....	63
7.4.2	Design of frames with interacting infills.....	64
7.4.3	Design of frames with non-interacting infills.....	71
7.5	Structures with claddings.....	71
7.5.1	Basis of design .....	71
7.5.2	Analysis .....	72
7.5.3	Cladding panels .....	72
7.6	Partitions.....	74
7.6.1	Basis of design .....	74
7.6.2	Verification of partitions.....	74
8	Base isolated buildings.....	74
8.1	Field of application .....	74
8.2	Basis of design .....	74
8.2.1	Compliance criteria.....	74
8.2.2	Control of undesirable movements.....	74
8.2.3	Control of differential seismic ground motions .....	75
8.2.4	Control of displacements relative to surrounding ground and constructions.....	75
8.3	Structural analysis .....	75
8.3.1	General .....	75
8.3.2	Fundamental-mode equivalent linear response-spectrum analysis.....	75
8.4	Verification of Significant Damage Limit State .....	76
9	Buildings with energy dissipation systems.....	77
9.1	General .....	77
9.2	Basis of design .....	77
9.2.1	Compliance criteria.....	77
9.2.2	Main structural system.....	77
9.2.3	Energy dissipation system.....	78
9.2.4	Control of torsional effects.....	78
9.3	Structural analysis .....	78
9.3.1	General .....	78
9.3.2	Non-linear response spectrum analysis.....	78
9.3.3	Energy-balance based analysis.....	87
9.3.4	Non-linear response history analysis.....	92
9.3.5	Combination of the effects of the components of seismic action.....	92
9.4	Verification to Limit States.....	92

## prEN 1998-1-2:2023 (E)

9.4.1	General.....	92
9.4.2	Verification to Significant Damage (SD) limit state .....	92
9.4.3	Verification to Near Collapse (NC) limit state.....	92
9.4.4	Verification to Damage Limitation (DL) limit state .....	93
9.4.5	Verification of fully Operational (OP) limit state .....	93
10	Specific rules for concrete buildings.....	93
10.1	General.....	93
10.2	Basis of design and design criteria .....	93
10.2.1	General rules on design action effects.....	93
10.2.2	Local resistance condition .....	94
10.2.3	Local ductility condition.....	94
10.2.4	Capacity design rule for moment resisting frames.....	94
10.3	Materials requirements.....	95
10.3.1	General.....	95
10.3.2	Design for DC1.....	95
10.3.3	Design for DC2 and DC3 .....	95
10.3.4	Safety verifications.....	95
10.4	Structural types, behaviour factors, limits of seismic action, limits of drift and partial factors for the displacement-based approach.....	95
10.4.1	Structural types .....	95
10.4.2	Behaviour factor for horizontal components of the seismic action in force-based analysis .....	97
10.4.3	Limits of seismic action for design to DC1, DC2 and DC3 .....	98
10.4.4	Limits of drift.....	98
10.4.5	Partial factors on resistances for the displacement-based approach .....	98
10.5	Beams.....	99
10.5.1	Geometrical and other provisions .....	99
10.5.2	Specific rules for beams supporting discontinued vertical members .....	99
10.5.3	Design action effects .....	100
10.5.4	SD limit state verifications and detailing .....	101
10.6	Columns.....	103
10.6.1	Geometrical and other provisions .....	103
10.6.2	Design action effects .....	103
10.6.3	SD limit state verifications and detailing .....	104
10.7	Beam-column joints .....	106
10.8	Ductile walls .....	108
10.8.1	Geometrical and other constraints.....	108
10.8.2	Design action effects .....	109
10.8.3	SD limit state verifications and detailing .....	111
10.9	Large walls.....	116
10.9.1	Geometrical provisions.....	116
10.9.2	Design action effects .....	116
10.9.3	SD limit state verifications and detailing .....	117
10.10	Flat slabs .....	118
10.10.1	Basis of design .....	118
10.10.2	SD limit state verifications and detailing.....	119
10.11	Provisions for anchorages and laps .....	124
10.11.1	General .....	124
10.11.2	Anchorage of reinforcement in beams .....	124
10.11.3	Laps and mechanical couplers.....	126
10.12	Provisions for concrete diaphragms.....	127
10.12.1	Cast in place diaphragms.....	127

10.12.2	Precast concrete diaphragms .....	128
10.13	Prestressed concrete.....	128
10.14	Precast concrete structures.....	128
10.14.1	Structural types and behaviour factor $q$ .....	128
10.14.2	Rules applicable to all structural types and to DC1, DC2 and DC3 .....	129
10.14.3	Precast moment resisting frames .....	130
10.14.4	Precast walls.....	132
10.14.5	Precast floors and roof diaphragms. Rules for ductility classes DC1, DC2 and DC3 134	
10.15	Design and detailing of foundations .....	135
11	Specific rules for steel buildings .....	135
11.1	General .....	135
11.2	Basis of Design.....	135
11.2.1	Ductility classes.....	135
11.2.2	Safety verifications.....	135
11.3	Materials .....	135
11.4	Structural types, behaviour factors and limits of seismic action .....	136
11.4.1	Structural types.....	136
11.4.2	Behaviour factors .....	140
11.4.3	Limits of seismic action for design to DC1, DC2 and DC3 .....	141
11.5	Structural analysis .....	142
11.6	Verification to Limit States.....	143
11.6.1	General .....	143
11.6.2	Verification at Significant Damage limit state in a force-based approach.....	143
11.6.3	Verification at Significant Damage limit state in a displacement-based approach .....	143
11.6.4	Limitation of interstorey drift at Significant Damage limit state.....	144
11.7	Design rules for low-dissipative (DC1) and non-dissipative structural behaviour for all structural types .....	145
11.7.1	General .....	145
11.7.2	Design rules for low-dissipative structures.....	145
11.7.3	Design rules for non-dissipative structures .....	145
11.8	Design rules for dissipative (DC2 and DC3) structural behaviour common to all structural types .....	146
11.8.1	General .....	146
11.8.2	Design criteria for dissipative structures.....	146
11.8.3	Verification for dissipative members in compression or bending.....	146
11.8.4	Verification for dissipative parts of members in tension .....	147
11.8.5	Verification of members.....	147
11.8.6	Verification of connections in dissipative zones.....	149
11.8.7	Verification of column-to-column splices.....	151
11.9	Design rules for moment resisting frames .....	152
11.9.1	Design criteria .....	152
11.9.2	Verification of beams .....	152
11.9.3	Verification of columns.....	153
11.9.4	Verification of beam to column joints.....	155
11.9.5	Verification of column base joints.....	157
11.10	Design rules for frames with concentric bracings .....	158
11.10.1	Design criteria for DC2 and DC3 .....	158
11.10.2	Analysis.....	159
11.10.3	Verification of diagonal members.....	160
11.10.4	Verification of beams and columns .....	162
11.10.5	Verification of beam to column connections.....	163

## prEN 1998-1-2:2023 (E)

11.10.6	Verification of brace connections.....	163
11.10.7	Verification of column base joints.....	164
11.11	Design rules for frames with eccentric bracings .....	165
11.11.1	Design criteria .....	165
11.11.2	Verification of seismic links .....	165
11.11.3	Verification of members and connections not containing seismic links.....	169
11.11.4	Verification of connections of the seismic links.....	170
11.11.5	Verification of beam to column connections.....	170
11.12	Design rules for frames with buckling restrained bracings.....	170
11.12.1	Design criteria .....	170
11.12.2	Analysis.....	171
11.12.3	Verification of buckling restrained bracings .....	172
11.12.4	Conformity criteria .....	172
11.12.5	Verification of beams and columns.....	173
11.12.6	Verification of beam to column connections.....	173
11.12.7	Verification of brace connections.....	173
11.12.8	Verification of column base joints.....	174
11.13	Design rules for dual frames - moment resisting frames combined with either concentric, eccentric or buckling restrained bracings .....	175
11.14	Design rules for lightweight steel systems .....	175
11.14.1	General.....	175
11.14.2	General verification rules for low-dissipative (DC1) and dissipative (DC2 and DC3) structural behaviour common to all lightweight steel systems.....	175
11.14.3	Additional verification rules for dissipative (DC2 and DC3) structural behaviour common to all lightweight steel systems. ....	176
11.14.4	Specific verification for dissipative (DC2 and DC3) strap braced walls .....	177
11.14.5	Specific verification for dissipative (DC2 and DC3) shear walls with steel sheet sheathing.....	177
11.14.6	Specific verification for dissipative (DC2 and DC3) shear walls with wood sheathing.....	177
11.14.7	Specific verification for dissipative (DC2 and DC3) shear walls with gypsum sheathing.....	178
11.15	Verification of inverted pendulum structures .....	178
11.16	Design rules for steel structures with concrete cores or concrete walls and for moment resisting frames combined with infills.....	178
11.16.1	Structures with concrete cores or concrete walls .....	178
11.16.2	Moment resisting frames combined with infills .....	178
11.17	Steel diaphragms.....	178
11.18	Transfer zones. Design for DC2 and DC3 .....	179
11.19	Requirements for supply of material and execution .....	179
12	Specific rules for composite steel–concrete buildings.....	180
12.1	General.....	180
12.2	Basis of design.....	180
12.2.1	Design concepts.....	180
12.2.2	Safety verifications.....	180
12.3	Materials .....	180
12.3.1	Concrete .....	180
12.3.2	Reinforcing steel .....	181
12.3.3	Structural steel .....	181
12.4	Structural types, behaviour factors, limits of seismic action and limits of drifts.....	181
12.4.1	Structural types .....	181
12.4.2	Behaviour factors.....	182

12.4.3	Limits of seismic action for design to DC1, DC2 and DC3 .....	183
12.5	Structural analysis .....	184
12.5.1	General .....	184
12.5.2	Stiffness of sections.....	184
12.6	Verification to limit states .....	185
12.6.1	General .....	185
12.6.2	Verifications at Significant Damage limit state in a force-based approach.....	185
12.6.3	Verifications at Significant Damage limit state in a displacement-based approach.....	185
12.6.4	Limitation of interstorey drift at Significant Damage limit state.....	185
12.7	Design rules for low-dissipative (DC1) and non-dissipative structural behaviour for all structural types .....	186
12.7.1	General .....	186
12.7.2	Design rules for low-dissipative structures.....	186
12.7.3	Design rules for non-dissipative structures .....	186
12.8	Design rules for dissipative (DC2 and DC3) structural behaviour common to all structural types .....	186
12.8.1	General .....	186
12.8.2	Design criteria for dissipative structures.....	186
12.8.3	Verification of dissipative members in compression or bending.....	187
12.8.4	Verification of dissipative members in tension.....	188
12.8.5	Verification of members in DC2 and DC3.....	188
12.8.6	Verification of beams .....	189
12.8.7	Verification of composite columns.....	192
12.8.8	Verification of composite joints in dissipative zones.....	195
12.8.9	Verification of column-to-column splices.....	196
12.9	Design and detailing rules for composite moment resisting frames in DC2 and DC3 .....	196
12.9.1	Design criteria .....	196
12.9.2	Analysis .....	197
12.9.3	Verification of beams .....	197
12.9.4	Verification of columns.....	198
12.9.5	Verification of column diaphragm plates .....	198
12.9.6	Verification of beam to column joints.....	199
12.9.7	Verification of column base joints.....	199
12.10	Design and detailing rules for composite frames with concentric bracings in DC2 and DC3.....	199
12.10.1	Design criteria.....	199
12.10.2	Analysis.....	200
12.10.3	Verification of diagonal members.....	200
12.10.4	12.10.4. Verification of beams and columns .....	200
12.10.5	Verification of beam to column connections.....	200
12.10.6	Verification of brace connections .....	200
12.10.7	Verification of column base joints .....	201
12.11	Design and detailing rules for composite frames with eccentric bracings in DC2 and DC3.....	201
12.11.1	Design criteria.....	201
12.11.2	Analysis.....	201
12.11.3	Verification of seismic Links .....	201
12.11.4	Verification of diagonal members.....	201
12.11.5	Verification of beams and columns .....	201
12.11.6	Verification of members and connections not containing seismic links .....	202
12.11.7	Verification of connections of the seismic links.....	202
12.11.8	Verification of beam to column connections.....	202

## prEN 1998-1-2:2023 (E)

12.11.9	Verification of column base joints.....	202
12.12	Design and detailing rules for composite frames with buckling restrained bracings .....	202
12.12.1	Design criteria.....	202
12.12.2	Analysis.....	202
12.12.3	Design rules of buckling restrained bracings.....	202
12.12.4	Conformity criteria.....	202
12.12.5	Verification of beams and columns.....	202
12.12.6	Verification of beams to column connections.....	203
12.12.7	Verification of brace connections.....	203
12.12.8	Verification of column base joints.....	203
12.13	Design and detailing rules for composite dual frames in DC2 and DC3.....	203
12.13.1	Design criteria.....	203
12.14	Design and detailing rules for structural wall systems made of reinforced concrete shear walls composite with structural steel elements in DC2 and DC3.....	203
12.14.1	Design criteria.....	203
12.14.2	Analysis.....	204
12.14.3	Verification of composite walls in DC2.....	204
12.14.4	Detailing and verification of coupling beams in DC2.....	205
12.14.5	Additional detailing rules for DC3.....	205
12.15	Composite diaphragms, chords and collectors.....	206
12.16	Transfer zones: Design for DC2 and DC3.....	206
12.17	Checking of design and construction.....	206
13	Specific rules for timber buildings.....	207
13.1	General.....	207
13.2	Basis of design.....	207
13.2.1	Design concepts.....	207
13.2.2	Safety verifications.....	208
13.3	Materials.....	208
13.3.1	Mechanical properties of dissipative zones.....	208
13.3.2	Material properties.....	209
13.4	Structural types, behaviour factors, capacity design rules and limits of seismic action .....	210
13.4.1	Structural types.....	210
13.4.2	Behaviour factors.....	213
13.4.3	Capacity design rules common to all dissipative structural types.....	217
13.4.4	Limits of seismic action for design to DC1.....	218
13.5	Structural analysis.....	219
13.6	Verification of limit states.....	221
13.6.1	General.....	221
13.6.2	Limitation of interstorey drift at Significant Damage limit state.....	221
13.6.3	Non-linear static analysis.....	221
13.7	Rules for cross laminated timber (CLT) structures.....	222
13.7.1	General rules.....	222
13.7.2	Verification in DC2.....	223
13.7.3	Verification in DC3.....	228
13.7.4	Detailing rules.....	230
13.8	Rules for framed wall structures.....	231
13.8.1	General rules.....	231
13.8.2	Verification in DC2.....	232
13.8.3	Verification in DC3.....	233
13.8.4	Detailing rules.....	234

13.9	Rules for log structures .....	234
13.9.1	General rules .....	234
13.9.2	Verification in DC2 .....	236
13.9.3	Detailing rules.....	236
13.10	Rules for moment-resisting frames .....	237
13.10.1	General rules.....	237
13.10.2	Verification in DC2.....	237
13.10.3	Verification in DC3.....	238
13.10.4	Detailing rules.....	238
13.11	Rules for braced frame structures with dowel-type connections.....	239
13.11.1	General rules.....	239
13.11.2	Verification in DC2.....	240
13.11.3	Detailing rules.....	240
13.12	Rules for vertical cantilever structures.....	241
13.12.1	General rules.....	241
13.12.2	Verification in DC2.....	241
13.12.3	Detailing rules.....	241
13.13	Rules for braced frame structures with carpentry connections and interacting masonry infill.....	242
13.13.1	General rules.....	242
13.13.2	Verification in DC2.....	243
13.13.3	Detailing rules.....	243
13.14	Rules for braced frame structures with carpentry connections .....	243
13.14.1	General rules.....	243
13.14.2	Detailing rules.....	244
13.15	Verification of floor and roof diaphragms.....	244
13.15.1	General rules.....	244
13.15.2	Cross laminated timber (CLT) floor and roof diaphragms.....	245
13.15.3	Framed floor and roof diaphragms .....	245
13.15.4	Timber-concrete composite floor and roof diaphragms .....	246
13.16	Transfer zones. Design for DC2 and DC3.....	246
13.17	Checking of design and construction data.....	246
14	Specific rules for masonry buildings .....	247
14.1	General .....	247
14.2	Basis of design .....	247
14.2.1	Design concepts.....	247
14.2.2	Rules applicable to structures designed to DC1 or DC2 .....	247
14.3	Materials .....	248
14.4	Behaviour factors .....	249
14.4.1	Behaviour factors for in-plane analysis .....	249
14.4.2	Behaviour factors for out-of-plane analysis .....	251
14.5	Structural analysis .....	251
14.5.1	Modelling rules for linear analyses.....	251
14.5.2	Modelling rules for non-linear analyses .....	253
14.5.3	Force based analysis.....	255
14.5.4	Linear structural analysis for determining the out-of-plane bending moment demand on walls .....	257
14.6	Verification of limit states .....	258
14.6.1	General requirements.....	258
14.6.2	Verification for in-plane actions .....	259
14.6.3	Verification for out-of-plane actions at SD limit state.....	261
14.7	Design rules for members .....	261

[https://standards.globalspec.com/std/1165851/1165851-1/58b4801-813d4c24ec0d70a9/osist\\_prEN\\_1998-1-2-2023](https://standards.globalspec.com/std/1165851/1165851-1/58b4801-813d4c24ec0d70a9/osist_prEN_1998-1-2-2023)

## prEN 1998-1-2:2023 (E)

14.7.1	Limitations of piers and walls dimensions in DC1 and DC2 .....	261
14.7.2	Design rules for unreinforced masonry in DC2 .....	262
14.7.3	Design rules for confined masonry in DC2 .....	263
14.7.4	Design rules for reinforced masonry in DC2.....	263
14.8	Rules for simple masonry buildings .....	264
14.8.1	General.....	264
14.8.2	Design rules .....	264
14.9	Ultimate deformations.....	266
14.9.1	General.....	266
14.9.2	Unreinforced masonry members.....	266
14.9.3	Reinforced masonry members.....	267
14.9.4	Confined masonry members.....	267
15	Specific rules for aluminium buildings.....	268
15.1	General.....	268
15.2	Basis of Design .....	268
15.2.1	Design concepts.....	268
15.2.2	Safety verifications.....	268
15.3	Materials .....	269
15.4	Structural types, behaviour factors and limits of seismic action .....	270
15.4.1	Structural types.....	270
15.4.2	Behaviour factors.....	270
15.4.3	Limits of seismic action for design to DC1 and DC2.....	271
15.5	Structural analysis.....	271
15.6	Verification to Limit States.....	271
15.6.1	General.....	271
15.6.2	Resistance conditions at Significant Damage limit state .....	271
15.6.3	Limitation of interstorey drift at Significant Damage limit state .....	271
15.7	Design rules for low-dissipative (DC1) and non-dissipative structural behaviour common to all structural types.....	272
15.7.1	General.....	272
15.7.2	Design rules for low-dissipative structures .....	272
15.7.3	Design rules for non-dissipative structures.....	272
15.8	Design rules for dissipative (DC2) structural behaviour common to all structural types .....	272
15.8.1	General.....	272
15.8.2	Design criteria for dissipative structures .....	272
15.8.3	Design rules for dissipative members in compression or bending.....	273
15.8.4	Design rules for dissipative parts of members in tension .....	273
15.8.5	Design rules for non-dissipative members .....	273
15.8.6	Design rules for connections in dissipative zones.....	274
15.8.7	Design rules for column-to-column splices.....	274
15.9	Design rules for moment resisting frames.....	274
15.9.1	Design criteria.....	274
15.9.2	Beams.....	275
15.9.3	Columns.....	275
15.9.4	Beam to column joints.....	275
15.9.5	Column base joints .....	275
15.10	Design rules for frames with concentric bracings .....	275
15.10.1	Design criteria for DC2 .....	275
15.10.2	Analysis for DC2 .....	276
15.10.3	Diagonal members.....	276
15.10.4	Beams and columns.....	276

15.10.5	Beam to column connections.....	276
15.10.6	Brace connections.....	276
15.10.7	Column base joints.....	276
15.11	Design rules for dual frames - moment resisting frames combined with concentric bracings.....	276
15.11.1	Design criteria.....	276
15.12	Design rules for inverted pendulum structures.....	277
15.13	Aluminium diaphragms.....	277
15.14	Transfer zones. Design for DC2 .....	277
15.15	Checking of design, supply of material and execution .....	277
<b>Annex A (informative) Characteristics of earthquake resistant buildings and in plan</b>		
	regularity.....	278
A.1	Use of this annex .....	278
A.2	Scope and field of application .....	278
A.3	Structural simplicity.....	278
A.4	Uniformity, symmetry and redundancy .....	278
A.5	Bi-directional resistance and stiffness .....	279
A.6	Torsional resistance and stiffness.....	279
A.7	Diaphragmatic behaviour at storey level .....	279
A.8	Adequate foundation.....	279
A.9	Regularity in plan .....	280
<b>Annex B (informative) Natural eccentricity and torsional radius .....</b>		
		281
B.1	Use of this annex .....	281
B.2	Scope and field of application .....	281
B.3	General .....	281
B.4	Uniform type of lateral load resisting system.....	281
B.5	Calculation by a 3D model .....	283
<b>Annex C (normative) Floor accelerations for ancillary elements .....</b>		
		285
C.1	Use of this normative annex .....	285
C.2	Scope and field of application .....	285
C.3	Floor spectra .....	285
C.4	Modelling.....	286
<b>Annex D (normative) Buildings with energy dissipation systems.....</b>		
		288
D.1	Use of this normative annex .....	288
D.2	Displacement ductility ratio.....	288
D.3	Complementary rules for structures with velocity-dependent energy dissipation devices.....	289
D.4	Complementary rules for structures with displacement-dependent energy-dissipation devices.....	290
<b>Annex E (normative) Seismic design of connections for steel buildings .....</b>		
		294
E.1	Use of this normative annex .....	294
E.2	Scope and field of application .....	294
E.3	Pre-qualified moment resisting beam-to-column joints.....	294
E.4	E.4 Beam-to-column connections allowing rotations in braced frames.....	324
E.5	Gusset plate connections in concentric bracings .....	325
E.6	Partial strength connections in concentric bracings.....	329
E.7	Brace connections in eccentric bracings.....	332
E.8.	Gusset plate connections in buckling restrained bracings.....	334
<b>Annex F (normative) Steel light weight structures.....</b>		
		335

## prEN 1998-1-2:2023 (E)

<b>F.1</b>	<b>Use of this normative annex.....</b>	<b>335</b>
<b>F.2</b>	<b>General.....</b>	<b>335</b>
<b>F.3</b>	<b>Strap braced walls .....</b>	<b>336</b>
<b>F.4</b>	<b>Shear walls with steel sheet sheathing .....</b>	<b>338</b>
<b>F.5</b>	<b>Shear walls with wood sheathing.....</b>	<b>342</b>
<b>F.6</b>	<b>Shear walls with gypsum sheathing.....</b>	<b>344</b>
<b>Annex G (normative) Design of connections of concrete or composite columns for dissipative composite steel-concrete moment resisting frames.....</b>		
<b>G.1</b>	<b>Use of this normative annex.....</b>	<b>346</b>
<b>G.2</b>	<b>Scope and field of application .....</b>	<b>346</b>
<b>G.3</b>	<b>Materials .....</b>	<b>346</b>
<b>G.4</b>	<b>Design provisions .....</b>	<b>346</b>
<b>G.5</b>	<b>Joints between steel beams and reinforced concrete or composite columns.....</b>	<b>346</b>
<b>G.6</b>	<b>Composite joints using diaphragm plates.....</b>	<b>355</b>
<b>G.7</b>	<b>Full-strength composite joints with double-split tee connections in concrete filled tube columns .....</b>	<b>358</b>
<b>Annex H (informative) Seismic design of exposed and embedded steel and composite column base connections.....</b>		
<b>H.1</b>	<b>Use of this annex .....</b>	<b>362</b>
<b>H.2</b>	<b>Scope and field of application .....</b>	<b>362</b>
<b>H.3</b>	<b>Materials .....</b>	<b>362</b>
<b>H.4</b>	<b>Exposed column base connections .....</b>	<b>362</b>
<b>H.5</b>	<b>Embedded column base connections.....</b>	<b>367</b>
<b>Annex I (normative) Design of the slab of steel-concrete composite beams at beam-column joints in moment resisting frames.....</b>		
<b>I.1</b>	<b>Use of this normative annex.....</b>	<b>371</b>
<b>I.2</b>	<b>Scope and field of application .....</b>	<b>371</b>
<b>I.3</b>	<b>Design of joints at exterior columns under negative moment .....</b>	<b>371</b>
<b>I.4</b>	<b>Design of joints at exterior columns under positive moment .....</b>	<b>373</b>
<b>I.5</b>	<b>Interior columns .....</b>	<b>376</b>
<b>Annex J (informative) Drift limits for eccentrically loaded unreinforced masonry piers..</b>		
<b>J.1</b>	<b>Use of this annex .....</b>	<b>379</b>
<b>J.2</b>	<b>Scope and field of application .....</b>	<b>379</b>
<b>J.3</b>	<b>Verification for in-plane actions.....</b>	<b>379</b>
<b>Annex K (informative) Simplified evaluation of drift demands on infilled frames .....</b>		
<b>K.1</b>	<b>Use of this annex .....</b>	<b>380</b>
<b>K.2</b>	<b>Scope and field of application .....</b>	<b>380</b>
<b>K.3</b>	<b>Analysis .....</b>	<b>380</b>
<b>Annex L (normative) Load-deformation relationships of dissipative timber components and resistances of non-dissipative timber components for non-linear analyses.....</b>		
<b>L.1</b>	<b>Use of this normative annex.....</b>	<b>383</b>
<b>L.2</b>	<b>Scope and field of application .....</b>	<b>383</b>
<b>L.3</b>	<b>Force-deformation relationships of dissipative timber components for non-linear analysis .....</b>	<b>383</b>
<b>L.4</b>	<b>Resistances of non-dissipative timber components for non-linear analysis.....</b>	<b>387</b>
<b>Annex M (informative) Material or product properties in EN 1998-1-2.....</b>		
<b>M.1</b>	<b>Use of this annex .....</b>	<b>388</b>
<b>M.2</b>	<b>Scope and field of application .....</b>	<b>388</b>
<b>Bibliography .....</b>		<b>390</b>