



SLOVENSKI STANDARD

oSIST prEN ISO 4491-1:2023

01-februar-2023

Kovinski praški - Določevanje kisika z metodami redukcije - 1. del: Splošne smernice (ISO/FDIS 4491-1:2022)

Metallic powders - Determination of oxygen content by reduction methods - Part 1: General guidelines (ISO/FDIS 4491-1:2022)

Metallpulver - Bestimmung des Sauerstoffgehaltes durch Reduktionsverfahren - Allgemeine Hinweise (ISO/FDIS 4491-1:2022)

Poudres métalliques - Dosage de l'oxygène par les méthodes de réduction - Partie 1: Directives générales (ISO/FDIS 4491-1:2022)

Ta slovenski standard je istoveten z: prEN ISO 4491-1

ICS:

77.160

Metalurgija prahov

Powder metallurgy

oSIST prEN ISO 4491-1:2023

en,fr,de

FINAL
DRAFTINTERNATIONAL
STANDARDISO/FDIS
4491-1

ISO/TC 119/SC 2

Secretariat: SIS

Voting begins on:
2022-12-05Voting terminates on:
2023-02-27

**Metallic powders — Determination
of oxygen content by reduction
methods —****Part 1:
General guidelines**

*Poudres métalliques — Dosage de l'oxygène par les méthodes de
réduction —
Partie 1: Directives générales*

[oSIST prEN ISO 4491-1:2023](https://standards.iteh.ai/catalog/standards/sist/bba6bceb-e58a-47e7-8202-7df855a622ea/osist-pren-iso-4491-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/bba6bceb-e58a-47e7-8202-7df855a622ea/osist-pren-iso-4491-1-2023>

ISO/CEN PARALLEL PROCESSING

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 4491-1:2022(E)

© ISO 2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 4491-1:2023](https://standards.iteh.ai/catalog/standards/sist/bba6bceb-e58a-47e7-8202-7df855a622ea/osist-pren-iso-4491-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/bba6bceb-e58a-47e7-8202-7df855a622ea/osist-pren-iso-4491-1-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 cope	1
2 Normative references	1
3 Terms and definitions	1
5 Meaning of the results according to the method used	2
5.1 Hydrogen as a reducing agent.....	2
5.2 Carbon as a reducing agent: reduction extraction method.....	3
6 Summary of the implementation of methods for oxygen determination by reduction	3
7 Practical application of the standard methods	4

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 4491-1:2023](https://standards.iteh.ai/catalog/standards/sist/bba6bceb-e58a-47e7-8202-7df855a622ea/osist-pren-iso-4491-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/bba6bceb-e58a-47e7-8202-7df855a622ea/osist-pren-iso-4491-1-2023>

ISO/FDIS 4491-1:2022(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 119, *Powder metallurgy*, Subcommittee SC 2, *Sampling and testing methods for powders (including powders for hardmetals)*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/SS M11, *Powder metallurgy*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 4491-1:1989), of which it constitutes a minor revision.

The main changes are as follows:

- the normative references in [Clause 2](#) have been updated;
- [Clause 6](#) and [7](#) have changed place;
- editorial corrections and updated ISO format have been applied.

A list of all parts in the ISO 4491 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In powder metallurgy, the purity of the powders is an important parameter for the manufacture of sintered metals. Among the various impurities which may be present in a powder, oxygen plays a particular role as it is always present in any metal or alloy powder, and in amounts greater than those encountered in compact metals. Oxygen is mostly combined in the form of oxides which appear in the following ways:

- Oxide film coatings on particle surfaces, spontaneously formed by oxidation of the metal by air or moisture during powder preparation and during handling and storage.
- Oxide inclusions, being either oxides of the main metal remaining locally unreduced during the production process (in the case of reduced powders), or other oxide impurities originating from the raw material and/or from the equipment (e.g. refractory ceramics from melting furnace in atomization processes).

In practice, oxygen contents in metallic powders lie mostly in the range of a mass fraction of 0,1 % to a mass fraction of 1 %.

The determination of oxygen content can be made by means of many physical or chemical methods, for example:

- a) specific methods, such as activation analysis or mass spectrometry, in which the element O is directly determined;
- b) reduction methods, in which oxides present are, totally or partially, reduced by hydrogen or by carbon. Oxygen content is related, either to the loss of mass of the sample through reduction, or to the amount of water or CO/CO₂ produced by the reaction;
- c) separation methods, in which:
 - either the oxide phase is selectively dissolved and determined chemically (for example in copper powder, where copper oxide is dissolved by hydrochloric acid); or
 - the metal phase is selectively dissolved, and the insoluble residue (assumed to be oxide) is evaluated (for example in aluminium powder, aluminium is dissolved in bromine-methanol reagent, leaving aluminium oxide).

The document considers only reduction methods, as these are commonly used in laboratories for analysing a great variety of metal powders.

Metallic powders — Determination of oxygen content by reduction methods —

Part 1: General guidelines

1 Scope

This document is the first part of a series of standards dealing with the determination of oxygen content in metallic powders by reduction methods. It specifies general guidance to these methods and gives some recommendations for the correct interpretation of the results obtained.

The test methods are applicable generally to all powders of metals, alloys, carbides and mixtures thereof. The constituents of the powder shall be non-volatile under the conditions of test. The powder shall be free of lubricant or organic binder.

However, there exist certain limitations which depend upon the nature of the analysed metal. These limitations are discussed in Clause 4.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3954, *Powders for powder metallurgical purposes — Sampling*

ISO 4491-2, *Metallic powders - Determination of oxygen content by reduction methods - Part 2: Loss of mass on hydrogen reduction (hydrogen loss)*

ISO 4491-3, *Metallic powders — Determination of oxygen content by reduction methods — Part 3: Hydrogen-reducible oxygen*

ISO 4491-4, *Metallic powders — Determination of oxygen content by reduction methods — Part 4: Total oxygen by reduction-extraction*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Sampling

For sampling of the powder, the procedures in ISO 3954 shall be used.

The powder shall be tested in the as-received condition.

ISO/FDIS 4491-1:2022(E)

Metallic powders are frequently reactive substances with respect to air and moisture. Therefore, particular attention shall be given to adequate conditions for handling and storage of the test sample. The test portion shall be taken immediately prior to the analysis.

5 Meaning of the results according to the method used

5.1 Hydrogen as a reducing agent

5.1.1 At the test temperatures prescribed in the determination, only the following metals have oxides totally reducible by hydrogen:

Fe, Ni, Co, Cu, Ag, Sn, Pb, W, Mo, Re

All other common oxides are not reducible, in particular Al_2O_3 , SiO_2 , ZrO_2 and other oxides of alkali, alkali-earth and most rare-earth metals. Oxides of chromium, manganese, titanium, and vanadium may be partially reducible.

5.1.2 However, other reactions with constituents of the powder take place during the reduction process.

- a) Water vapour and/ or hydrocarbons present in the sample, and also gases, which possibly by adsorption or occlusion are contained in the powder, are released during heating.
- b) Elements, such as carbon, nitrogen, sulphur, phosphorus, free or combined in the powder, may be completely or partially removed, either because they are volatile or because they react with hydrogen or with oxides in the powder, forming volatile compounds.
- c) Some metals present in the powder, such as lead, tin, cadmium, zinc, may be partially or completely volatilized, depending on the test conditions.
- d) Carbon present in the powder can also reduce oxides under the specified test conditions, and possibly also oxides that normally are not reduced or are only partially reduced by hydrogen, such as chromium, manganese and vanadium oxides.
- e) Alloy powders containing metallic elements with high affinity for oxygen, such as chromium, manganese, silicon, aluminium and titanium, may be oxidized during the test by reaction with the atmosphere or with less refractory oxides, entailing an apparent decrease of measured oxygen content.

5.1.3 The loss of hydrogen method in ISO 4491-2, the loss of mass of the test portion, when submitted to a specified heat treatment in hydrogen, is measured. Originally this test was considered to give an estimate of the oxygen content of a metal powder, the oxide of which is reducible by hydrogen. However, with the advent of more complex or alloyed powders, all the reactions considered in [5.1.2](#) may contribute, positively or negatively, to the measured loss of mass. Therefore, this test method is purely conventional, and its reproducibility requires a scrupulous respect of the operating procedure. This method is commonly used in routine control of powders of certain defined metals in accordance with ISO 4491-2.

5.1.4 The method of determination oxygen emanating from hydrogen-reducible oxides in accordance with ISO 4491-3, the quantity of water formed by hydrogen reduction of these oxides is measured by titration. In comparison with the loss in hydrogen method, this method is more specific for the following reasons:

- The interference of moisture and adsorbed gases is prevented by pre-treatment at low temperature. With a slight modification of the procedure, it is possible to determine the water content of the sample