ISO-<u>/</u>TC-_306/WG-4

Secretariat:-SAC

Date: 2024-04-25

Shot blasting machinery — Safety and environmental requirements

<u>Équipements de grenaillage — Prescriptions de sécurité et de l'environnement</u>

FDIS stage

(https://standards.iteh.ai)
Document Preview

ISO/FDIS 23779

© ISO 2023 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: + 41 22 749 01 11

Email E-mail: copyright@iso.org
Website: www.iso.org

Published in Switzerland

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 23779

ISO/FDIS 23779:2024(<u>Een</u>)

Contents

Forew	ord	vi
Introd	uction	vii
1	Scope	1
2	Normative references	2
3	Terms and definitions	
1 .	Significant hazards, environmental impact and energy usage	6
4.1	GeneralGeneral	
4.2	Significant hazards	6
4.3	Environmental impact and energy usage	6
5	Safety requirements, protective measures, risk reduction measures	
5.1	GeneralGeneral	
5.2	Guards and doors	
5.3	Electrical equipment	
5.4	Emergency stop	
5.5	Control systems	
5.6	Wheel blaster	
5.7	Air blaster	
5.8	Blasting chamber	
5.9	Shot blasting media transport and recovery system	15
5.10	Power and driving devices	17
5.11	Power and driving devicesLoading and unloading systems for workpieces	17
5.12	Wear related hazards	18
5.13	Static electricity	19
5.14	Noise	
5.14.1	Measures for reducing noise at source at the design stage	20
	Noise emission measurement and declaration	21
5.15 ^{DS}	Substances leh. ai/catalog/standards/iso/a862c908-32a0-48b1-9333-4a7e9a8335fd	/180-fd18- 21
<u>5.16</u>	Integration with external equipment	24
6	Energy-efficiency and reduction of environmental impact	24
6.1	General	24
6.2	Acquisition	24
6.3	Production	24
6.4	<u>Use</u>	
6.4.1	Input	
6.4.2	<u>Output</u>	
6.5	End of life	25
7	Verification of the safety requirements and/or measures	26
8	Information for use	
8.1	General	
8.2	Instruction handbook	
8.2.1	Information related to installation	
8.2.2	Information related to operation	
8.2.3	Information related to maintenance	
8.3	Marking	27
Annex	A (informative) Figures of shot blasting machinery	28

	x B (normative) Noise test code	<u></u> 35
B.1	General	<u></u> 35
B.2	Sound power determination	
B.3	Emission sound pressure level determination at workstations and specified position	<u>ıs</u> 35
B.4	Measurement uncertainty	38
B.5	Installation and Mounting conditions	38
B.6	Operating conditions	38
B.7	Information to be recorded and reported	38
B.8	Noise emission declaration	
Anne	x C (informative) Interfaces of shot blasting machinery to ancillary machinery	<u></u> 41
Anne	x ZA (informative) Relationship between this European Standard and the essential requirements of EU Directive 2006/42/EC aimed to be covered	4.2
<u>Biblic</u>	ography	<u></u> 45
NOTE	Statle dunction Contents and due the surdeted	
	to the drafter, <mark>Contents</mark> could not be updated	
Forev	word	<u>v</u>
Intro	duction	vi
1	Scope	1
1		X
•		
2	Normative references (11083//Standards.iteli.ai)	2
3	Terms and definitions	2
4	Significant hazards, environmental impact and energy usage	4
	ISO/FDIS 23779	
4. 1 11n	s: Géneral ds iteh ai/catalog/standards/iso/a862c908_32a0_48b1_9333_4a7e9a8335fc/iso_fd	is-23 7 7
	Significant hazards	
	Environmental impact and energy usage.	
5	—Safety requirements, protective measures, risk reduction measures	4
5.1	General	
5.2	Guards and doors	5
5.3	Electrical equipment	 5
5.4	Noise	
5.5 —	—Emergency stop	
5.6 —	Control systems	
5.7	Wheel blaster	6
5.8 —	Air blaster	7
5.9	Blasting chamber	8
	—Shot blasting media transport and recovery system	11
	Power and driving devices	
5.12	Loading and unloading systems for workpieces	12
5.13	Wear related hazards	13
	Static electricity	
5.15	Substances	14
5.16	Integration with external equipment	16

6	Energy-efficiency and reduction of environmental impact	16
6.1	General	16
6.2	Acquisition	16
6.3	Production	16
6.4	Use	16
6.4.1 -	Input	16
6.4.2	Output	17
6.5	End of life	17
7	Verification of the safety requirements and/or measures	17
8	Information for use	1 8
8.1 —	General	18
8.2	Instruction handbook	18
8.2.1	Information related to installation	18
8.2.2	Information related to operation	18
8.2.3	Information related to maintenance	18
8.3 —	Marking	18
Anne	ex A (informative) Figures of shot blasting machinery	
Anne	x 7A	22
Riblic	ography	24

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 23779

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part_1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part_2 (see www.iso.org/directives).

Attention is drawnISO draws attention to the possibility that some of the elementsimplementation of this document may be involve the subjectuse of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights; in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 306, *Foundry machinery*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 202, *Foundry machinery*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is a type C standard as stated in ISO 12100:2010 and also deals with aspects of environmental impact and energy efficiency.

The design, the construction and the actual operation of shot blasting machinery affects aspects of safety, energy usage and environmental impact. It is essential to minimize energy usage and environmental impact while achieving the safety requirements given in this document.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document. When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

Where for clarity an example of a preventative measure is given in the text, this should not be considered as the only possible solution. Other solutions can be used as far as they fulfil correctly the criteria expressed in the requirement.

This document assumes that the shot blasting machinery is operated and maintained by trained personnel.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 23779

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 23779

Shot blasting machinery — Safety and environmental requirements

1 Scope

This document is applicable to specifies safety and environmental requirements for shot blasting machinery.
Shot blasting machinery includes:
— wheel blasting machinery;
<u>air blasting machinery for dry and wet blasting;</u>
— combined wheel and air blasting machinery.
See Annex A for NOTE Annex A illustrates examples of shot blasting machinery.
This document covers is applicable to:
— all significant hazards, hazardous situations and hazardous events relevant to shot blasting machinery, when used as intended and under the conditions foreseen by the manufacturer, including reasonably foreseeable misuse;
— measures for minimization of environmental impact and energy usage of shot blasting machinery.
Shot blasting machinery covers: Document Preview
— wheel blasting machinery;
https://standards.nemarcata.og/standards/sso/aso229/08-32a0-48b1-9333-4a7e9a8335fc/iso-fdis-23779
—— combined wheel and air blasting machinery.
Interfaces between shot blasting machinery and other equipment used in shot blasting but not in $\underline{\text{the}}$ scope of this document are:
— mechanical and electrical interface to external workpiece transport system.
— connector to electrical energy supply,
— connector to fresh air supply ducting
— connector to exhaust air ducting,
— connector to pressurized air supply,
— connector to water supply.
— connector to waste water system;

interface for safe exchange of control signals.

— connector for fresh air supply for respiratory protection device (in blast rooms).

See Annex C for NOTE Annex C gives an illustration of Interfaces between shot blasting machinery and other equipment used in shot blasting but not in the scope of this document.

The specific significant risks related to mobile and movable shot blasting machinery (e.–g. shot blasting machines designed for operation at changing locations) are not dealt with in this document.

This document does not apply to:

- high pressure water jet machinery;
- dry-ice blasting machinery.

This document does not apply to shot blasting machines manufactured before the date of its publication as <u>an</u> ISO standard.

NOTE The requirements specified in this document can serve as a guideline for a risk assessment of shot blasting machines manufactured before the date of its publication as an ISO standard.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

<std>ISO 3743-ISO 3743-1:2010, Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Engineering methods for small movable sources in reverberant fields — Part 1: Comparison method for a hard-walled test room-</std>

Std>ISO 3744:2010, Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Engineering methods for an essentially free field over a reflecting plane

<std>ISO 3746:2010, Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Survey method using an enveloping measurement surface over a reflecting plane </std>

<std>ISO 3864-ISO 3864-1:2011, Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings

<std>ISO 4413:2010, Hydraulic fluid power — General rules and safety requirements for systems and their components </std>

<std>ISO 4414:2010, Pneumatic fluid power — General rules and safety requirements for systems and their components </std>

<std>ISO 7000:2019, Graphical symbols for use on equipment—Registered symbols</std>

<std>ISO 7731:2003, Ergonomics — Danger signals for public and work areas — Auditory danger signals</std>

<std>ISO 4413:2010, Hydraulic fluid power — General rules and safety requirements for systems and their components

<u>ISO 4414:2010, Pneumatic fluid power — General rules and safety requirements for systems and their components</u>

<u>ISO 4871:1996, Acoustics — Declaration and verification of noise emission values of machinery and equipment</u>

<u>ISO 7000:2019, Graphical symbols for use on equipment — Registered symbols</u>

ISO 7731:2003, Ergonomics — Danger signals for public and work areas — Auditory danger signals

ISO 10218-_2:2011, Robots and robotic devices — Safety requirements for industrial robots — Part 2: Robot systems and integration </std>

<std>ISO 11201:2010, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections </std>

Std>ISO 11202:2010, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions applying approximate environmental corrections

</std><std>ISO 11204:2010, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions applying accurate environmental corrections

<std>ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction</std>

<std>ISO 13849-1:2023, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design</std>

<std>ISO 13850:2015, Safety of machinery — Emergency stop function — Principles for design</std>

<std>ISO 13857:2019, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs</std>

<std>ISO 14119:2013, Safety of machinery — Interlocking devices associated with guards — Principles for design and selection</std>

<std>ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction

<u>ISO 13849-1:2023, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design</u>

<u>ISO 13850:2015, Safety of machinery — Emergency stop function — Principles for design</u>

<u>ISO 13857:2019, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs</u>

<u>ISO 14119:2013, Safety of machinery — Interlocking devices associated with guards — Principles for design and selection</u>

ISO 14120:2015, Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards $\frac{1}{\sqrt{std}}$

<std>ISO 14122 2:2016, Safety of machinery — Permanent means of access to machinery — Part 2: Working platforms and walkways</std>

<std>ISO 14122-2:2016, Safety of machinery — Permanent means of access to machinery — Part 2: Working platforms and walkways

ISO 14122-3:2016, Safety of machinery — Permanent means of access to machinery — Part 3: Stairs, stepladders and guard-rails</s>

<std>ISO 80079-ISO 80079-36:2016, Explosive atmospheres — Part 36: Non-electrical equipment for explosive atmospheres — Basic method and requirements

<std>IEC 60204-1:2016, Safety of machinery — Electrical equipment of machines — Part 1: General requirements</std>

<std>IEC 60079-0:2017, Explosive atmospheres — Part 0: Equipment — General requirements </std>

<u>IEC 60204-1:2016, Safety of machinery — Electrical equipment of machines — Part 1: General requirements</u>

<u>IEC 60079-0:2017, Explosive atmospheres — Part 0: Equipment — General requirements</u>

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12100:2010 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ——ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

external workpiece transport system

system that transports the workpiece to or from the shot blasting machine

3.2

internal workpiece transport system

system that transports the workpiece within the shot blasting machine

3.3

wheel blaster

device which accelerates the shot blasting media by a rotating wheel with blades

3.4

air blaster

assembly consisting of a nozzle and connected hose(s) or tube(s), which accelerates the shot blasting media by pressurized air

3.5

accessible blasting chamber

blasting chamber which, by designated use, is designed to be entered by personnel

3.6

workspace

workplace for the operator as specified by the manufacturer of the shot blasting machine

3.7

interior workspace

workspace inside of a shot blasting machine

3.8

screw conveyor

device that uses a rotating helical blade to move shot blasting media, horizontally or at a slight incline

3.9

belt conveyor

endless belt between two, or more, pulleys to move shot blasting media or products, horizontally or incline

3.10

vibrating conveyor

device that transports shot blasting media or products by vibration and gravity

3.11

scraper conveyor

device to transport bulk shot blasting media over a plane with the help of scrapers

3.12

hopper

container for storing shot blasting media or for providing or replenishing shot blasting media for the shot blasting process

3.13

bucket elevator

continuous conveyor that uses a series of bucket shaped hoppers uniformly fixed on the endless circular traction component to vertically lift shot blasting media

3.14

hopper discharge conveyor

mechanical device, screw conveyor, belt conveyor or other suitable transport system, to feed shot blasting media from the hopper to the shot blasting machine

3.15

switch valve

electrical, pneumatical or magnetical operated device for closing or opening the shot blasting media flow to the shot blasting process

3.16

magnetic separator

system, mostly operating with partial magnetic drums, where a ferromagnetic- and non-ferromagnetic mixture is separated to obtain reusable shot blasting media for the shot blasting process

3.17

cleaning system

device to separate small particles from shot blasting media, to obtain a required grain size distribution, mostly combined with a sieve for separating large particles

4 -Significant hazards, environmental impact and energy usage

4.1 General

The variety of machinery could not be covered in all details in a standard. To deal with this fact, an individual risk assessment of the machinery in question shall be carried out considering the safety requirements of this document.

Significant hazards identified in the individual risk assessment but not dealt with in this document shall be avoided or reduced by applying the principles of ISO 12100:2010.

Safety requirements described in different clauses of this document shall be considered together if they are referring to the same hazard zone.

4.2 Significant hazards

<u>Clause 5</u> gives requirements to prevent or minimise all hazards, hazardous situations and events identified by risk assessment as significant for this type of machinery.

See ISO 12100:2010 for measures against hazards that are relevant but not significant for this machine type.

NOTE ISO 12100:2010 contains information for the procedure of risk assessment.

4.3 Environmental impact and energy usage

Clause 6 Clause 6 contains measures for minimization of:

- $\underline{\quad } \text{ht} \underline{\quad } \text{ht} \underline{\quad } \text{environmental impact and } \underline{\quad } \text{standards/iso/a} 862c908-32a0-48b1-9333-4a7e9a8335fc/iso-fdis-23779a1. } \underline{\quad } \text{ht} \underline{\quad } \text{$
- energy usage.

5 Safety requirements, protective measures, risk reduction measures

5.1 General

Shot blasting machinery shall comply with the safety requirements and/or protective measures against the significant hazards given in Clause 5. Clause 5.

Warning devices and safety signs shall be in accordance with ISO 3864-1:2011, ISO 7000:2019 or ISO 7731:2003.

5.2 Guards and doors

All potential accesses to hazardous areas shall be secured by guards in accordance with ISO 13857:2019, ISO 14120:2015 and ISO 14119:2013. If access to a work area is limited by interlocking movable guards (e.g. doors), these shall be secured by the safety-related control system according to the performance level given in Table 1. Table 1.