INTERNATIONAL STANDARD

ISO 20779

First edition 2018-10-01 **AMENDMENT 1** 2019-08

Cigarettes — Generation and collection of total particulate matter using a routine analytical smoking machine with an intense smoking regime

AMENDMENT 1

iTeh ST Cigarettes Génération et collecte de la matière particulaire totale au moyen d'une machine à fumer analytique de routine avec un (S régime de fumage intense 1)

AMENDEMENT 1

<u>ISO 20779:2018/Amd 1:2019</u> https://standards.iteh.ai/catalog/standards/sist/227b41f6-59a0-40f2-b9bff75ee9a874bd/iso-20779-2018-amd-1-2019



Reference number ISO 20779:2018/Amd.1:2019(E)

<u>ISO 20779:2018/Amd 1:2019</u> https://standards.iteh.ai/catalog/standards/sist/227b41f6-59a0-40f2-b9bff75ee9a874bd/iso-20779-2018-amd-1-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <u>www.iso</u> .org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 126, Tobacco and tobacco products.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

<u>ISO 20779:2018/Amd 1:2019</u> https://standards.iteh.ai/catalog/standards/sist/227b41f6-59a0-40f2-b9bff75ee9a874bd/iso-20779-2018-amd-1-2019

Cigarettes — Generation and collection of total particulate matter using a routine analytical smoking machine with an intense smoking regime

AMENDMENT 1

Clause 3

Add the following to the list of terms and definitions:

3.3

clearing puff

any puff taken after the cigarette has been extinguished or removed from the cigarette holder

7.7.4

Replace 7.7.4 with the following TANDARD PREVIEW

7.7.4.1 Insert the conditioned cigarettes from the test portion into the cigarette holders so that the butt end impinges upon the perforated disc (washer) fitted within the filter trap. Avoid any leaks or deformations. Any cigarettes found to have obvious defects, or which have been damaged during insertion, shall be discarded and replaced with spare, conditioned cigarettes. https://standards.iteh.ai/catalog/standards/sist/227b41f6-59a0-40f2-b9bf-

7.7.4.2 Ensure that the cigar**éttes are positioned correctly so** that the axes of the cigarettes coincide with the axes of the ports. Adjust the position of each cigarette so that when the burning coal reaches the butt mark, the puff termination device is activated. If the burning through of 100 % cotton thread of (48 ± 4) tex is used to terminate smoking at the butt mark, the cotton shall just touch the cigarette at the butt mark, without modifying the cigarette positioning.

7.7.4.3 Zero the puff counters and light each cigarette at the beginning of its first puff. Should it be necessary to relight a cigarette, a hand-held electrical lighter may be used. When each butt mark has been reached, remove the burning coal from the cigarette and note the final reading of the puff counters. After the smoking process is complete, leave the cigarette butt in place for at least 30 s to enable deposition of any residual smoke in the trap.

Avoid disturbance of the smoking by artificial removal of ash. Allow the ash to fall naturally into the ashtray.

7.7.4.4 For smoking machines with the filter pad holder directly linked to a single cigarette holder, after completion of smoking each cigarette, remove the cigarette butt and take one clearing puff through each holder. After smoking of all cigarettes, four further clearing puffs shall be taken.

NOTE When three cigarettes are smoked, it results in a total of seven clearing puffs.

7.7.4.5 For smoking machines where multiple cigarettes are smoked sequentially on a common filter pad within the same smoke run: after completion of the smoking run, remove the cigarette butts and take five clearing puffs.

7.7.4.6 Record the total number of puffs taken on each channel, i.e. smoking puffs plus clearing puffs.

ISO 20779:2018/Amd.1:2019(E)

7.7.4.7 If required, new cigarettes shall be inserted immediately and the smoking process repeated until the predetermined number of cigarettes, in accordance with the smoking plan, has been smoked into the smoke trap. Immediately begin the determination of total particulate matter as described in 7.8.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 20779:2018/Amd 1:2019</u> https://standards.iteh.ai/catalog/standards/sist/227b41f6-59a0-40f2-b9bff75ee9a874bd/iso-20779-2018-amd-1-2019

<u>ISO 20779:2018/Amd 1:2019</u> https://standards.iteh.ai/catalog/standards/sist/227b41f6-59a0-40f2-b9bff75ee9a874bd/iso-20779-2018-amd-1-2019

<u>ISO 20779:2018/Amd 1:2019</u> https://standards.iteh.ai/catalog/standards/sist/227b41f6-59a0-40f2-b9bff75ee9a874bd/iso-20779-2018-amd-1-2019

ICS 65.160 Price based on 2 pages