

ISO/~~DIS~~ 23799: 2023(E)

ISO TC 8/WG 4

Date: 2023-~~12-22~~11-07

Ships and marine technology — Assessment of onboard cyber safety

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/PRF 23799](https://standards.iteh.ai/catalog/standards/sist/5ad6f593-0a66-42d4-93c6-0a1)

<https://standards.iteh.ai/catalog/standards/sist/5ad6f593-0a66-42d4-93c6-0a1>

- Style Definition: Heading 2: Tab stops: Not at 0.63 cm
- Style Definition: Heading 3: Tab stops: 1.27 cm, List tab
- Style Definition: Heading 4: Tab stops: 1.9 cm, List tab + Not at 1.27 cm
- Style Definition: Heading 5: Tab stops: 1.9 cm, List tab + Not at 1.27 cm
- Style Definition: Heading 6: Tab stops: 2.54 cm, List tab + Not at 1.27 cm + 1.9 cm
- Style Definition: Heading 8: Font color: Text 1
- Style Definition: Heading 9: Font color: Text 1
- Style Definition: Default Paragraph Font
- Style Definition: List Number 2: Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm
- Style Definition
- Style Definition: Caption
- Style Definition: Block Text
- Style Definition: TOC 3
- Style Definition: TOC 2
- Style Definition: Subtitle: Font color: Text 1
- Style Definition: List
- Style Definition: a2: Tab stops: 0.63 cm, List tab
- Style Definition: a3: Tab stops: 1.27 cm, List tab
- Style Definition: a4: Tab stops: 1.9 cm, List tab
- Style Definition: a5: Tab stops: 1.9 cm, List tab
- Style Definition: a6: Tab stops: 2.54 cm, List tab
- Style Definition: zzCopyright
- Style Definition: Figure Title
- Style Definition: Annex Figure Title
- Style Definition: Annex Table Title
- Style Definition: 段
- Style Definition: Hashtag1
- Style Definition: Intense Quote
- Style Definition: Mention1
- Style Definition: Quote: Font color: Text 1
- Style Definition: Smart Hyperlink1
- Style Definition: Subtle Emphasis1: Font color: Text 1
- Style Definition: Subtle Reference1: Font color: Text 1
- Style Definition: Unresolved Mention1
- Style Definition
- Style Definition
- Style Definition: ISO_Secret_Observations

Edited DIS - MUST BE USED FOR FINAL DRAFT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO ~~copyright office~~ Copyright Office

CP 401 • ~~Ch. de Blandonnet 8~~

CH-1214 Vernier, Geneva

Phone: +_41 22 749 01 11

Email: ~~copyright@iso.org~~

Email: copyright@iso.org

Website: ~~www.iso.org~~ www.iso.org

Published in Switzerland.

Formatted: Default Paragraph Font

Formatted: Indent: Left: 0 cm, Right: 0 cm, Space Before: 0 pt, No page break before, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Default Paragraph Font

Formatted: Indent: Left: 0 cm, First line: 0 cm, Right: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Indent: Left: 0 cm, First line: 0 cm, Right: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/PRF 23799

<https://standards.iteh.ai/catalog/standards/sist/5ad6f593-0a66-42d4-93c6-0a59e3b4a554/iso-prf-23799>

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Elements and process of risk assessment	2
5 Assessment preparation	4
6 Risk identification	4
7 Risk analysis	10
8 Risk evaluation	13
Annex A	13
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Elements and process of risk assessment	3
4.1 Relationship of elements	3
4.2 Process of risk assessment	3
5 Assessment preparation	6
6 Risk identification	6
6.1 Identification of asset	6
6.2 Identification of threat	10
6.3 Identification of vulnerability	12
6.4 Identification of existing control measures	13
7 Risk analysis	14
7.1 Risk analysis process	14
7.2 Risk calculation method	15
7.3 Impact loss of consequences of incident scenarios	15
7.4 Likelihood of incident scenarios	16
7.5 Risk calculation of onboard cyber security	17
8 Risk evaluation	18

ISO/~~DIS~~ 23799:2023(E)

Annex A (informative) Example of risk calculation.....19

Bibliography.....23

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/PRF 23799

<https://standards.iteh.ai/catalog/standards/sist/5ad6f593-0a66-42d4-93c6-0a59e3b4a554/iso-prf-23799>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Formatted: Font color: Auto

Formatted: English (United Kingdom)

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: English (United Kingdom)

Introduction

With the development of digitalization, intelligence and the networking of ships, an increasing number of control systems, communication and navigation systems, information management systems and equipment are constantly connected to the ship network to achieve access external information interaction. The hidden danger of shipborne equipment suffering from network threats is growing. Network security risk assessment uses scientific methods and means to systematically analyze analyze the threats faced by ship borne systems and their existing vulnerabilities, - assess the degree of harm that can be caused once the security time occurs, propose targeted countermeasures and measures, and control the risks at an acceptable level.

Based on the urgent need to enhance the awareness of network risk threats, this document brings together content from IEC 31010:2019, MSC-FAL.1/Circ 3. IACS Rec.171, IACS UR E26 and UR E27, to provide the elements of shipboard network security risk assessment and the basic criteria for assessment process, assessment preparation, security risk identification, security risk analysis and security risk assessment. ~~As a~~ The recommended method of shipboard network security risk assessment, which is specified in this document can help improve the ship's network security defence capability, and provide ~~the following~~ assistance to ~~the following~~ stakeholders, including:

- a) identifying onboard network security risks;
- b) evaluating ~~according to~~ the consequences and possibility of shipboard network security risks;
- ~~e) establishing the priority of~~ c) prioritizing shipboard network security risk disposal.

Formatted: Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/PRF 23799

<https://standards.iteh.ai/catalog/standards/sist/5ad6f593-0a66-42d4-93c6-0a59e3b4a554/iso-prf-23799>

Ships and marine technology — Assessment of onboard cyber safety

1 Scope

This document establishes the elements of onboard cyber risk assessment and ~~the~~specifies requirements for the assessment process, assessment preparation, risk identification, risk analysis and risk evaluation.

This document applies to the risk assessment of onboard cyber systems based on network technologies which mainly include bridge systems, cargo management systems, propulsion and machinery management and power control systems, access control systems, passenger or visitor servicing and management systems, passenger-facing networks, core infrastructure systems, administrative and crew welfare systems, and communication systems.

Formatted: Font color: Auto, English (United Kingdom)

Formatted: Font color: Auto

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 31000, *Risk management — Guidelines*

IEC 31010, *Risk management — Risk assessment techniques*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp><https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org/><https://www.electropedia.org/>

3.1

onboard cyber safety

situation where the hardware and software of the shipboard network system and the data in the system are protected from damage, alteration and leakage due to accidental or malicious reasons, and the system operates continuously, reliably and normally without interruption of network services

3.2

onboard cyber risk

combination of the likelihood and impact loss of a security incident

Note 1 to entry: In the onboard network system, damage can be caused to assets by taking advantage of the vulnerabilities that exist in the system and by adopting specific means to attack the onboard network so that the information in the onboard network is leaked, and the network functions are missing.

Formatted: Note, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

3.3

onboard cyber risk assessment

ISO/DIS 23799:2023(E)

entire process of risk identification, risk analysis and risk evaluation

Note 1 to entry: An onboard cyber risk assessment is performed by establishing the value of information assets; identifying the existence (or potential existence) of applicable threats and vulnerabilities, existing controls and their impact on the identified risks; and determining potential consequences. Finally, derive risks are prioritized and ranked against the risk assessment guidelines in the environment creation.

Formatted: Note, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

3.4 onboard cyber risk identification

process of discovering, enumerating and describing the elements of *onboard cyber risks* (3.2)

Formatted: Font: Not Italic

Note 1 to entry: IdentifyingThis involves identifying risk sources, the scope of impact, incidents and their causes and potential consequences that can have an impact on the ship's voyage. This helps to determine what can occur in onboard cyber systems that will result in potential loss, and also gives insight into how (threat identification), where (asset identification), and why (vulnerability identification, existing control measures identification) the potential loss will occur.

Formatted: cite_sec

Formatted: Note, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

3.5 onboard cyber risk analysis

analysis of the likelihood and impact loss of consequences for the security incident onboard

3.6 onboard cyber risk evaluation

risk metrics for accident scenarios encountered by the ship to assess the risk level of the accident situation

3.7 onboard cyber asset

existing resources that are valuable to the system onboard

3.8 onboard cyber threat

potential causes of damage to the shipboard network system or environmental factors causing damage to the shipboard network

3.9 onboard cyber security incident

events that have an actual or potential negative impact on shipboard systems, networks and computers or the information they process, store, or transmit, and that require response measures to eliminate their consequences

Formatted: English (United Kingdom)

3.10 impact loss of consequences of incident scenarios

damage caused by a security event to the software, hardware, functions and data of the onboard system, resulting in interruption of system operations

Formatted: English (United Kingdom)

Note 1 to entry: The severity of such loss depends primarily on the cost of restoring the system to normal operation and eliminating the negative impact of the security incident.

Formatted: Note, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

4 Elements and process of risk assessment

4.1 Relationship of elements

The basic elements of risk assessment include assets, threats, vulnerabilities, and security measures. The relationship of the basic elements is shown in Figure 1.




Figure 1.— Relationships of risk assessment elements

The core of the risk element is the asset, but assets are vulnerable. Security measures are used to make it more difficult for asset vulnerabilities to be exploited, to defend against external threats, and to achieve asset protection. Threats cause risk by exploiting vulnerabilities created by assets. When a risk is transformed into an onboard cyber security incident, it has an impact on the operational status of the asset.


4.2 Process of risk assessment

Onboard cyber risk assessment shall comply with ISO 31000 and IEC 31010, which includes four processes: assessment preparation, risk identification, risk analysis and risk evaluation (see Figure 2).

Formatted: English (United Kingdom)

Formatted: English (United Kingdom)

Formatted: Default Paragraph Font



iteh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/PRF 23799

<https://standards.iteh.ai/catalog/standards/sist/5ad6f593-0a66-42d4-93c6-0a59e3b4a554/iso-prf-23799>