FINAL DRAFT

INTERNATIONAL **STANDARD**

ISO/FDIS 12231

ISO/TC 42

Secretariat: ANSI

Voting begins on: 2020-08-21

Voting terminates on:

2020-10-16

Photography — Electronic still picture imaging — Supplemental vocabulary

Photographie — Prises de vue électroniques — Vocabulaire

Apple.

Prises de vue électe
e

Prises J. A. D. A. L. D. L. D. A. L. D. L.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STAN-DARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 12231:2020(E) IT ON ST AND ARD PREHING TO BE STORED TO BE



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tents	age
Forew	vord	iv
Introd	luction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
Annex	A (informative) List of WGs related to electronic still picture imaging inside TC 42,	4.

if eh SI A DA RO FRE VIII. White Six of the standard of the st

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee JSO/TC 42, Photography.

This fourth edition cancels and replaces the third edition (ISO 12231:2012), which has been technically revised. The main changes compared to the previous edition are as follows:

- the formatting has been switched from a comprehensive vocabulary standard to a supplemental vocabulary standard, supplementing the ISO Online Browsing Platform;
- unlike previous editions of this document, this edition no longer includes terms and definitions that were defined by other ISO/TC 42 deliverables (Standards, Technical Specifications or Technical Reports).

Therefore, from this edition, this document consists of:

- a) originally-defined terms and definitions, and
- b) useful terms and definitions for electronic still picture imaging that are referred from other standard bodies outside of ISO/TC 42.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Electronic still picture imaging concepts are drawn from traditional photography, electronics, video, and information technology. In some cases, the concepts are redefined to apply to electronic still picture imaging. For example, unlike traditional photography, measurements cannot be defined in terms of "film" or "sensitised material", since images acquired by digital image capture devices are stored electronically and are not immediately exposed on film. The meaning of shutter and exposure time is also different for digital image capture devices, because an electronic imaging sensor typically has image acquisition characteristics that are different from those of film.

This document provides a vocabulary which standardizes the use and meaning of terms associated with electronic still picture imaging that were not defined by other ISO/TC 42 deliverables (see <u>Annex A</u> for a list of related WGs and documents). It is organized alphabetically and follows natural (English) word order wherever possible.

Heli St. A. D. A. B. B. R. B.

Photography — Electronic still picture imaging — Supplemental vocabulary

1 Scope

This document defines terms used in electronic still picture imaging that have not been defined by other ISO/TC 42 standards, Technical Specifications or Technical Reports.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://wwwelectropedia.org/

3.1

aliasing ratio

value equal to the "maximum minus minimum" modulation divided by the "average" modulation of an electronic still picture camera when imaging a frequency burst of constant spatial frequency

[SOURCE: ISO 12231:2012, 3.8]

Note 1 to entry: This term was originally defined in the past edition of ISO 12231, and was adopted to ISO 12231:1997.

3.2

application

image application software for use on a personal computer

[SOURCE: ISO 12231:2012, 3.9]

Note 1 to entry: This term was originally defined in the past edition of ISO 12234-3, and was adopted to ISO 12231:2005.

3.3

colour sequential exposure

acquisition of a picture by combining repeated exposures to capture different colour components

Note 1 to entry: *Colour sequential exposure* can be by means of three colour illuminations, or by three colour filters.

[SOURCE: ISO 12231:2012, 3.52.2]

Note 2 to entry: This term was originally defined in the past edition of ISO 12232, adopted to ISO 12231:1997 and was modified at ISO 12231:2005.

ISO/FDIS 12231:2020(E)

3.4

exposure process

various methods to capture images in the electronic still picture camera

[SOURCE: ISO 12231:2012, 3.52]

Note 1 to entry: This term was originally defined in the past edition of ISO 12232, and was adopted to ISO 12231:1997.

3.5

flare

light falling on an image, in an imaging system, which does not emanate from the subject point

Note 1 to entry: *Flare* is also sometimes referred to as veiling glare.

cf. image flare, veiling flare, veiling glare

[SOURCE: ISO 12231:2012, 3.59]

Note 2 to entry: This term was originally defined in the past edition of ISO 3664, and was adopted to ISO 12231:2005.

3.6

Nyquist limit

spatial frequency equal to 1/2 times the inverse of the sampling period

Note 1 to entry: Energy at an input spatial frequency above the *Nyquist limit* will alias to a spatial frequency below the *Nyquist limit* in the output image. The *Nyquist limit* may be different in the two orthogonal directions.

[SOURCE: ISO 12231:2012, 3.117]

Note 2 to entry: This term was originally defined in the past edition of ISO 12232, and was adopted to ISO 12231:1997.

3.7

photography

acquisition, processing or reproduction of optically formed images using chemical or electronic technologies

[SOURCE: ISO 12231:2012, 3.131]

Note 1 to entry: This term was originally defined in ISO 12231:2005.

3.8

pixel aspect ratio

ratio of the distance between sampling points in the two orthogonal sampling directions

Note 1 to entry: If the distances are equal, the pixel aspect ratio equals 1:1, and is said to be "square".

[SOURCE: ISO 12231:2012, 3.12.2]

Note 2 to entry: This term was originally defined in the past edition of ISO 12232, and was adopted to ISO 12231:1997.

3.9

single exposure

acquisition of a picture by a *single exposure*, with one or more image sensors, that exposes all sensor pixels, all colours, and all image locations at the same time

[SOURCE: ISO 12231:2012, 3.52.1]

Note 1 to entry: This term was originally defined in the past edition of ISO 12232, adopted to ISO 12231:1997 and was modified at ISO 12231:2005.

3.10

time sequential exposure

acquisition of a picture by combining repeated exposures to capture different spatial components

Note 1 to entry: *Time sequential exposure* can be with a line array (line scanning) or an area array. With a line array, the picture is acquired by optical or physical sub-scanning with an image sensor in one dimension. With an area array, repeated exposures may integrate smaller pictures into a larger picture by means of image sensor shifting.

[SOURCE: ISO 12231:2012, 3.52.3]

Note 2 to entry: This term was originally defined in the past edition of ISO 12232, adopted to ISO 12231:1997 and was modified at ISO 12231:2005.

I Lett SI A De Rei William Lands of the Land