

SLOVENSKI STANDARD oSIST prEN 1776:2024

01-oktober-2024

Infrastruktura za plin - Merilni sistemi - Funkcionalne zahteve

Gas infrastructure - Gas measuring systems - Functional requirements

Gasinfrastruktur - Gasmesssysteme - Funktionale Anforderungen

Infrastructures gazières - Systèmes de mesure de gaz - Prescriptions fonctionnelles

Ta slovenski standard je istoveten z: prEN 1776

ICS:

75.180.30 Tel Oprema za merjenje //0714aefa Volumetric equipment and 52/osist-pren-1776-2024

prostornine in merjenje measurements

91.140.40 Sistemi za oskrbo s plinom Gas supply systems

oSIST prEN 1776:2024 en,fr,de

iTeh Standards (https://standards.iteh.ai) Document Preview

oSIST prEN 1776:2024

https://standards.iteh.ai/catalog/standards/sist/0714aefa-25a9-4960-bdcc-6725aab3fd52/osist-pren-1776-2024

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

DRAFT prEN 1776

August 2024

ICS 75.180.30

Will supersede EN 1776:2015

English Version

Gas infrastructure - Gas measuring systems - Functional requirements

Infrastructures gazières - Systèmes de mesure de gaz - Prescriptions fonctionnelles

 $\label{eq:Gasinfrastruktur-Gasmess} Gas in frastruktur-Gasmesssysteme-Funktionale \\ An forderungen$

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 234.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation. The FN 1776-2024

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Europ	oean foreword	7	
Intro	duction	8	
1	Scope	9	
2	Normative references	10	
3	Terms and definitions		
4	General requirements		
4 4.1	General		
4.2	Safety and environment		
4.3	Quality and measurement management system		
5 5.1	Basic requirements for gas measuring systems		
5.1 5.2	Classification of the gas measuring system		
5.2 5.2.1	GeneralGeneral		
5.2.1	Minimum requirements Class A and Class B		
5.2.3	Minimum requirements Class C and Class D		
5.3	Gas measuring system modules		
3.3			
6	Energy Determination		
6.1	General		
6.2	Requirements for measurements used in energy determination		
6.2.1	Base conditions		
6.2.2	Flow measurement		
6.2.3	Gross calorific value (GCV)		
6.3	Calculation method of energy using assigned GCV and P, T, Z values		
6.4	Calculation method of energy using an on-site CVDD and on-site PTZ-Conversion		
6.5	Calculation method of energy using an assigned GCV and PTZ-conversion		
6.6	Calculation method of energy using PT-Conversion and assigned GCV and Z value and a second conversion and assigned GCV and Z value and a second conversion and assigned GCV and Z value and a second conversion and assigned GCV and Z value and a second conversion and assigned GCV and Z value and a second conversion and assigned GCV and Z value and a second conversion and assigned GCV and Z value and a second conversion and assigned GCV and Z value and a second conversion and a second		
6.7	Calculation method of energy using T-Conversion and assigned GCV, and P, Z		
6.8	Gas temperature conversion		
6.9	Gas pressure conversion		
6.10	Compressibility conversion		
6.11	PTZ-conversion		
6.12	Uncertainty of energy determination		
7	Design of gas measuring system		
7.1	General		
7.2	Safety provision		
7.3	Housing		
7.4	Gas measuring station		
7.5	Gas measuring installation		
7.5.1	General		
7.5.2	Continuity of supply		
7.5.3 7.5.4	Gas meters		
	Gas meters with additional functionalities and remotely operated valve		
7.6 7.6.1	Calorific value determination system		
7.6.1 7.6.2	Sampling		
7.0.4	Jamping	oo	

7.6.3	Provisions for calibration	35
7.7	Gas pressure measurement	35
7.7.1	General	
7.7.2	Gas pressure measurement Class A and Class B	35
7.7.3	Gas pressure determination Class C and Class D	36
7.8	Gas temperature measurement	
7.9	Conversion device	
7.10	Compression factor	
7.11	Pipework requirements	
7.11.1	For Class A and Class B measuring installation	
	For Class C and Class D measuring installation	
7.12	Valves	
7.12.1	General	
	By-pass	
	Parallel meter runs	
	General	
	Pulsating effects related to specific flow meter types:	
7.15	Filter	
7.16	Gas conditioning, hydrate protection	
7.17	Duplication/redundancy of measuring instruments	
7.18	Venting	
7.19	Ventilation	
7.20	Odorants and/or additives	
7.21	Electromagnetic compatibility (EMC)	
7.22	Documented provisions	
	General	
	Data handling (Security)	
8	Construction of a gas measuring installation	43
8.1	General	
8.2	Specific requirements for thermowells	
8.3	Specific requirements for (differential) pressure transducers	
8.4	Specific requirements for sampling systems for CVDD's	
8.5	Corrosion protection	44
8.6	Electrical equipment in hazardous area	44
9	Testing of the gas measuring installation/station	44
9.1	Strength and tightness test	
9.1.1	General	
9.1.2	Test report	
9.2	Purging	
10	Pre-commissioning and commissioning of the gas measuring installation	
10.1	General	
10.2	Pre-commissioning checks	
	General	
	Electrical or electronic system	
10.3	Commissioning and re-commissioning	
	General	
	Gas meters	
	Instrumentation	
	Initial comparison check	
10.4	Acceptance, documentation and hand-over	
10.5	Post-commissioning checks	48

11	Operation and maintenance	
11.1	General	
11.2	Reference equipment	
11.3	Gas meters	
	GeneralRotary displacement meters	
	Turbine meters	
	Vortex meters	
	Ultrasonic meters	
	Orifice Meters	
11.4	Conversion devices	51
11.5	Calorific value determination device	52
11.6	Sensors	
11.7	Calibration/verification and maintenance records	52
12	Decommissioning	53
Annex	A (informative) Guideline for the selection of meters	54
	B (informative) Sensor test procedures	
B.1	Differential pressure sensors	60
B.1.1	General	60
B.1.2	High static pressure testing	60
B.1.3	"Footprint testing"	60
B.1.4	Atmospheric calibration	61
B.2	Pressure sensors	61
B.3	Temperature sensors	61
B.3.1	Platinum resistance thermometers (PRTs)	61
B.3.2	Other temperature sensors	61
B.4.1	Density sensors for operating conditions	62
B.4.2	Density sensors for base conditions	63
Annex	C (informative) Set of formulae to calculate volume or mass to energy	64
C.1	General	64
C.2	Calculation of volume	65
C.3	Calculation of mass	65
C.4	Calculation of energy	65
Annex	D (informative) Conformity assessment for the energy determination	66
D.1	Introduction	66
D.2	Measurement Systems	66
D.3	Energy Determination Systems	67
Annex	E (informative) Specific national examples of the assessment of conformity	of the
	metrological performance of a gas measuring system	
E.1	Introduction	
E.2	Example 1	69

E.3	Example 2	. 73
E.4	Example 3	. 75
E.5	Example 4	. 79
E.6	Example 5	.81
E.7	Example 6	.84
E.8	Example 7	.90
Annex	F (informative) Documentation and records	.95
F.1	Documentation	.95
F.2	Records	.95
F.3	Documentation approval	.95
Annex	G (informative) Typical examples of positions of gas measuring installations	.96
Annex	H (informative) Significant technical changes from the last edition of this standa EN 1776:2015	
Annex	I (informative) Hydrogen and its blends	.99
I.1	General	.99
I.2	5.2.2 Minimum requirements Class A and Class B	
I.3	6.2.2 Flow measurement	100
I.4	6.2.3.1 Gross calorific value (GCV)/ General conciderations	100
I.5	6.2.3.2 Calorific value determination device (CVDD)	101
I.6	6.3 Calculation method of energy using assigned GCV and P, T, Z values	101
I.7	6.4 Calculation method of energy using an on-site CVDD and on-site PTZ-Convers	
I.8	6.5 Calculation method of energy using an assigned GCV and PTZ-conversion	101
I.9	6.6 Calculation method of energy using PT-Conversion and assigned GCV and Z va	
I.10	6.7 Calculation method of energy using T-Conversion and assigned GCV, and values	
I.11	6.10 Compressibility conversion	101
I.12	6.11 PTZ-conversion	101
I.13	6.12 Uncertainty of energy determination	101
I.14	7.2 Safety provision	102
I.15	7.5.3 Gas meters	102
I.16	7.11. Compression factor	102
I.17	7.12 Pipework requirements	102
I.18	7.15.1 General	103
I.19	7.15.2.1 Turbine meter	103
I.20	7.15.2.2 Rotary displacement meter	103
I.21	7.15.2.3 Ultrasonic meter (non-domestic)	103

I.22	8.1 General	
I.23	8.2 Specific requirements for thermowells	103
I.24	8.6 Electrical equipment in hazardous area	103
I.25	9.1.1 General	104
I.26	10.2.1 General	104
I.27	10.2.2 Electrical or electronic system	
I.28	10.3.1 General	
I.29	10.3.2. Gas meters	104
I.30	10.3.2.2 Non-domestic ultrasonic meters	104
I.31	10.3.2.3 Orifice plate meter	105
I.32	10.3.2.4 Coriolis meter	105
I.33	11.2 Reference equipment	
I.34	11.3.1 General	
I.35	11.3.4 Vortex meters	
I.36	11.5 Calorific value determination device	106
I.37	B 4.1.4 Hydrogen test	106
I.38	G Typical examples of positions of gas measuring installations	
Riblio	granhy (httns://standards.iteh.ai)	108

Document Preview

oSIST prEN 1776:2024

https://standards.iteh.ai/catalog/standards/sist/0/14aeta-25a9-4960-bdcc-6/25aab3fd52/osist-pren-1//6-2024

European foreword

This document (prEN 1776:2024) has been prepared by Technical Committee CEN/TC 234 "Gas infrastructure", the secretariat of which is held by DIN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 1776:2015.

prEN 1776:2024 includes the significant technical changes with respect to EN 1776:2015, described in Annex H.

This document has been prepared under a standardization request addressed to CEN by the European Commission.

This version of the document comprises a major revision of EN 1776:2015. The scope of the standard is expanded and now includes natural gas / hydrogen blends and hydrogen, as mentioned in CEN/TR 17797. For this purpose, the document has been amended.

This document has in part been developed in response to the work of the European Standards Organisations (CEN/CENELEC/ETSI) under the Commission Mandate M/441. The standard is applying in conjunction with CEN/CLC/ETSI TR 50572, Functional Reference Architecture for Communications in Smart Metering Systems and EN 16314, Gas meters – Additional functionalities (often referred to as a smart gas meter).

Directive 2009/73/EC concerning common rules for the internal market in natural gas and the related Regulation (EC) No 715/2009 on conditions for access to the natural gas transmission networks also aim at technical safety (security) including technical reliability of the European gas system. These aspects are also in the scope of CEN/TC 234 standardization. In this respect CEN/TC 234 evaluated the indicated EU legislation and amended this technical standard accordingly, where required and appropriate.

This document covers the environmental aspects relevant to the design, construction, operation, and maintenance and commissioning/decommissioning of gas measuring systems, where appropriate, in accordance with CEN Guide 4 and CEN/TR 16388.

In preparing this document, a basic understanding of gas infrastructure by the user has been assumed.

Introduction

This document specifies different classes of measuring systems, each having their own specific requirements.

By nature, a measuring system is an aggregate of several components. In this document, it is assumed that each component is in full compliance with applicable CEN or ISO standards, if any.

This document allows the user to choose between different accuracy classes of measuring systems, the choice of which can be justified on economic grounds.

This document specifies common basic principles for gas infrastructure. Users of this document are expected to be aware that there can exist more detailed national standards and/or codes of practice in the CEN member countries.

This document is intended to be applied in association with these national standards and/or codes of practice setting out the above mentioned basic principles.

NOTE European legislation/regulations and national legislation is obligatory for all member states. In the event of conflicting terms of more restrictive additional requirements in legislation/regulation with the requirements than in this document, CEN/TR 13737 (all parts) illustrates these terms. \cdot

CEN/TR 13737 (all parts) gives:

- description of relevant legislation/regulations applicable in a country;
- if appropriate, more restrictive national requirements;
- a national contact point for the latest information.

Document Preview

oSIST prEN 1776:202

https://standards.iteh.ai/catalog/standards/sist/0714aefa-25a9-4960-bdcc-6725aab3fd52/osist-pren-1776-2024

1 Scope

This document specifies functional requirements for the design, construction, testing, commissioning/decommissioning, operation, maintenance and, where appropriate, calibration, together with suitable documented provisions for all new gas measuring systems and any major changes of existing systems.

This document also specifies accuracy classes of measuring systems and thresholds applicable to these classes. Demonstration of compliance is achieved through the selection, installation and operation of appropriate measurement instruments, together with suitable documented provisions for calculations. Examples of demonstration of compliance are provided for each accuracy class; however, they are not prescriptive solutions.

This document is applicable for gases of the 2nd family as classified in EN 437. It is also applicable for treated non-conventional combustible gases complying with EN 437 and for which a detailed technical evaluation of the functional requirements (such as injected biomethane) is performed ensuring there are no other constituents or properties of the gases that can affect the metrological and physical integrity of the measuring systems. This version mentions technical topics to consider when hydrogen and natural gas / hydrogen blends flow through the measuring systems.

This document can also be used as a guideline for measuring systems for other gases e.g. gaseous CO_2 for CCUS.

This document is not applicable for raw or sour gases.

This document is not applicable for gas measurement in CNG filling stations.

This document gives guidelines when designing, installing and operating gas meters with additional functionalities (smart gas meters).

Communication protocols and interfaces for gas meters and remote reading of gas meters are outside the scope of this document and are covered by the appropriate parts of EN 13757, which provide a number of protocols for meter communications. Supervisory control and data acquisition protocols (SCADA) are also not covered by this document.

Unless otherwise specified all pressures used in this document are gauge pressures. ist-pren-1776-2024

For associated pressure regulating systems the requirements of EN 12186 and/or EN 12279 apply.

For requirements on design, housing, lay-out, materials for components, construction, ventilation, venting and overall safety of gas measuring systems within the scope of this document, EN 15001 (all parts), EN 12186, EN 12279 and/or EN 1775 apply additionally, where relevant.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE There is assumption that any guidance within these standards will be updated to include hydrogen.

EN 1594, Gas infrastructure - Pipelines for maximum operating pressure over 16 bar - Functional requirements

EN 1775, Gas supply - Gas pipework for buildings - Maximum operating pressure less than or equal to 5 bar - Functional recommendations

EN 12186, Gas infrastructure - Gas pressure regulating stations for transmission and distribution - Functional requirements

EN 12279, Gas supply systems - Gas pressure regulating installations on service lines - Functional requirements

EN 12327, Gas infrastructure - Pressure testing, commissioning and decommissioning procedures - Functional requirements

EN 12405 (all parts), Gas meters — Conversion devices

EN 15001-1, Gas Infrastructure - Gas installation pipework with an operating pressure greater than 0,5 bar for industrial installations and greater than 5 bar for industrial and non-industrial installations - Part 1: Detailed functional requirements for design, materials, construction, inspection and testing

EN 15001-2, Gas supply systems - Gas installation pipework with an operating pressure greater than 0,5 bar for industrial installations and greater than 5 bar for industrial and non-industrial installations - Part 2: Detailed functional requirements for commissioning, operation and maintenance

EN 16314, Gas meters - Additional functionalities

EN IEC 60079-10-1, Explosive atmospheres — Part 10-1: Classification of areas — Explosive gas atmospheres (IEC 60079-10-1)

EN 60079-14, Explosive atmospheres - Part 14: Electrical installations design, selection and erection (IEC 60079-14)

EN 60079-17, Explosive atmospheres - Part 17: Electrical installations inspection and maintenance (IEC 60079-17)

EN 61000 (all parts), Electromagnetic compatibility (EMC)

EN ISO 5167-1, Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full - Part 1: General principles and requirements (ISO 5167-1)

EN ISO 5167-2, Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full - Part 2: Orifice plates (ISO 5167-2)

EN ISO 6141, Gas analysis - Contents of certificates for calibration gas mixtures (ISO 6141)

EN ISO 6142-1, Gas analysis - Preparation of calibration gas mixtures - Part 1: Gravimetric method for Class I mixtures (ISO 6142-1)

EN ISO 6143, Gas analysis - Comparison methods for determining and checking the composition of calibration gas mixtures (ISO 6143)

EN ISO 6975, Natural gas - Extended analysis - Gas-chromatographic method (ISO 6975)

EN ISO 10715, Natural gas - Gas sampling (ISO 10715)

EN ISO 10723, Natural gas - Performance evaluation for analytical systems (ISO 10723)

EN ISO 12213-1, Natural gas - Calculation of compression factor - Part 1: Introduction and guidelines (ISO 12213-1)

EN ISO 12213-2, Natural gas - Calculation of compression factor - Part 2: Calculation using molar-composition analysis (ISO 12213-2)

EN ISO 15970, Natural gas - Measurement of properties - Volumetric properties: density, pressure, temperature and compression factor (ISO 15970)

EN ISO 20765-1, Natural gas - Calculation of thermodynamic properties - Part 1: Gas phase properties for transmission and distribution applications (ISO 20765-1)

EN ISO 20765-2, Natural gas - Calculation of thermodynamic properties - Part 2: Single-phase properties (gas, liquid, and dense fluid) for extended ranges of application (ISO 20765-2)

EN ISO 20765-5, Natural gas - Calculation of thermodynamic properties - Part 5: Calculation of viscosity, Joule-Thomson coefficient, and isentropic exponent (ISO 20765-5)

EN ISO 80079-36, Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Basic method and requirements (ISO 80079-36)

ISO 2186, Fluid flow in closed conduits — Connections for pressure signal transmissions between primary and secondary elements

ISO 10790, Measurement of fluid flow in closed conduits — Guidance to the selection, installation and use of Coriolis flowmeters (mass flow, density and volume flow measurements)

ISO/IEC Guide 98-1, Guide to the expression of uncertainty in measurement — Part 1: Introduction

ISO/IEC Guide 98-3, Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)

ISO/IEC Guide 98-4, *Uncertainty of measurement — Part 4: Role of measurement uncertainty in conformity assessment*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp/
- IEC Electropedia: available at https://www.electropedia.org/

3.1

accuracy of measurement

closeness of the agreement between the result of a measurement and a true value of the measurand

3.2

additional components

elements or devices, required to ensure correct measurement or intended to facilitate the measuring operations, or which could in anyway affect the measurement

EXAMPLE	Additional components can be
a)	filter;
b)	flow conditioning device;
c)	branch or by-pass line; iTeh Standards
d)	valves; (https://standards.iteh.ai)
e)	pressure reduction devices located upstream or downstream of the meter;
f)	sampling systems;
h g) ısı//standar	<u>oSIST prEN 1776:2024</u> d piping. i/catalog/standards/sist/0714aefa-25a9-4960-hdcc-6725aab3fd52/osist-pren-1776-2024

3.3

analyser

equipment which by means of any technology (chromatography, spectrometry, etc.) is able of measuring or calculating some chemical or physical properties of the gas (composition, wobbe index, purity, etc.)

3.4

authorized person

person who is appointed to fulfil a given task on gas measuring systems

3.5

availability

probability, at any time, that the measuring system, or a measuring instrument forming a part of the measuring system, is functioning according to specifications

3.6

bidirectional flow measurement

bidirectional flow measurement represents a situation where a network can receive gas flow in one direction or the other

EXAMPLE For example, distribution networks that are interconnected and gas flow is transferred from one to the other as required.