

# DRAFT INTERNATIONAL STANDARD

## ISO/DIS 3044

ISO/TC 54

Secretariat: UNE

Voting begins on:  
2020-01-24

Voting terminates on:  
2020-04-17

---

---

### Essential oil of *Corymbia citriodora* (Hook.) K.D. Hill & L.A.S. Johnson (syn. *Eucalyptus citriodora* Hook)

*Huile essentielle d'Eucalyptus citriodora* (Hook.) K.D. Hill & L.A.S. Johnson (syn. *Eucalyptus citriodora* Hook)

ICS: 71.100.60

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/c9cca9f46-83ad-4117-a55a-73aaca17179e/iso-prf-3044>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number  
ISO/DIS 3044:2020(E)

© ISO 2020

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/c9ca9f46-83ad-4117-a55a-73aaca17179e/iso-prf-3044>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword .....	iv
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Requirements</b> .....	<b>1</b>
4.1 General requirements .....	1
4.2 Chromatographic profile .....	2
<b>5 Flash point</b> .....	<b>2</b>
<b>6 Sampling</b> .....	<b>2</b>
<b>7 Packaging labelling, marking and storage</b> .....	<b>2</b>
<b>Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of <i>Corymbia citriodora</i> (Hook.) K.D. Hill &amp; L.A.S. Johnson(syn. <i>Eucalyptus citriodora</i> Hook.)</b> .....	<b>3</b>
<b>Annex B (informative) Flashpoint</b> .....	<b>7</b>
<b>Bibliography</b> .....	<b>8</b>

iTech STANDARD PREVIEW  
 (standards.itech.ai)  
 Full standard:  
<https://standards.itech.ai/catalog/standards/sist/c9ca9f46-83ad-4117-a55a-73aaca17179e/iso-prf-3044>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 54, *Essential oils*.

This third edition cancels and replaces the second edition (ISO 3044:1997), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the title and botanical name of the essential oil source has been updated to the currently accepted botanical name;
- the structure of the standard has been revised;
- determination of carbonyl value using the free hydroxyl amine method has been deleted from Normative Method References and Requirements (Carbonyl Value);
- [Table 2](#) has been revised for minimum and maximum values and to include the extra components: 1,8-cineole, citronellol and citronellyl acetate;
- [Annex A](#) has been replaced with updated Figure A.1 and [A.2](#) and with revised Peak identification and Operating conditions columns.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Essential oil of *Corymbia citriodora* (Hook.) K.D. Hill & L.A.S. Johnson (syn. *Eucalyptus citriodora* Hook)

## 1 Scope

This document specifies certain characteristics of the essential oil of *Corymbia citriodora* (Hook.) K.D. Hill & L.A.S. Johnson (syn. *Eucalyptus citriodora* Hook.), with a view to facilitate the assessment of its quality.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 210, *Essential oils — General rules for packaging, conditioning and storage*

ISO/TS 211, *Essential oils — General rules for labelling and marking of containers*

ISO 212, *Essential oils — Sampling*

ISO 279, *Essential oils — Determination of relative density at 20 degrees C — Reference method*

ISO 280, *Essential oils — Determination of refractive index*

ISO 592, *Essential oils — Determination of optical rotation*

ISO 875, *Essential oils — Evaluation of miscibility in ethanol*

ISO 11024 (all parts), *Essential oils — General guidance on chromatographic profiles*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### essential oil of *Corymbia citriodora*

essential oil obtained by steam distillation of the leaves and twigs of *Corymbia citriodora* (Hook.) K.D. Hill & L.A.S. Johnson of the Myrtaceae family

Note 1 to entry: For information on CAS number, see ISO/TR 21092.

## 4 Requirements

### 4.1 General requirements

The essential oil of *Corymbia citriodora* shall meet the requirements given in [Table 1](#).

**Table 1 — Requirements for the essential oil of *Corymbia citriodora***

Characteristics	Requirements	ISO test method
Appearance	Clear mobile liquid	—
Colour	Almost colourless, pale yellow to greenish yellow	—
Odour	Characteristic, recalling that of citronellal	—
Relative density at 20 °C $d_{20}^{20}$	0,860 to 0,880	ISO 279
Refractive index at 20 °C	1,450 to 1,460	ISO 280
Optical rotation at 20 °C	Range from -1° to +3°	ISO 592
Miscibility in ethanol	It shall not be necessary to use more than 4 volumes of ethanol 70 % (volume fraction) to obtain a clear solution with 1 volume of essential oil	ISO 875

## 4.2 Chromatographic profile

Carry out the analysis of the essential oil by gas chromatography. Determine the chromatographic profile in accordance with the ISO 11024 series. Identify in the chromatogram obtained, the representative and characteristic components are shown in Table 2. The proportions of these components, indicated by the integrator, shall be as shown in Table 2. This constitutes the chromatographic profile of the essential oil.

**Table 2 — Chromatographic profile**

Component	Min	Max
	%	%
1,8-cineole	0,5	3,0
<i>neo</i> -isopulegol+isopulegol	5,0	10,0
Citronellal	75,0	85,0
Citronellol	3,0	10,0
Citronellyl acetate	0,1	2,0

NOTE The chromatographic profile is normative, contrary to typical chromatograms given for information in [Annex A](#), see [Figures A.1](#) and [A.2](#).

## 5 Flash point

Information on the flash point is given in [Annex B](#).

## 6 Sampling

Sampling shall be performed in accordance with ISO 212. The minimum test sample volume is 50 ml.


NOTE This volume allows each of the tests specified in this International Standard to be carried out at least once.

## 7 Packaging labelling, marking and storage

Packaging labelling, marking and storage shall be in accordance with ISO/TS 210 and ISO/TS 211.

## Annex A (informative)

Typical chromatograms of the analysis by gas chromatography of the essential oil of *Corymbia citriodora* (Hook.) K.D. Hill & L.A.S. Johnson (syn. *Eucalyptus citriodora* Hook.)



Peak identification	Operating conditions
1 $\beta$ -Pinene	Column: capillary, length 60 m, internal diameter 0,25 mm
2 1,8-Cineole	Stationary phase: Rtx-5MS <sup>a</sup> (5 % diphenyl, 95 % dimethyl polysiloxane)
3 Isopulegol	Film thickness: 0,10 $\mu$ m
4 Citronellal	Oven temperature: 45° to 240° at rate of 4 °C/min, hold 11,25 min
5 <i>Neo</i> -isopulegol	Injector temperature: 230 °C
6 Citronellol	Detector temperature: 250 °C
7 Citronellylacetate	Detector: flame Ionization
8 $\beta$ Caryophyllene	Carrier gas: helium
	Injected volume: 1 $\mu$ l
	Carrier gas flowrate: 2,1 ml/min
	Sample: 2,5 % (m/V) in hexane
	Split ratio : 1/40

**Key**


Y detector response (pA)

X time (min)

<sup>a</sup> Rtx- 5MS is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

**Figure A.1 — Typical chromatogram taken on an apolar column**



**Peak identification**

- 1  $\beta$ -Pinene
- 2 1,8-Cineole
- 3 Citronellal
- 4 *Neo*-isopulegol
- 5 Isopulegol
- 6  $\beta$ -Caryophyllene
- 7 Citronellyl acetate
- 8 Citronellol

**Operating conditions**

Column: capillary, length 60 m, internal diameter 0,32 mm

Stationary phase: Rtx-Wax<sup>a</sup> (Crossbond Carbowax polyethylene glycol)

Film thickness: 0,25  $\mu$ m

Oven temperature: 45° hold 3 min, 45° to 180° at rate of 4 °C/min,

180° to 240° at rate of 8 °C/min, hold 15 min

Injector temperature: 240 °C

Detector temperature: 260 °C

Detector: flame Ionization

Carrier gas: helium

Injected volume: 1  $\mu$ l

Carrier gas flowrate: 2,0 ml/min

Sample: 2,5 % (m/V) in hexane

Split ratio: 1/27,8